

SANITARY WORK

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरू)					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	2405	2405	2405	
	ii)500 mm size white glazed without siphon	„	2090	2090	2090	
	iii)580 mm size orrisa Pan	„	2339	2339	2339	
	iii)580 mm size white glazed Indian pan	„	1000	1000	1000	
	iv) Siphon 'p' or 's' type	„	562	562	562	
	v) Asian Pan 51x40 Rectangular	„	2405	2405	2405	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	„	3391	3391	3391	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	„	635	635	635	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	„	3523	3523	3523	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1512	1512	1512	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	„	1739	1739	1739	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)		17262	17262	17262	
	iv) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	„	27510	27510	27510	
	iv) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	„	19425	19425	19425	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	„	5003	5003	5003	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	”	8247	8247	8247	
	x) 600 to 900 mm Grab bar	”	5775	5775	5775	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3517.5	3517.5	3517.5	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	3976	3976	3976	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1791	1791	1791	
	iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	”	1542	1542	1542	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	”	95550	95550	95550	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1155	1155	1155	
	ii) Porcelain clay white glaze squatting plate large size	”	1386	1386	1386	
	iii) Porcelain clay super color squatting plate large size.	”	2688	2688	2688	
	iv) Urinal Spreader	”	872	872	872	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1044	1044	1044	
	iii) Porcelain clay white glaze wash basin (50×40) cm	”	1411	1411	1411	
	iv) Do but wash basin (45×32)cm	”	1014	1014	1014	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1145	1145	1145	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	”	7954	7954	7954	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	„	13125	13125	13125	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	„	9975	9975	9975	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	„	5938	5938	5938	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	„	19577	19577	19577	
	Pedestal:					
	i) Porcelain clay white glaze pedestal	„	1313	1313	1313	
	iii)White glazed Porcelain clay half pedestal complete set.	„	1591	1591	1591	
	iv) First color glazed Porcelain clay half pedestal complete set.	„	1880	1880	1880	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	„	12684	12684	12684	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	„	1659	1659	1659	
	Lab sink					
	i) Porcelain clay white glaze large size	„	2117	2117	2117	
	ii) Porcelain clay white glaze small size	„	1575	1575	1575	
	iii) Porcelain clay janitor sink 58×71×43.5 size	„	26250	26250	26250	
	Kitchen sink					
	i) Porcelain clay large	सेट	3585	3585	3585	
	ii) Porcelain clay small	„	3248	3248	3248	
	iii) drain board white 53x45	„	1242	1242	1242	
	iii) Soap dish	„	630	630	630	
	iv) White glaze foot rest	„	399	399	399	
	v) White glaze Toilet paper holder	„	1103	1103	1103	
2	PVC Cistern Set					
	i) single flush	सेट	1880	1880	1880	
	ii) Deluxe single flush	„	2100	2100	2100	
	iii) Dual flush 6/3 lit. cistern complete set.	„	2826	2826	2826	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	”	16065	16065	16065	
	v) 32 mm pvc bottel trap set.	पिस	454	454	454	
	vi) 1.5x45 cm pvc pipe connector set.	”	137	137	137	
	vi) Bakelite toilet seat cover set.	”	263	263	263	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45×45×30 size	”	17325	17325	17325	
	Stainless steel Orissa pan LP 210 size	”	8085	8085	8085	
	Stainless steel wash basin model 251 12" round size with pedestal	”	12635	12635	12635	
	Stainless steel wash basin 500 mm model 277 with complete set	”	9790	9790	9790	
	Stainless steel commode S trap with self closing complete set	”	16724	16724	16724	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	”	13942	13942	13942	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	”	17560	17560	17560	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	”	24546	24546	24546	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	”	15198	15198	15198	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	”	3985	3985	3985	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	”	6150	6150	6150	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	”	788	788	788	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	”	1103	1103	1103	
	Stainless steel bowl 19"×16" diamond board 37" long	”	2546	2546	2546	
	Stainless steel bowl with diamond board 37" long	”	3487	3487	3487	
	Stainless steel bowl with ordinary board 37" long	”	2205	2205	2205	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Stainless steel double bowl with double drain board 36" * 18 "size	”	13259	13259	13259	
	Stainless steel double bowl with single drain board ordinary	”	5513	5513	5513	
	Stainless steel p trap bottle trap for basin	”	2214	2214	2214	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	”	8010	8010	8010	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	”	5301	5301	5301	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	”	8010	8010	8010	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	”	1393	1393	1393	
	Stainless steel Hose ringer 1200 mm	”	1214	1214	1214	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	”	1713	1713	1713	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	”	6615	6615	6615	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	”	4216	4216	4216	
	Stainless steel Sink 700*450*200	”	23100	23100	23100	
	Stainless steel Sink table top1200*600*300	”	31920	31920	31920	
	Steel Split clamp with washer all complete	”	31920	31920	31920	
	75 mm dia	पिस	315	315	315	
	110 mm dia		420	420	420	
	160 mm dia		735	735	735	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	1181	1181	1181	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	”	2835	2835	2835	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	”				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	”	616	616	616	
	Stainless steel towel bar 450 mm	”	1181	1181	1181	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12832	12832	12832	
	Capacity 1000 ltr	”	16814	16814	16814	
	Capacity 1500 ltr	”	23894	23894	23894	
	Capacity 2000 ltr	”	31858	31858	31858	
	Super lab sink					
	i) super lab sink large size	”	4109	4109	4109	
	ii) super lab sink small size	”	3240	3240	3240	
	Super kitchen sink					
	i) super kitchen sink large size	”	7112	7112	7112	
	ii) super kitchen sink small size	”	6437	6437	6437	
	4 Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	”	18480	18480	18480	
	v) Hand Dryer Chinese	”	6825	6825	6825	
	vi) Indian Mark Brand Flush valve	”	5460	5460	5460	
	xii) Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	”	33600	33600	33600	
	xv) European pattern liquid soap container stainless steel	”	5775	5775	5775	
	xvii) Looking Mirror Modi guard 450x600mm (18"x 24")	”	1390	1390	1390	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	”	4560	4560	4560	
	b) 45 cm long bend type	”	4775	4775	4775	
	c) 60 cm long bend type	”	6114	6114	6114	
	5 C.P. Accessories(jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	”	473	473	473	
	2) Soap dish	”	473	473	473	
	3) Towel rod ½"×18" size	”	473	473	473	
	4) Towel rod ¾" ×24" size	”	525	525	525	
	5) Glass shelf	”	630	630	630	
	6) C.P. bottle trap	”	1155	1155	1155	
	7) 32 mm×60cm long C.P flush pipe	”	473	473	473	
	8) 15 mm flush cock push type	”	1050	1050	1050	
	9) 15 mm dia. C.P. shower arm	”	904	904	904	
	10) 15 mm dia. C.P. spreader	”	872	872	872	
	11) 15 mm dia. C.P. wall mixture	”				
	i) 3" dia. Shower rose , revolving type	”	840	840	840	
	ii) 4" dia. Shower rose , revolving type	”	945	945	945	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	iii) Shower rose ordinary	”	525	525	525	
	iv) Shower rod 12" long	”	263	263	263	
	C.P. 15 mm dia. Angle Valve	”	1153	1153	1153	
	C.P. 15 mm dia Concealed Stop Cock	”	1675	1675	1675	
	C.P. 15mm Bib Cock	”				
	C.P. 15 mm dia swan neck Pillar Cock	”	1234	1234	1234	
	C.P. 15 mm dia Stop Cock	”	1234	1234	1234	
	C.P. 15 mm dia Sink Cock	”	1213	1213	1213	
	C.P. 15 mm dia Sink Mixture	”	4144	4144	4144	
	C.P. 32 mm dia Flush Valve	”	5009	5009	5009	
	C.P. 32 mm dia Waste Coupling for basin	”	393	393	393	
	C.P. 32 mm dia Waste Coupling for Urinal	”	638	638	638	
	C.P. Basin Mixture	सेट	4300	4300	4300	
	15 mm dia Bath Tub Spout with Wall Hinge	”				
			1604	1604	1604	
	C.P. Exclusive Shower Arm with Hinge	”	1867	1867	1867	
	15 mm bath tub spout with bottom attachment of telephonic shower	”				
			3864	3864	3864	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	”				
			6347	6347	6347	
	C.P. flexible pipe	गोटा	168	168	168	
	C.P. Grating					
	i) 4" dia.	”	46	46	46	
	ii) 5" dia.	”	58	58	58	
	i) C.P. Toilet Paper Holder	”				
	ii) C.P. Soap Dish(Polyurethane)	”	781	781	781	
	iii) C.P. Towel Rod 18"	”	1463	1463	1463	
	iv) C.P. Towel Rod 24"	”	1523	1523	1523	
	v) C.P. Glass Shelf 22"	”	2069	2069	2069	
	vi) C.P. Coat Hook Double	”	702	702	702	
6	C.P. बाट निर्मित सामाग्रीहरू(jaquar, somany, essel or equivalent)	”				
	i) C.P. Toilet Paper Holder	”				
	ii) C.P. Soap Dish(Polyurethane)	”				
	iv) C.P. Towel Rod 24"	”				
	v) C.P. Glass Shelf 22"	”				
	vi) C.P. Coat Hook Double	”				
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	”	859	859	859	
	15 mm C.P. Angle Cock Long Thread	”	914	914	914	
	x) C.P. Conceal Stop Cock	”				
	i) 15 mm Reduced body	”	1053	1053	1053	
	ii) 15 mm Extra Heavy Body	”	1288	1288	1288	
	xi) C.P. Bib Cock	”				

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	”	2420	2420	2420	
	ii) 15mm C.P. Bib Cock	”	882	882	882	
	iii) 15mm C.P. Bib Cock with nozzle	”	977	977	977	
	xii) C.P. Pillar Cock	”				
	i) 15 mm C.P. Pillar Cock With Aerator	”	1171	1171	1171	
	ii) 15mm Auto Closing Pillar Cock With Aerator	”	2342	2342	2342	
	i) 15mm C.P. Sink Cock	”	1483	1483	1483	
	ii) C.P. Sink Mixer	”	3675	3675	3675	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	”	3203	3203	3203	
	xv) C.P. Bottle Trap 32mm	”	1717	1717	1717	
	32 mm C.P. Conceal Flush Valve Dual Flow	”	3590	3590	3590	
	xvii) C.P. Waste Coupling	”				
	32 mm C.P. Waste Coupling H/T	”	414	414	414	
	32 mm C.P. Waste Coupling F/T	”	414	414	414	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	”	2497	2497	2497	
	xix) 15 mm C.P. Wall Mixer	”				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	”	4136	4136	4136	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	”	4136	4136	4136	
	xx) C.P. Basin Mixer	”				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	”	3435	3435	3435	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	”	3606	3606	3606	
	xxi) 15mm Bath Tub Spout with wall flange	”				
	15mm Bath Tub Spout with wall Flange	”	1171	1171	1171	
	15mm Bath Tub Spout with button attachment	”	1873	1873	1873	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	xxii) C.P. Casted Shower Arm with Flange	”				
	15 mm Casted Shower Arm Light	”	624	624	624	
	15 mm Casted Shower Arm Heavy	”	1014	1014	1014	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	”	1660	1660	1660	
	With 1.5 Flexible Tube	”	2576	2576	2576	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4605	4605	4605	
	15 mm Braided Hose for E.W.C.	”	284	284	284	
	15 mm Health Faucet (Commode Spray)	”	1092	1092	1092	
	15 mm pillar cock with 200 mm extended lever handle	”	1444	1444	1444	
	15 mm Bib cock with 200 mm extended lever handle	”	1523	1523	1523	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	”	5674	5674	5674	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	”	5503	5503	5503	
	Sensor mixer for wash basin (Battery operated)	”	19513	19513	19513	
	Wall mounted Sensor mixer for operation theater (Battery operated)	”	19513	19513	19513	
	Sensor conceal type flushing valve for Western commode (battery operated)	”	15454	15454	15454	
	Sensor valve for Urinal	”	10147	10147	10147	
	Basin cock Sensor	”	13736	13736	13736	
	15mm U shaped sink cock	”	1631	1631	1631	
	Sink Mixture with U shape swinging spout	”	3199	3199	3199	
	15mm metallic Health Faucet (Commode Spray)	”	2069	2069	2069	
	7 Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	10710	10710	10710	
	ii) 25 lit cap. " " "	”	16511	16511	16511	
	iii) 35 lit cap " " "	”	20528	20528	20528	
	iv) 50 lit cap " " "	”	24544	24544	24544	
	iv) Gas water heater with cylinder	”	8400	8400	8400	
	vi) 200 lit cap. 3 panel solar heater with fittings	”				
	vii) 300 lit cap. 3 panel solar heater with fittings	”				
	viii) 400 lit cap. 4 panel solar heater with fittings	”				
	x) 500 lit cap. 4 panel solar heater with fittings	”				

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	11550	11550	11550	
8	C.I. Manhole Cover including frame.					
8.1	Square size (in outer dia)					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	638	638	638	
	ii) 12" × 12" (5 Kg.)	"	797	797	797	
	iii) 14" × 14" (7 Kg.)	"	1116	1116	1116	
	v) 16" × 16" (10 Kg.)	"	1594	1594	1594	
	vi) 18" × 18" (14 Kg.)	"	2391	2391	2391	
	viii) 20" × 20" (16 Kg.)	"	2550	2550	2550	
	ix) 22" × 22" (20 Kg.)	"	3188	3188	3188	
	x) 24" × 24" (24 Kg.)	"	4091	4091	4091	
	xi) 27" × 27" (31 Kg.)	"	4941	4941	4941	
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	"	2231	2231	2231	
	ix) 22" × 22" (22 Kg.)	"	3507	3507	3507	
	xi) 27" × 27" (45 Kg.)	"	7173	7173	7173	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	8662.50	8662.50	8662.50	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	11550.00	11550.00	11550.00	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	14437.50	14437.50	14437.50	
	iv) 22" dia. Medium class. (125 Kg.)	"	18480.00	18480.00	18480.00	
	v) 22" dia. Heavy class. (208Kg.)	"	27604.50	27604.50	27604.50	
	vi) 24" dia. Medium class. (40 Kg.)	"	5913.60	5913.60	5913.60	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7392.00	7392.00	7392.00	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	10626.00	10626.00	10626.00	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	12936.00	12936.00	12936.00	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17094.00	17094.00	17094.00	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17094.00	17094.00	17094.00	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1593.90	1593.90	1593.90	
	20" (12 Kg.)	"	2337.72	2337.72	2337.72	
	22" (14 Kg.)	"	2656.50	2656.50	2656.50	
	24" (16 Kg.)	"	3187.80	3187.80	3187.80	
	28" (24 Kg.)	"	4781.70	4781.70	4781.70	
	Square					
	18" x 18" (13 Kg.)	सेट	2656.50	2656.50	2656.50	
	24" x 24" (50 Kg.)	"	9563.40	9563.40	9563.40	
	Rectangular					
	18" x 24" (27 Kg.)	सेट	5313.00	5313.00	5313.00	
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	सेट	96	96	96	
	5"	"	128	128	128	
	6"	"	170	170	170	
	10"	"	584	584	584	
8.5	Square Jali Strip Medium Duty					
	4" x 4"	सेट	85	85	85	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	5" x 5"	"	106	106	106	
	6" x 6"	"	128	128	128	
	9" x 9"	"	372	372	372	
	10" x 10"	"	478	478	478	
	12" x 12"	"	691	691	691	
8.6	C.I. Gully Gratings					
	i) 15"×18" Medium (18 Kg.)	सेट	3507	3507	3507	
	ii) 15"×18" Heavy (25 Kg.)	सेट	4782	4782	4782	
8.7	Grit Cover					
8.8	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	159	159	159	
8.9	Aluminum Grating 4" dia.	गोटा	40	40	40	
9	G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा	8075/-	8075/-	8075/-	
	ii) 200 gls	"	12685/-	12685/-	12685/-	
	iii) 300 gls	"	15955/-	15955/-	15955/-	
	iv) 400 gls	"	19155/-	19155/-	19155/-	
	v) 500 gls	"	22365/-	22365/-	22365/-	
9.1	G.I. Water Tank (16 BWG TATA Sheet)					
	i) 100 gls	गोटा	8517.70	8517.70	8517.70	
	ii) 200 gls	"	12880.53	12880.53	12880.53	
	iii) 300 gls	"	17101.77	17101.77	17101.77	
	iv) 400 gls	"	20491.15	20491.15	20491.15	
	v) 500 gls	"	23880.53	23880.53	23880.53	
9.2	Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	ली.	11	11	11	
	ii) 5000 lit – 10,000 lit cap	"	12	12	12	
	iii) Horizontal PVC water tank	"	12	12	12	
10	Water Pumps/Hand Pumps					
	Indian Mark-III , Deep Well Hand Pump					
	6 No. hand pump	गोटा	1536	1536	1536	
10.1	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10568	10568	10568	
	ii) ½ H.P. Water Pump mono block type	"	6075	6075	6075	
	iii) 1.0 H.P. water pump Multistage	"	13843	13843	13843	
	iv) 1.0 H.P. water pump (mono block type)	"	9189	9189	9189	
	v) 2.0 H.P. water pump	"	21929	21929	21929	
	vi) 2.0 H.P. 3 phase water pump	"	23153	23153	23153	
	vii) 5.0 HP 3 phase water pump	"	27822	27822	27822	
10.2	Jet Water Pump					
	i) 1.10 H.P.	सेट	21000	21000	21000	
	ii) Double Stage jet 1.10 H.P.		25200	25200	25200	
	ii) 1.5 H.P.	"	28350	28350	28350	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
10.3	Super Sunction					
	i) ½ H.P	सेट	8663	8663	8663	
	ii) 0.75 H.P.	„	8085	8085	8085	
	iii) 1.0 H.P.	„	13860	13860	13860	
10.4	Water Pump (Grundfoss, pentair, Pedrello or equiv)					
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	17672	17672	17672	
	ii) 2 H.P. single pump set " "	„	28382	28382	28382	
10.5	Fire pump					
	Submersible Pump (Italian)					
	i) 1.0 H.P.	„	25329	25329	25329	
	ii) 2.0 H.P.	„	46988	46988	46988	
10.6	Electric Water Pump (Chinese)					
	i) ½ H.P	„	1654	1654	1654	
	ii) ¾ H.P.	„	2155	2155	2155	
	iii) 1.0 H.P.	„	3175	3175	3175	
10.7	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	„	16170	16170	16170	
	ii) 1.1 H.P open well type	„	23678	23678	23678	
	iii) 1.5 H.P open well type	„	28875	28875	28875	
10.8	Vertical Submersible Pump Sarvo/Bimal or equivalent					
	i) 1.1 H.P	„	26460	26460	26460	
	iii) 1.5 H.P	„	31973	31973	31973	
11	Fire fighting equipment and accessories (safeguard india or equiv)					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट				
12	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent)					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा				
12.1	Insulation for hot water pipe 'Acroflex'					
	15mm Insulation 6 mm wall thickness	र.मी				
13	ACRYLIC GLASS SHELF					
	i) Acrylic glass shelf best quality	सेट				
14	Water Purification System					
	Euro Guard Water purification system (one litre per minute)	युनिट				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
15	Filter Media for existing filtration system					
	Pebbles	के.जी.				
16	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)					
	a) Bath tub – 3'6" Medium	सेट				
	Bath tub – 3'6" Heavy	"				
	b) Bath tub – 4'0" Medium	"	6510	6510	6510	
	Bath tub _ 4'0" Heavy	"	7560	7560	7560	
	c) Bath Tub – 4'6" Medium	"	7875	7875	7875	
	Bath tub – 4'6" Heavy	"	7900	7900	7900	
	d) Bath tub – 5'0" Medium	"	8610	8610	8610	
	Bath tub _ 5'0" Heavy	"	28500	28500	28500	
	e) Bath Tub – 5'6" Medium	"	7725	7725	7725	
	Bath tub – 5'6" Heavy	"	9100	9100	9100	
	f) Bath Tub – 6'0" Medium	"	12500	12500	12500	
	Bath tub – 6'0" Heavy	"	35750	35750	35750	
17	Shower Tray 3'0"×3'0"	गोटा	485	485	485	
	Pipes and fittings					
18	PPR Pipe (Poly propylene random co-polymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	62	62	62	
	25mm " 2.3 mm thick 0.164kg/m	"	94	94	94	
	32mm 2.9 mm thick 0.26kg/m	"	151	151	151	
	40mm 3.7 mm thick 0.412kg/m	"	238	238	238	
	50mm 4.6 mm thick 0.638kg/m	"	369	369	369	
	63 mm 8.6 mm thick 0.638kg/m	"	581	581	581	
	75 mm	"	812	812	812	
	90 mm	"	1169	1169	1169	
	110 mm	"	1733	1733	1733	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	"	85	85	85	
	25mm 3.50 mm thick 0.26kg/m	"	132	132	132	
	32mm 3.7 mm thick 0.230kg/m	"	213	213	213	
	40mm 5.50 mm thick 0.575kg/m	"	332	332	332	
	50mm 6.90 mm thick 0.896kg/m	"	516	516	516	
	63 mm 4.6 mm thick 0.638kg/m	"	812	812	812	
	75 mm	"	1157	1157	1157	
	90 mm	"	1653	1653	1653	
	110 mm	"	2477	2477	2477	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	"	98	98	98	
	25mm 4.20 mm thick 0.266kg/m	"	153	153	153	
	32mm 5.40 mm thick 0.434kg/m	"	250	250	250	
	40mm 6.70 mm thick 0.671kg/m	"	388	388	388	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	50mm 8.30 mm thick 1.04kg/m	”	599	599	599	
	63mm 8.6mm thick 1.04kg/m	”	950	950	950	
	75 mm	”	1348	1348	1348	
	90 mm	”	1935	1935	1935	
	110 mm	”	2885	2885	2885	
	PP-R Pipe Accessories :					
	Elbow (90⁰)					
	20mm	गोटा	12	12	12	
	25mm	”	24	24	24	
	32mm	गोटा	39	39	39	
	40mm	”	81	81	81	
	50mm	”	138	138	138	
	63 mm	”	249	249	249	
	75 mm	”	500	500	500	
	90 mm	”	891	891	891	
	110 mm	”	1600	1600	1600	
	Equal Tee					
	20mm	”	16	16	16	
	25mm	”	29	29	29	
	32mm	”	50	50	50	
	40mm	”	96	96	96	
	50mm	”	159	159	159	
	63mm	”	294	294	294	
	75 mm	”	596	596	596	
	90 mm	”	1061	1061	1061	
	110 mm	”	1815	1815	1815	
	Coupler					
	20mm	गोटा	11	11	11	
	25mm	”	14	14	14	
	32mm	”	24	24	24	
	40mm	”	45	45	45	
	50mm	”	72	72	72	
	63 mm	”	132	132	132	
	75 mm	”	261	261	261	
	90 mm	”	456	456	456	
	110 mm	”	808	808	808	
	45 Degree Elbow					
	20 mm	”	16	16	16	
	25 mm	”	27	27	27	
	32 mm	”	41	41	41	
	40 mm	”	77	77	77	
	50 mm	”	132	132	132	
	63 mm	”	209	209	209	
	75 mm	”	490	490	490	
	90 mm	”	885	885	885	
	110 mm		1501	1501	1501	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Union (Plastic)					
	20mm	गोटा	59	59	59	
	25mm	”	101	101	101	
	32mm	”	162	162	162	
	40mm	”	275	275	275	
	50mm	”	653	653	653	
	63mm	”	752	752	752	
	Reducing Coupler					
	25mm*20mm	”	14	14	14	
	32mm*20mm	”	19	19	19	
	32mm*25mm	”	21	21	21	
	40mm*20mm	”	31	31	31	
	40mm*25mm	”	37	37	37	
	40mm*32mm	”	44	44	44	
	50mm*20mm	”	58	58	58	
	50mm*25mm	”	64	64	64	
	50mm*32mm	”	69	69	69	
	50mm*40mm	”	76	76	76	
	63mm*32mm	”	117	117	117	
	63mm*40mm	”	122	122	122	
	63mm*50mm	”	131	131	131	
	75mm*40mm	”	195	195	195	
	75mm*50mm	”	239	239	239	
	75mm*63mm	”	241	241	241	
	90mm*50mm	”	483	483	483	
	90mm*63mm	”	521	521	521	
	90mm*75mm	”	614	614	614	
	110mm*75mm	”	818	818	818	
	110mm*90mm	”	949	949	949	
	Reducing Tee					
	25*20*25 mm	”	26	26	26	
	32*20*32 mm	”	42	42	42	
	32*25*32 mm	”	45	45	45	
	40*20*40 mm	”	66	66	66	
	40*25*40 mm	”	69	69	69	
	40*32*40 mm	”	76	76	76	
	50*20*50 mm	”	88	88	88	
	50*25*50 mm	”	93	93	93	
	50*32*50 mm	”	151	151	151	
	50*40*50 mm	”	161	161	161	
	63*32*63 mm	”	199	199	199	
	63*40*63 mm	”	193	193	193	
	63*50*63 mm	”	214	214	214	
	75*50*75 mm	”	439	439	439	
	75*63*75 mm	”	458	458	458	
	90*63*90 mm	”	926	926	926	
	90*75*90 mm	”	993	993	993	
	110*75*110 mm	”	1622	1622	1622	
	110*90*110 mm	”	1700	1700	1700	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Reducing Elbow					
	25mm*20mm	”	22	22	22	
	32mm*20mm	”	32	32	32	
	32mm*25mm	”	41	41	41	
	High Footed Pipe Clip					
	20mm	गोटा	14	14	14	
	25mm	”	17	17	17	
	32mm	”	22	22	22	
	40mm	”	25	25	25	
	50mm	”	34	34	34	
	63 mm	”	39	39	39	
	Low Footed Pipe Clip					
	20mm	”	7	7	7	
	25mm	”	8	8	8	
	32mm	”	14	14	14	
	40mm	”	19	19	19	
	50mm	”	30	30	30	
	63 mm	”	38	38	38	
	"Y" type Pipe Clip					
	20mm	”	25	25	25	
	25mm	”	25	25	25	
	32mm	”	34	34	34	
	40 mm		48	48	48	
	End Plug (short)					
	20mm	”	14	14	14	
	25mm	”	22	22	22	
	32mm	”	34	34	34	
	End Plug with Ring					
	20mm	”	25	25	25	
	End Plug (long)					
	20mm	”	10	10	10	
	End Cap					
	20mm	”	14	14	14	
	25mm	”	22	22	22	
	32mm	”	34	34	34	
	40mm	”	53	53	53	
	50mm	”	88	88	88	
	63 mm	”	164	164	164	
	75 mm	”	246	246	246	
	Cross Tee					
	20mm	”	25	25	25	
	25mm	”	36	36	36	
	32mm	”	64	64	64	
	Short Passover					
	20mm	”	70	70	70	
	25mm	”	99	99	99	
	32mm	”	143	143	143	
	Long Bypass					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	20mm	”	93	93	93	
	25mm	”	135	135	135	
	32mm	”	191	191	191	
	Male Tee					
	20mmx1/2"	”	145	145	145	
	25mmx1/2"	”	142	142	142	
	25mmx3/4"	”	176	176	176	
	32mmx1/2"	”	219	219	219	
	32mmx3/4"	”	224	224	224	
	32mmx1"	”	401	401	401	
	Female Tee					
	20mmx1/2"	”	108	108	108	
	25mmx1/2"	”	122	122	122	
	25mmx3/4"	”	160	160	160	
	32mmx1/2"	”	181	181	181	
	32mmx3/4"	”	200	200	200	
	32mmx1"	”	323	323	323	
	Male elbow					
	20mmx1/2"	”	139	139	139	
	25mmx1/2"	”	143	143	143	
	25mmx3/4"	”	174	174	174	
	32mmx1/2"		188	188	188	
	32mmx3/4"	”	205	205	205	
	32mmx1"	”	396	396	396	
	Female elbow					
	20mmx1/2"	”	105	105	105	
	25mmx1/2"	”	148	148	148	
	25mmx3/4"	”	136	136	136	
	32mmx1/2"		200	200	200	
	32mmx3/4"	”	229	229	229	
	32mmx1"	”	281	281	281	
	Male Coupling					
	20mmx1/2"	”	136	136	136	
	20mmx3/4"	”	163	163	163	
	25mmx1/2"	”	130	130	130	
	25mmx3/4"	”	164	164	164	
	32mmx1/2"	”	182	182	182	
	32mmx3/4"	”	23	23	23	
	32mmx1"	”	385	385	385	
	40mmx1-1/4"	”	548	548	548	
	50mmx1-1/2"	”	828	828	828	
	63mmx2"		1201	1201	1201	
	75mmx2-1/2"	”	329	329	329	
	Female Coupling					
	20mmx1/2"	”	102	102	102	
	20mmx3/4"	”	125	125	125	
	25mmx1/2"	”	114	114	114	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	25mmx3/4"		128	128	128	
	32mmx1/2"	„	123	123	123	
	32mmx3/4"	„	131	131	131	
	32mmx1"	„	300	300	300	
	40mmx1-1/4"	„	482	482	482	
	50mmx1-1/2"	„	626	626	626	
	63mmx2"		922	922	922	
	75mmx2-1/2"	„	1822	1822	1822	
	Male Union					
	20mmx1/2"	„	245	245	245	
	25mmx3/4"	„	352	352	352	
	32mmx1"	„	506	506	506	
	40mmx1 ^{1/4} "	„	977	977	977	
	50mmx1/2"	„	1342	1342	1342	
	63mmx2"	„	3117	3117	3117	
	Female Union					
	20mmx1/2"	„	238	238	238	
	25mmx3/4"	„	346	346	346	
	32mmx1"	„	487	487	487	
	40mmx1 ^{1/4} "	„	746	746	746	
	50mmx1/2"	„	1253	1253	1253	
	63mmx2"	„	2372	2372	2372	
	Stop Valve					
	a) 20 mm	„	288	288	288	
	b) 25 mm	„	381	381	381	
	c) 32 mm	„	462	462	462	
	d) 40mm	„	610	610	610	
	e)50 mm	„	1013	1013	1013	
	f) 63 mm	„	1461	1461	1461	
	Male base elbow					
	20mm x 1/2"	„	139	139	139	
	25mm x 3/4"	„	180	180	180	
	Female base elbow					
	20mm x 1/2"	„	147	147	147	
	25mm x 1/2"	„	175	175	175	
	25mm x 3/4"	„	162	162	162	
	Metal Ball valve (double)					
	20mmx1/2"	„	657	657	657	
	25mmx3/4"	„	887	887	887	
	32mmx1"	„	1284	1284	1284	
	40mmx1-1/4"	„	3257	3257	3257	
	50mmx1-1/2"	„	4586	4586	4586	
	Metal Ball valve (Single)					
	20mmx1/2"	„	648	648	648	
	25mmx3/4"	„	872	872	872	
	32mmx1"	„	1274	1274	1274	
	Conceal Valve (Lux)					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	20mm	„	755	755	755	
	Conceal Valve (Nor)					
	20mm	„	719	719	719	
	Ball Valve (Plastic)					
	20mm	„	112	112	112	
	25mm	„	151	151	151	
	32mm	„	244	244	244	
	40mm	„	478	478	478	
	50mm	„	614	614	614	
	63 mm	„	1091	1091	1091	
	Ball Valve (Brass)					
	20mm	„	311	311	311	
	25mm	„	441	441	441	
	32mm	„	738	738	738	
	40mm	„	1762	1762	1762	
19	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia	Rm	115	115	115	
	3/4" dia	„	160	160	160	
	1" dia	„	210	210	210	
	1-1/4" dia	„	261	261	261	
	1-1/2" dia	„	366	366	366	
	2" dia	„	559	559	559	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)		0	0	0	
	1/2" dia	„	133	133	133	
	3/4" dia	„	178	178	178	
	1" dia	„	248	248	248	
	1-1/4" dia	„	300	300	300	
	1-1/2" dia	„	418	418	418	
	2" dia	„	677	677	677	
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	Rm	126	126	126	
	3/4" dia	„	168	168	168	
	1" dia	„	234	234	234	
	1-1/4" dia	„	289	289	289	
	1-1/2" dia	„	402	402	402	
	2" dia	„	679	679	679	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	„	365	365	365	
	3/4"	„	486	486	486	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	1"	॥	588	588	588	
	1-1/4"	॥	1371	1371	1371	
	1-1/2"	॥	1643	1643	1643	
	2"	॥	2117	2117	2117	
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	॥	138	138	138	
	1" X 1/2"	॥	181	181	181	
	CPVC Tee	गोटा				
	1/2"	॥	36	36	36	
	3/4"	॥	77	77	77	
	1"	॥	117	117	117	
	1-1/4"	॥	220	220	220	
	1-1/2"	॥	320	320	320	
	2"	॥	687	687	687	
	CPVC Reducer Tee	गोटा				
	1/2" x 1/2" x 3/4"	॥	70	70	70	
	3/4" x 3/4" x 1/2"	॥	107	107	107	
	3/4" x 1/2" x 3/4"	॥	134	134	134	
	3/4" x 1/2" x 1/2"	॥	153	153	153	
	1" x 1" x 3/4"	॥	161	161	161	
	1-1/2" x 1-1/2" x 1"	॥	251	251	251	
	2" x 2" x 1"	॥	436	436	436	
	1-1/4" x 1-1/4" x 1/2"	॥	142	142	142	
	1-1/4" x 1-1/4" x 1"	॥	153	153	153	
	2" x 2" x 1/2"	॥	428	428	428	
	1" x 1" x 1/2"	॥	100	100	100	
	CPVC Brass FPT Tee	गोटा				
	1/2" x 1/2" x 1/2"	॥	120	120	120	
	3/4" x 3/4" x 1/2"	॥	125	125	125	
	1" x 1" x 1/2"	॥	139	139	139	
	1-1/4" x 1-1/4" x 1-1/4"	॥	501	501	501	
	1-1/4" x 1-1/4" x 1/2"	॥	272	272	272	
	CPVC Elbow 90°	गोटा				
	1/2"	॥	25	25	25	
	3/4"	॥	52	52	52	
	1"	॥	95	95	95	
	1-1/4"	॥	179	179	179	
	1-1/2"	॥	267	267	267	
	2"	॥	572	572	572	
	CPVC Reducer Elbow 90°		0	0	0	
	3/4" X 1/2"		53	53	53	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	CPVC Brass FPT Elbow 90°	गोटा				
	1/2" x 1/2"	”	84	84	84	
	3/4" x 1/2"	”	97	97	97	
	3/4" x 3/4"	”	111	111	111	
	1" X 1/2"	”	215	215	215	
	1" X 1"	”	596	596	596	
	1-1/4" x 1-1/4"	”	774	774	774	
	CPVC Elbow 45°	गोटा				
	1/2"	”	30	30	30	
	3/4"	”	54	54	54	
	1"	”	77	77	77	
	1-1/4"	”	136	136	136	
	1-1/2"	”	197	197	197	
	2"	”	427	427	427	
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	”	22	22	22	
	3/4"	”	39	39	39	
	1"	”	59	59	59	
	1-1/4"	”	106	106	106	
	1-1/2"	”	149	149	149	
	2"	”	290	290	290	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	”	41	41	41	
	CPVC Male Adapters (Brass Threads)					
	1/2"	”	206	206	206	
	3/4"	”	267	267	267	
	1"	”	421	421	421	
	1-1/4"	”	926	926	926	
	1-1/2"	”	1080	1080	1080	
	2"	”	2224	2224	2224	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	”	229	229	229	
	CPVC Female Adapter (CPVC Threads)					
	1/2"	”	31	31	31	
	3/4"	”	51	51	51	
	1"	”	77	77	77	
	CPVC Female Adapters Brass Threads	गोटा				
	1/2"	”	198	198	198	
	3/4"	”	269	269	269	
	1"	”	349	349	349	
	1-1/4"	”	917	917	917	
	1-1/2"	”	1020	1020	1020	
	2"	”	1994	1994	1994	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	CPVC Caps					
	1/2"	”	13	13	13	
	3/4"	”	25	25	25	
	1"	”	37	37	37	
	1-1/4"	”	72	72	72	
	1-1/2"	”	106	106	106	
	2"	”	225	225	225	
	CPVC Union					
	1/2"	”	270	270	270	
	3/4"	”	398	398	398	
	1"	”	471	471	471	
	1-1/4"	”	862	862	862	
	1-1/2"	”	942	942	942	
	2"	”	1352	1352	1352	
	CPVC Cross Tee					
	1/2"	”	49	49	49	
	3/4"	”	106	106	106	
	CPVC Step Over Bend					
	1/2"	”	63	63	63	
	3/4"	”	104	104	104	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	”	661	661	661	
	3/4"	”	805	805	805	
	1"	”	921	921	921	
	1-1/4"	”	1879	1879	1879	
	1-1/2"	”	2391	2391	2391	
	2"	”	3075	3075	3075	
	CPVC Flow Guard Adhesive Solution					
	50ML	”	199	199	199	
	118ML	”	329	329	329	
	237ML	”	533	533	533	
	473ML	”	838	838	838	
	946ML	”	1471	1471	1471	
	Plastic Strap					
	1/2"	”	5	5	5	
	3/4"	”	5	5	5	
	1"	”	8	8	8	
	1-1/4"	”	11	11	11	
	1-1/2"	”	15	15	15	
	2"	”	18	18	18	
	Metal Strap					
	1/2"	”	13	13	13	
	3/4"	”	16	16	16	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	1"	”	21	21	21	
	1-1/4"	”	25	25	25	
	1-1/2"	”	27	27	27	
	2"	”	29	29	29	
	Tee Holder					
	1/2" X 1/2" X 1/2"	”	5	5	5	
	3/4" X 3/4" X 1/2"	”	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	”	5	5	5	
	1/2" X 3/4"	”	7	7	7	
	Snap Fix Repair Coupling					
	1/2"	”	229	229	229	
	3/4"	”	248	248	248	
	End plug threaded 1/2"	”	11	11	11	
20	MS SEAMLESS PIPES					
	PIPES: ASTM-A-106 Gr.'B'/SA-106-1(Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239 (Part					
	MS PIPE SEAMLESS SIZE OD (MM)	”				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	”	411	411	411	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	”	493	493	493	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	”	618	618	618	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	”	763	763	763	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	”	873	873	873	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	”	1121	1121	1121	
	73mm OD 3" SCH.40,5.16 .mm thickness	”	1723	1723	1723	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	”	2255	2255	2255	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	”	2914	2914	2914	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	”	3210	3210	3210	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	”	4347	4347	4347	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	”	5643	5643	5643	
21	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	410	410	410	
	Single Socket (R/R)	”	762	762	762	
	Single Socket (R/R)	”	821	821	821	
	Single Socket Self Fit	”	1058	1058	1058	
	Single Socket Self Fit	”	1294	1294	1294	
	Single Socket Self Fit	”	1778	1778	1778	
	Single Socket Self Fit	”	2093	2093	2093	
	Single Socket Self Fit	”	2795	2795	2795	
	Single Socket Self Fit	”	3331	3331	3331	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Long Radius Bend - 45 Degree	Pc	1083	1083	1083	
	Long Radius Bend - 45 Degree	"	1977	1977	1977	
	Long Radius Bend - 45 Degree	"	3569	3569	3569	
	Long Radius Bend - 45 Degree	"	6921	6921	6921	
	Long Radius Bend - 60 Degree	"	1193	1193	1193	
	Long Radius Bend - 60 Degree	"	2186	2186	2186	
	Long Radius Bend - 60 Degree	"	4010	4010	4010	
	Long Radius Bend - 60 Degree	"	7593	7593	7593	
	Long Radius Bend - 90 Degree	"	585	585	585	
	Long Radius Bend - 90 Degree	"	1413	1413	1413	
	Long Radius Bend - 90 Degree	"	2606	2606	2606	
	Long Radius Bend - 90 Degree	"	4874	4874	4874	
	Long Radius Bend - 90 Degree	"	8980	8980	8980	
	Fab. Coupler	"	168	168	168	
	Fab. Coupler	"	404	404	404	
	Fab. Coupler	"	869	869	869	
	Fab. Coupler	"	1700	1700	1700	
	Fab. Coupler	"	3127	3127	3127	
	End Cap	"	360	360	360	
	End Cap	"	592	592	592	
	End Cap	"	945	945	945	
	End Cap	"	1380	1380	1380	
	Equal Tee	"	10303	10303	10303	
	Equal Tee	"	5929	5929	5929	
	Equal Tee	"	3291	3291	3291	
	Gully Trap with grating	"	962	962	962	
	Rodding Point	"	570	570	570	
	Adjustable Bend 7 Degree to 37.5 Degree	"	608	608	608	
	Adjustable Bend 7 Degree to 87.5 Degree	"	834	834	834	
	Inspection Chamber Body	"	3000	3000	3000	
	Inspection Chamber Riser	"	1490	1490	1490	
	Inspection Chamber Lid with Cover	"	2829	2829	2829	
	Inspection Chamber Body	"	8284	8284	8284	
	Inspection Chamber Riser	"	2634	2634	2634	
	Inspection Chamber Lid with Cover	"	4395	4395	4395	
22	GEBERIT					
	Geberit Products					
	Concealled Cisterns 9cm	"	7431	7431	7431	
	Concealled Cisterns Kombo fix 8cm	"	9103	9103	9103	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646	
	Concealled Cisterns 12cm	"	9140	9140	9140	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Dual Flush Actuator Plate Shiny Chrome	”	3646	3646	3646	
	Traps for Wash Basins	”	1004	1004	1004	
	Sensor for Urinal 9V DC	”	25764	25764	25764	
	Sensor for Urinal 230V AC	”	25764	25764	25764	
	control box for urinal sensor	”	7078	7078	7078	
	Sensor Faucet Cold / Mixed water 6V DC	”	32159	32159	32159	
	Sensor Faucet Cold / Mixed water 230V AC	”	32159	32159	32159	
23	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	”	114	114	114	
	3/4" dia. (33.75 Kg/cm2)	”	147	147	147	
	1" dia. (31.64 Kg/cm2)	”	226	226	226	
	1-1/4" dia. (26.01 Kg/cm2)	”	279	279	279	
	1-1/2" dia. (23.20 Kg/cm2)	”	342	342	342	
	2" dia. (19.69 Kg/cm2)	”	485	485	485	
	2-1/2" dia. (21.09 Kg/cm2)	”	678	678	678	
	3" dia. (18.28 Kg/cm2)	”	856	856	856	
	4" dia. (15.47 Kg/cm2)	”	1256	1256	1256	
	6" dia. (12.66 Kg/cm2)	”	2616	2616	2616	
	PVC Tee - Soc	गोटा				
	1/2"	”	32	32	32	
	3/4"	”	44	44	44	
	1"	”	69	69	69	
	1-1/4"	”	109	109	109	
	1-1/2"	”	143	143	143	
	2"	”	221	221	221	
	2-1/2"	”	633	633	633	
	3"	”	831	831	831	
	4"	”	1503	1503	1503	
	6"	”	8336	8336	8336	
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	”	63	63	63	
	1 x 1/2	”	97	97	97	
	1 x 3/4	”	97	97	97	
	1-1/2 X 1/2	”	329	329	329	
	1-1/2 X 3/4	”	329	329	329	
	1-1/2 X 1	”	329	329	329	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	1-1/2 X 1-1/4	”	329	329	329	
	2 X 1/2	”	406	406	406	
	2 X 3/4	”	406	406	406	
	2 X 1	”	406	406	406	
	2 X 1-1/4	”	406	406	406	
	2 X 1-1/2	”	406	406	406	
	2-1/2 X 1/2	”	1043	1043	1043	
	2-1/2 X 3/4	”	1043	1043	1043	
	2-1/2 X 1	”	1043	1043	1043	
	2-1/2 X 1-1/4	”	1043	1043	1043	
	2-1/2 X 1-1/2	”	1043	1043	1043	
	2-1/2 X 2	”	1043	1043	1043	
	3 X 1/2	”	1523	1523	1523	
	3 X 3/4	”	1523	1523	1523	
	3 X 1	”	1523	1523	1523	
	3 X 1-1/4	”	1523	1523	1523	
	3 X 1-1/2	”	1523	1523	1523	
	3 X 2	”	1523	1523	1523	
	3 X 2-1/2	”	1523	1523	1523	
	6 X 1-1/4	”	8007	8007	8007	
	6 X 1-1/2	”	8007	8007	8007	
	6 X 2	”	8007	8007	8007	
	6 X 2-1/2	”	8007	8007	8007	
	6 X 3	”	8007	8007	8007	
	6 X 4	”	8007	8007	8007	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा				
	1/2"		161	161	161	
	3/4"		292	292	292	
	3/4" X 1/2"		237	237	237	
	1" X 1/2"		420	420	420	
	PVC 90° Elbow - Soc	गोटा				
	1/2"		26	26	26	
	3/4"		30	30	30	
	1"		53	53	53	
	1-1/4"		93	93	93	
	1-1/2"		109	109	109	
	2"		167	167	167	
	2-1/2"		496	496	496	
	3"		594	594	594	
	4"		1216	1216	1216	
	6"		5121	5121	5121	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा				
	1/2"	”	173	173	173	
	3/4"	”	242	242	242	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	3/4" X 1/2"	"	250	250	250	
	PVC 45° Elbow - Soc	गोटा				
	1/2"	"	55	55	55	
	3/4"	"	86	86	86	
	1"	"	102	102	102	
	1-1/4"	"	143	143	143	
	1-1/2"	"	180	180	180	
	2"	"	234	234	234	
	2-1/2"	"	669	669	669	
	3"	"	1040	1040	1040	
	4"	"	1866	1866	1866	
	6"	"	5135	5135	5135	
	PVC Coupling - Soc	गोटा				
	1/2"	"	17	17	17	
	3/4"	"	26	26	26	
	1"	"	41	41	41	
	1-1/4"	"	56	56	56	
	1-1/2"	"	76	76	76	
	2"	"	117	117	117	
	2-1/2"	"	247	247	247	
	3"	"	386	386	386	
	4"	"	604	604	604	
	6"	"	2420	2420	2420	
	PVC Reducer Coupling - Soc	गोटा				
	3/4 X 1/2	"	42	42	42	
	1 X 3/4	"	73	73	73	
	1-1/2 X 1-1/4	"	131	131	131	
	2 X 1-1/2	"	208	208	208	
	4 x 2	"	1392	1392	1392	
	4 X 3	"	1392	1392	1392	
	6 X 4	"	2895	2895	2895	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	"	35	35	35	
	1 X 1/2	"	50	50	50	
	1 X 3/4	"	50	50	50	
	1-1/4 X 1/2	"	86	86	86	
	1-1/4 X 3/4	"	86	86	86	
	1-1/4 X 1	"	86	86	86	
	1-1/2 X 1/2	"	90	90	90	
	1-1/2 X 3/4	"	90	90	90	
	1-1/2 X 1	"	90	90	90	
	1-1/2 X 1-1/4	"	90	90	90	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	2 X 1/2	”	165	165	165	
	2 X 3/4	”	165	165	165	
	2 X 1	”	165	165	165	
	2 X 1-1/4	”	165	165	165	
	2 X 1-1/2	”	165	165	165	
	2-1/2 X 1-1/4	”	232	232	232	
	2-1/2 X 1-1/2	”	232	232	232	
	2-1/2 X 2	”	232	232	232	
	3 X 1-1/2	”	344	344	344	
	3 X 2	”	344	344	344	
	3 X 2-1/2	”	344	344	344	
	4 X 2	”	676	676	676	
	4 X 3	”	676	676	676	
	6 X 2	”	2271	2271	2271	
	6 X 3	”	2271	2271	2271	
	6 X 4	”	2271	2271	2271	
	PVC Cap - Soc	गोटा				
	1/2"	”	24	24	24	
	3/4"	”	30	30	30	
	1"	”	42	42	42	
	1-1/4"	”	60	60	60	
	1-1/2"	”	66	66	66	
	2"	”	79	79	79	
	2-1/2"	”	254	254	254	
	3"	”	278	278	278	
	4"	”	633	633	633	
	6"	”	2498	2498	2498	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	”	254	254	254	
	3/4"	”	291	291	291	
	1"	”	298	298	298	
	1-1/4"	”	960	960	960	
	1-1/2"	”	1001	1001	1001	
	2"	”	1350	1350	1350	
	2-1/2"	”	1889	1889	1889	
	3"	”	3018	3018	3018	
	4"	”	4178	4178	4178	
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"	”	46	46	46	
	3/4"	”	54	54	54	
	1"	”	71	71	71	
	1-1/4"	”	87	87	87	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	1-1/2"	”	121	121	121	
	2"	”	156	156	156	
	2-1/2"	”	545	545	545	
	3"	”	648	648	648	
	4"	”	1025	1025	1025	
	6"	”	2359	2359	2359	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"	”	262	262	262	
	3/4"	”	350	350	350	
	1"	”	527	527	527	
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"	”	59	59	59	
	3/4"	”	61	61	61	
	1"	”	64	64	64	
	1-1/4"	”	167	167	167	
	1-1/2"	”	245	245	245	
	2"	”	238	238	238	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"	”	220	220	220	
	3/4"	”	311	311	311	
	1"	”	399	399	399	
	PVC Ball Valve - Soc	गोटा				
	1/2"	”	881	881	881	
	3/4"	”	1048	1048	1048	
	1"	”	1466	1466	1466	
	1-1/4"	”	1985	1985	1985	
	1-1/2"	”	3027	3027	3027	
	2"	”	3828	3828	3828	
	2-1/2"	”	6323	6323	6323	
	3"	”	10018	10018	10018	
	4"	”	16556	16556	16556	
	6"	”	35961	35961	35961	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	”	306	306	306	
	237ML	”	439	439	439	
	473ML	”	795	795	795	
	946ML	”	1308	1308	1308	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	”	492	492	492	
	237ML	”	649	649	649	
	473ML	”	1138	1138	1138	
	946ML	”	1969	1969	1969	
24	Rainwater Collection System sintex or Prince Brand Roof)					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159	159	159	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	257	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	352	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	432	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	432	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	95	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	305	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	77	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	50	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	77	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	30	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	63	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	38	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	126	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	302	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	358	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	518	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	592	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	592	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	140	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	424	424	424	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	108	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	91	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	51	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	110	
	RUBBER GASKET To provide leak proof joints.	Pc.	41	41	41	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	68	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	44	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	243	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	585	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	614	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	965	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1387	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1387	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	302	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	802	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	300	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	164	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	122	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	318	
	RUBBER GASKET To provide leak proof joints.	Pc.	166	166	166	
	160 mm dia.					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	82	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	191	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	437	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	247	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	438	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	262	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	470	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	447	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	673	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	473	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	696	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	959	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1196	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1022	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1350	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	140	140	140	
	DWV Bend 87.5 Degree	"	177	177	177	
	DWV Bend 87.5 Degree with Door	"	81	81	81	
	DWV Socket Plug	"	189	189	189	
	DWV Cleansing Pipe	"	114	114	114	
	DWV Coupler	"	202	202	202	
	DWV Single Tee	"	222	222	222	
	DWV Single Tee with Door	"	349	349	349	
	DWV Cross Tee	"	491	491	491	
	DWV Cross Tee with Door	"	361	361	361	
	DWV Double 'Y'	"	481	481	481	
	DWV Double 'Y' with Door	"	226	226	226	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	DWV Single 'Y'	"	288	288	288	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	230	230	230	
	DWV Bend 45 Degree 110mm size	"	282	282	282	
	DWV Bend 87.5 Degree	"	323	323	323	
	DWV Bend 87.5 Degree with Door	"	103	103	103	
	DWV Socket Plug	"	370	370	370	
	DWV Cleansing Pipe	"	206	206	206	
	DWV Coupler	"	684	684	684	
	DWV Double 'Y'	"	808	808	808	
	DWV Double 'Y' with Door	"	566	566	566	
	DWV Cross Tee	"	642	642	642	
	DWV Cross Tee with Door	"	370	370	370	
	DWV Single Tee	"	437	437	437	
	DWV Single Tee with Door	"	453	453	453	
	DWV Single 'Y'	"	475	475	475	
	DWV Single 'Y' with Door	"	47	47	47	
	DWV Vent Cowel	"	161	161	161	
	DWV Reducer 110*75 mm	"	36	36	36	
	DWV Pipe Clip 110mm size	"	436	436	436	
	DWV W.C. Connectore (Straight type)	"	348	348	348	
	DWV W.C. Connectore (Bend type)	"	174	174	174	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	539	539	539	
	DWV P-Trap with Leap Ring 10*110 mm	"	773	773	773	
	DWV P-Trap with Leap Ring 25*110 mm	"	232	232	232	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	470	470	
	DWV Reducer 60*110 mm	"	449	449	449	
	DWV Coupler 160mm size	"	1077	1077	1077	
	DWV Single Tee	"	1157	1157	1157	
	DWV Single Tee with Door	"	2016	2016	2016	
	DWV Single 'Y'	"	2118	2118	2118	
	DWV Single 'Y' with Door	"	742	742	742	
	DWV Bend 87.5 Degree	"	988	988	988	
	DWV Bend 87.5 Degree with Door	"	864	864	864	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	584	584	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	606	606	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	630	630	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	593	593	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	604	604	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1078	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1120	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1163	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1096	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1746	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	2899	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4663	4663	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4743	4743	
		"	0	0	0	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	583	583	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	598	598	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	613	613	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	594	594	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	605	605	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1077	1077	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1109	1109	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1139	1139	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1097	1097	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1116	1116	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1747	1747	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	2898	2898	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4663	4663	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4743	4743	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294	294	294	
	DWV Coupler SN-4 160 mm	"	708	708	708	
	DWV Coupler SN-4 200 mm	"	1447	1447	1447	
	DWV Coupler SN-4 250 mm	"	2697	2697	2697	
	DWV Coupler SN-2 315mm	"	4338	4338	4338	
	DWV Coupler SN-4 315 mm	"	4736	4736	4736	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1001	1001	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2787	2787	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5205	5205	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	11668	11668	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	27705	27705	
25	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	101	101	101	
	14-18 mm ½"	"	111	111	111	
	16-20 mm ½"	"	119	119	119	
	20-25 mm ¾"	"	180	180	180	
	26-32 mm 1"	"	281	281	281	
	32-40 mm 1¼"	"	446	446	446	
	41-50 mm 1½"	"	653	653	653	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	111	111	111	
	14-18 mm ½"	"	123	123	123	
	16-20 mm ½"	"	141	141	141	
	20-25 mm ¾"	"	208	208	208	
	26-32 mm 1"	"	302	302	302	
	32-40 mm 1¼"	"	465	465	465	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	87	87	87	
	14-18 mm ½"	"	87	87	87	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	गोटा	133	133	133	
	½"ø (18mm ø)	"	140	140	140	
	½"ø (20mm ø)	"	154	154	154	
	¾"ø (25 mm ø)	"	225	225	225	
	1"ø (32 mm ø)	"	351	351	351	
	1¼"ø (40 mm ø)	"	1296	1296	1296	
	1½"ø (50 mm ø)	"	1958	1958	1958	
	b. Unequal Straight Union					
	25 - 16 mm ø	"	252	252	252	
	25 - 18 mm ø	"	261	261	261	
	25 - 20 mm ø	"	275	275	275	
	32 - 16 mm ø	"	338	338	338	
	32 - 18 mm ø	"	356	356	356	
	32 - 20 mm ø	"	383	383	383	
	32 - 25 mm ø	"	410	410	410	
	40 - 32 mm ø	"	1121	1121	1121	
	50 - 20 mm ø	"	1634	1634	1634	
	50 - 32 mm ø	"	1958	1958	1958	
	50 - 40 mm ø	"	1845	1845	1845	
	c. Male Union					
	16mm x ½"M	गोटा	95	95	95	
	18mm x ½"M	"	110	110	110	
	20mm x ½"M	"	126	126	126	
	25mm x ½"M	"	153	153	153	
	25mm x ¾"M	"	194	194	194	
	25mm x 1"M	"	248	248	248	
	32mm x ¾"M	"	284	284	284	
	32mm x 1"M	"	311	311	311	
	32mm x 1½"M	"	315	315	315	
	40mm x 1"M	"	995	995	995	
	40mm x 1½"M	"	1030	1030	1030	
	50mm x 1"M	"	1563	1563	1563	
	50mm x 1¼"M	"	1590	1590	1590	
	50mm x 1½"M	"	2160	2160	2160	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	50mm x 2"M	"	1623	1623	1623	
	d. Female Straight Union					
	16mm x 1/2"F	गोटा	104	104	104	
	18mm x 1/2"F	"	113	113	113	
	20mm x 1/2"F	"	122	122	122	
	25mm x 1/2"F	"	162	162	162	
	25mm x 3/4"F	"	194	194	194	
	25mm x 1"F	"	198	198	198	
	32mm x 1/2"F	"	203	203	203	
	32mm x 3/4"F	"	207	207	207	
	32mm x 1"F	"	293	293	293	
	40mm x 1 1/2"F	"	1168	1168	1168	
	50mm x 1 1/4"F	"	1575	1575	1575	
	50mm x 1 1/2"F	"	2160	2160	2160	
	50mm x 2"F	"	1638	1638	1638	
	e. Equal Elbow					
	1/2"ø (16mm ø)	गोटा	126	126	126	
	1/2"ø (18mm ø)	"	153	153	153	
	1/2"ø (20mm ø)	"	207	207	207	
	3/4"ø (25 mm ø)	"	315	315	315	
	1"ø (32 mm ø)	"	509	509	509	
	1 1/4"ø (40 mm ø)	"	1656	1656	1656	
	1 1/2"ø (50 mm ø)	"	2565	2565	2565	
	f. Unequal Elbow					
	40 - 32 mm ø	"	1836	1836	1836	
	50 - 20 mm ø	"	2115	2115	2115	
	50 - 40 mm ø	"	2156	2156	2156	
	g. Female Elbow					
	16mm x 1/2"F	गोटा	167	167	167	
	18mm x 1/2"F	"	185	185	185	
	20mm x 1/2"F	"	203	203	203	
	25mm x 1/2"F	"	225	225	225	
	25mm x 3/4"F	"	279	279	279	
	25mm x 1"F	"	306	306	306	
	32mm x 3/4"F	"	329	329	329	
	32mm x 1"F	"	410	410	410	
	50mm x 1 1/4"F	"	2115	2115	2115	
	h. Male Elbow					
	25mm x 3/4"M	"	225	225	225	
	25mm x 1"M	"	293	293	293	
	32mm x 3/4"M	"	221	221	221	
	32mm x 1"M	"	374	374	374	
	40mm x 1"M	"	1215	1215	1215	
	50mm x 1"M	"	1732	1732	1732	
	i. Equal Tee					
	1/2"ø (16mm ø)	गोटा	225	225	225	
	1/2"ø (18mm ø)	"	252	252	252	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	½" ø (20mm ø)	"	315	315	315	
	¾" ø (25 mm ø)	"	455	455	455	
	1" ø (32 mm ø)	"	711	711	711	
	1¼" ø (40 mm ø)	"	2658	2658	2658	
	1½" ø (50 mm ø)	"	3884	3884	3884	
	j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	203	203	203	
	20 mm x 18 mm x 20 mm	"	225	225	225	
	25 mm x 16 mm x 25 mm	"	338	338	338	
	25 mm x 18 mm x 25 mm	"	383	383	383	
	25 mm x 20 mm x 25 mm	"	396	396	396	
	32 mm x 16 mm x 32 mm	"	653	653	653	
	32 mm x 18 mm x 32 mm	"	675	675	675	
	32 mm x 20 mm x 32 mm	"	702	702	702	
	32 mm x 25 mm x 32 mm	"	720	720	720	
	40 mm x 32 mm x 32 mm	"	1967	1967	1967	
	40 mm x 32 mm x 40 mm	"	2278	2278	2278	
	50 mm x 20 mm x 50 mm	"	3105	3105	3105	
	50 mm x 32 mm x 32 mm	"	2047	2047	2047	
	50 mm x 32 mm x 50 mm	"	3137	3137	3137	
	50 mm x 40 mm x 40 mm	"	3147	3147	3147	
	50 mm x 40 mm x 50 mm	"	3595	3595	3595	
	k. Female Tee					
	16mm x ½"F x 16mm	गोटा	225	225	225	
	18mm x ½"F x 18mm	"	234	234	234	
	20mm x ½"F x 20mm	"	252	252	252	
	25mm x ½"F x 25mm	"	237	237	237	
	25mm x ¾"F x 25mm	"	261	261	261	
	25mm x 1"F x 25mm	"	338	338	338	
	32mm x ½"F x 32mm	"	365	365	365	
	32mm x ¾"F x 32mm	"	374	374	374	
	32mm x 1"F x 32mm	"	507	507	507	
	40mm x ¾"F x 32mm	"	1496	1496	1496	
	50mm x ¾"F x 40mm	"	2219	2219	2219	
	l. Equal Ball Valve Union					
	½" ø (16mm ø)	गोटा	262	262	262	
	½" ø (18mm ø)	"	291	291	291	
	½" ø (20mm ø)	"	383	383	383	
	¾" ø (25 mm ø)	"	635	635	635	
	1" ø (32 mm ø)	"	882	882	882	
	1¼" ø (40 mm ø)	"	2882	2882	2882	
	1½" ø (50 mm ø)	"	4159	4159	4159	
	m. Female Ball Valve Union					
	16mm x ½"F	गोटा	244	244	244	
	18mm x ½"F	"	280	280	280	
	20mm x ½"F	"	313	313	313	
	20mm x ¾"F	"	351	351	351	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	25mm x ¾"F	"	653	653	653	
	25mm x 1"F	"	666	666	666	
	32mm x 1"F	"	702	702	702	
	n. Plug					
	1¼" ø (40 mm ø)	"	1440	1440	1440	
	1½" ø (50 mm ø)	"	1980	1980	1980	
	p. Wall Plated Female Elbow					
	16mm x ½"F	गोटा	189	189	189	
	18mm x ½"F	"	207	207	207	
	20mm x ½"F	"	225	225	225	
	q. Nipple					
	N 1/2F*1/2F	गोटा	49	49	49	
	N 1/2M*1/2M	"	49	49	49	
	N 3/4F*1/2F	"	68	68	68	
	N 1F*1/2F	"	77	77	77	
	N 1F*3/4F	"	87	87	87	
	N 3/4M*1/2M	"	68	68	68	
	N 1M*1/2M	"	77	77	77	
	N 1M*3/4M	"	87	87	87	
	N 1/2F*1/2M	"	59	59	59	
	N 1/2F*3/4M	"	68	68	68	
	N 1/2F*1M	"	107	107	107	
	N 1/2M*3/4F	"	68	68	68	
	N 1/2M*1F	"	112	112	112	
	N 3/4F*3/4M	"	87	87	87	
	N 3/4F*1M	"	96	96	96	
	N 3/4M*1F	"	127	127	127	
26	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486	
	a.2) Failure chagre per well	संख्या	1350	1350	1350	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693	
	b.2) Failure chagre per well	संख्या	3600	3600	3600	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323	
	c.2) Failure chagre per well	संख्या	4680	4680	4680	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872	
	d.2) Failure chagre per well	संख्या	5400	5400	5400	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575	
27	R.C.C. Hume Pipe & Hume Pipe Collar					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	PIPES					
	a) NP-2					
	150 mm dia.	R.m	480	518	518	
	200 mm dia.	„	624	673	673	
	250 mm dia.	„	781	843	843	
	300 mm dia.	„	1059	1142	1142	
	350 mm dia.	„	1170	1262	1262	
	375 mm dia.	„	1281	1382	1382	
	400 mm dia.	„	1472	1589	1589	
	450 mm dia.	„	1559	1682	1682	
	500 mm dia.	„	1749	1887	1887	
	600 mm dia.	„	2308	2490	2490	
	700 mm dia.	„	3011	3249	3249	
	750 mm dia.	„	3255	3513	3513	
	800 mm dia.	„	3634	3921	3921	
	900 mm dia.	„	4910	5298	5298	
	1000 mm dia.	„	5729	6182	6182	
	1200 mm dia.	„	6988	7540	7540	
	1500 mm dia.	„	14690	15851	15851	
	b) NP-3					
	150 mm dia.	र.मि	1071	1156	1156	
	200 mm dia.	„	1427	1540	1540	
	250 mm dia.	„	1784	1925	1925	
	300 mm dia.	„	2564	2767	2767	
	350 mm dia.	„	2877	3104	3104	
	375 mm dia.	„	3075	3318	3318	
	400 mm dia.	„	3277	3536	3536	
	450 mm dia.	„	3678	3969	3969	
	500 mm dia.	„	4101	4425	4425	
	600 mm dia.	„	5068	5468	5468	
	700 mm dia.	„	6118	6602	6602	
	750 mm dia.	„	7027	7583	7583	
	800 mm dia.	„	7669	8276	8276	
	900 mm dia.	„	9948	10734	10734	
	1000 mm dia.	„	11053	11927	11927	
	1200 mm dia.	„	13156	14196	14196	
	1500 mm dia.	„	20673	22307	22307	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	120	129	129	
	200 mm dia.	„	158	170	170	
	250 mm dia.	„	195	211	211	
	300 mm dia.	„	265	286	286	
	350 mm dia.	„	292	315	315	
	375 mm dia.	„	320	346	346	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	400 mm dia.	„	369	398	398	
	450 mm dia.	„	389	420	420	
	500 mm dia.	„	438	472	472	
	600 mm dia.	„	578	623	623	
	700 mm dia.	„	753	812	812	
	750 mm dia.	„	814	878	878	
	800 mm dia.	„	908	980	980	
	900 mm dia.	„	1227	1324	1324	
	1000 mm dia.	„	1432	1545	1545	
	1200 mm dia.	„	1747	1885	1885	
	1500 mm dia.	„	3672	3962	3962	
	b) NP-3					
	150 mm dia.	„	268	289	289	
	200 mm dia.	„	357	385	385	
	250 mm dia.	„	446	481	481	
	300 mm dia.	„	640	691	691	
	350 mm dia.		719	776	776	
	375 mm dia.		768	829	829	
	400 mm dia.	„	819	883	883	
	450 mm dia.	„	920	993	993	
	500 mm dia.	„	1026	1107	1107	
	600 mm dia.	„	1267	1368	1368	
	700 mm dia.	„	1529	1650	1650	
	750 mm dia.	„	1756	1895	1895	
	800 mm dia.	„	1917	2068	2068	
	900 mm dia.	„	2487	2683	2683	
	1000 mm dia.	„	2764	2982	2982	
	1200 mm dia.	„	3289	3549	3549	
	1500 mm dia.	„	5168	5577	5577	
	R.C.C.Spigot Pipes (Socket System)					
	b) NP-3					
	150 mm dia.	R.m	1210	1306	1306	
	200 mm dia.	„	1614	1772	1772	
	250 mm dia.	„	2017	2213	2213	
	300 mm dia.	„	2900	3181	3181	
	350 mm dia.	„	3254	0	0	
	400 mm dia.	„	3707	4067	4067	
	450 mm dia.	„	4160	4566	4566	
	500 mm dia.	„	4634	5089	5089	
	600 mm dia.	„	5730	6288	6288	
	700 mm dia.	„	6919	7593	7593	
	800 mm dia.	„	8673	9517	9517	
	900 mm dia.	„	11249	12346	12346	
	1000 mm dia.	„	12499	13717	13717	
	1200 mm dia.	„	14719	16327	16327	
	1500 mm dia.	„	23267	26247	26247	
	1600 mm dia.	„	26837	30275	30275	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	1800 mm dia.	„	39149	40323	40323	
28	High Density Polythene Pipe NS-40					
	Pipes of different sizes, series & pressure					
	HDP Pipe	kg				
28.1	2.5Kg/cm² Series II					
	63 mm (0.403 Avg.wt. Kg/m)	Rm	101	101	101	
	75 mm (0.557 Avg.wt Kg/m)	„	139	139	139	
	90 mm (0.799 Avg.wt Kg/m)	„	200	200	200	
	110 mm (1.185 Avg.wt Kg/m)	„	296	296	296	
	125 mm (1.530 Avg.wt Kg/m)	„	382	382	382	
	140 mm (1.897 Avg.wt Kg/m)	„	474	474	474	
	160 mm (2.453 Avg.wt Kg/m)	„	613	613	613	
	180 mm (3.148 Avg.wt Kg/m)	„	787	787	787	
	200 mm (3.875 Avg.wt Kg/m)	„	969	969	969	
	225 mm (4.822 Avg.wt Kg/m)	„	1205	1205	1205	
	250 mm (6.012 Avg.wt Kg/m)	„	1503	1503	1503	
	280 mm (7.471 Avg.wt Kg/m)	„	1868	1868	1868	
	315 mm (9.417 Avg.wt Kg/m)	„	2354	2354	2354	
	355 mm (11.957 Avg.wt Kg/m)	„	2989	2989	2989	
	400 mm (15.221 Avg.wt Kg/m)		3805	3805	3805	
	450 mm (19.163 Avg.wt Kg/m)		4791	4791	4791	
28.2	4 Kg/cm² Series III		0	0	0	
	40 mm (0.251 Avg.wt Kg/m)	Rm	63	63	63	
	50 mm (0.378 Avg.wt Kg/m)	„	94	94	94	
	63 mm (0.585 Avg.wt Kg/m)	„	146	146	146	
	75 mm (0.846 Avg.wt Kg/m)	„	211	211	211	
	90 mm (1.220 Avg.wt Kg/m)	„	305	305	305	
	110 mm (1.703 Avg.wt Kg/m)	„	426	426	426	
	125 mm (2.289 Avg.wt Kg/m)	„	572	572	572	
	140 mm (2.901 Avg.wt Kg/m)	„	725	725	725	
	160 mm (3.773 Avg.wt Kg/m)	„	943	943	943	
	180 mm (4.762 Avg.wt Kg/m)	„	1190	1190	1190	
	200 mm (5.890 Avg.wt Kg/m)	„	1472	1472	1472	
	225 mm (7.445 Avg.wt Kg/m)	„	1861	1861	1861	
	250 mm (9.187 Avg.wt Kg/m)	„	2297	2297	2297	
	280 mm (11.455 Avg.wt Kg/m)	„	2864	2864	2864	
	315 mm (14.508 Avg.wt Kg/m)	„	3627	3627	3627	
	355 mm (18.382 Avg.wt Kg/m)	„	4595	4595	4595	
	400 mm (23.343 Avg.wt Kg/m)	„	5836	5836	5836	
	450mm (29.351Avg.wt Kg/m)	„	7338	7338	7338	
28.3	6 Kg/cm² Series IV		0	0	0	
	32 mm (0.226 Avg.wt Kg/m)	Rm	56	56	56	
	40 mm (0.350 Avg.wt Kg/m)	„	87	87	87	
	50 mm (0.542 Avg.wt Kg/m)	„	135	135	135	
	63 mm (0.850 Avg.wt Kg/m)	„	212	212	212	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	75 mm (1.191 Avg.wt Kg/m)	„	298	298	298	
	90 mm (1.717 Avg.wt Kg/m)	„	429	429	429	
	110 mm (2.545 Avg.wt Kg/m)	„	636	636	636	
	125 mm (3.293 Avg.wt Kg/m)	„	823	823	823	
	140 mm (4.150 Avg.wt Kg/m)	„	1037	1037	1037	
	160 mm (5.355 Avg.wt Kg/m)	„	1339	1339	1339	
	180 mm (6.800 Avg.wt Kg/m)	„	1700	1700	1700	
	200 mm (8.391 Avg.wt Kg/m)	„	2098	2098	2098	
	225 mm (10.544 Avg.wt Kg/m)	„	2636	2636	2636	
	250 mm (13.041 Avg.wt Kg/m)	„	3260	3260	3260	
	280 mm (16.327 Avg.wt Kg/m)	„	4082	4082	4082	
	315 mm (20.694 Avg.wt Kg/m)	„	5173	5173	5173	
	355 mm (26.243 Avg.wt Kg/m)	„	6561	6561	6561	
	400 mm (33.309 Avg.wt Kg/m)		8327	8327	8327	
	450 mm (42.065 Avg.wt Kg/m)		10516	10516	10516	
28.4	10 Kg/cm² Series VI		0	0	0	
	16 mm (0.092 Avg.wt Kg/m)	Rm	23	23	23	
	20 mm (0.134 Avg.wt Kg/m)	„	33	33	33	
	25 mm (0.202 Avg.wt Kg/m)	„	50	50	50	
	32 mm (0.334 Avg.wt Kg/m)	„	83	83	83	
	40 mm (0.514 Avg.wt Kg/m)	„	128	128	128	
	50 mm (0.796 Avg.wt Kg/m)	„	199	199	199	
	63 mm (1.269 Avg.wt Kg/m)	„	317	317	317	
	75 mm (1.782 Avg.wt Kg/m)	„	445	445	445	
	90 mm (2.568 Avg.wt Kg/m)	„	642	642	642	
	110 mm (3.801 Avg.wt Kg/m)	„	950	950	950	
	125 mm (4.962 Avg.wt Kg/m)	„	1240	1240	1240	
	140 mm (6.209 Avg.wt Kg/m)	„	1552	1552	1552	
	160 mm (8.079 Avg.wt Kg/m)	„	2020	2020	2020	
	180 mm (10.256 Avg.wt Kg/m)	„	2564	2564	2564	
	200 mm (12.620 Avg.wt Kg/m)	„	3155	3155	3155	
	225 mm (16.014 Avg.wt Kg/m)	„	4003	4003	4003	
	250 mm (19.757 Avg.wt Kg/m)	„	4939	4939	4939	
	280 mm (24.708 Avg.wt Kg/m)	„	6177	6177	6177	
	315 mm (31.16 Avg.wt Kg/m)	„	7790	7790	7790	
	355 mm (39.635 Avg.wt Kg/m)	„	9909	9909	9909	
	400 mm (50.344 Avg.wt Kg/m)	„	12586	12586	12586	
	450 mm (63.598 Avg.wt Kg/m)	„	15899	15899	15899	
29	UPVC (Pipe NS 206/046		0	0	0	
29.1	A) pipe 2.5 kg /cm² pressure		0	0	0	
	a) 90 mm	र.मी	141	141	141	
	b) 110 mm	"	209	209	209	
	c) 125 mm	"	266	266	266	
	d) 140 mm	"	328	328	328	
	e) 160 mm	"	429	429	429	
	f) 180 mm	"	549	549	549	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	g) 200 mm	"	671	671	671	
29.2	B) PVC Pipe 4 kg / cm²		0	0	0	
	a) 63mm	र.मी	112	112	112	
	b) 75 mm	"	154	154	154	
	c) 90 mm	"	219	219	219	
	d) 110 mm	"	301	301	301	
	e) 125 mm	"	415	415	415	
	f) 140 mm	"	527	527	527	
	g) 160 mm	"	683	683	683	
	h) 180 mm	"	877	877	877	
	i) 200 mm	"	1064	1064	1064	
29.3	C) PVC Pipe 6 Kg/ cm² pressure		0	0	0	
	a) 40 mm	र.मी	66	66	66	
	b) 50 mm	"	99	99	99	
	c) 63 mm	"	159	159	159	
	d) 75 mm	"	222	222	222	
	e) 90 mm	"	320	320	320	
	f) 110 mm	"	462	462	462	
	g) 125 mm	"	616	616	616	
	h) 140 mm	"	766	766	766	
	i) 160 mm	"	982	982	982	
	j) 180 mm	र.मी	1252	1252	1252	
	k) 200 mm	"	1534	1534	1534	
29.4	C) PVC Pipe 10 Kg/ cm² pressure		0	0	0	
	a) 20 mm	र.मी	25	25	25	
	b) 25 mm	"	40	40	40	
	c) 32mm	"	65	65	65	
	a) 40 mm	"	98	98	98	
	b) 50 mm	"	155	155	155	
	c) 63 mm	"	246	246	246	
	d) 75 mm	"	351	351	351	
	e) 90 mm	"	501	501	501	
	f) 110 mm	"	742	742	742	
	g) 125 mm	"	950	950	950	
	h) 140 mm	"	1199	1199	1199	
	i) 160 mm	"	1542	1542	1542	
	j) 180 mm	"	1966	1966	1966	
	k) 200 mm	"	2431	2431	2431	
29.5	UPVC fittings :		0	0	0	
	Coupler		0	0	0	
	50 mm	गोटा	31	31	31	
	75 mm	"	75	75	75	
	110 mm	"	128	128	128	
	Bend 87.5 degree		0	0	0	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	50 mm	गोटा	46	46	46	
	75 mm	"	108	108	108	
	110 mm	"	200	200	200	
	Bend 45 degree		0	0	0	
	50 mm	गोटा	45	45	45	
	75 mm	"	88	88	88	
	110 mm	"	158	158	158	
	Single Tee					
	50 mm	गोटा	68	68	68	
	75 mm	"	147	147	147	
	110 mm	"	279	279	279	
	Pipe clip					
	50 mm	गोटा	14	14	14	
	75 mm	"	28	28	28	
	110 mm	"	37	37	37	
	Bend 87.5 degree with door		0	0	0	
	75 mm	गोटा	139	139	139	
	110 mm	"	242	242	242	
	Single Tee with door		0	0	0	
	75 mm	गोटा	198	198	198	
	110 mm	"	364	364	364	
	Double Tee					
	75 mm	गोटा	322	322	322	
	110 mm	"	510	510	510	
	Double Tee with door					
	75 mm	गोटा	427	427	427	
	110 mm	"	662	662	662	
	Vent cowl					
	75 mm	गोटा	53	53	53	
	110 mm	"	87	87	87	
	Socket plug					
	75 mm	गोटा	66	66	66	
	110 mm	"	108	108	108	
	Single "Y"					
	75 mm	गोटा	168	168	168	
	110 mm	"	363	363	363	
	Single "Y" with door		0	0	0	
	75 mm	गोटा	230	230	230	
	110 mm	"	438	438	438	
	Double "Y"		0	0	0	
	75 mm	गोटा	253	253	253	
	110 mm	"	499	499	499	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Double "Y" with door		0	0	0	
	75 mm	गोटा	325	325	325	
	110 mm	"	523	523	523	
	Cleaning pipe		0	0	0	
	75 mm	"	147	147	147	
	110 mm	"	284	284	284	
	Reducer		0	0	0	
	110x 75 mm	"	131	131	131	
	75X50 mm	"	69	69	69	
	P -Trap		0	0	0	
	125mmx110mm	"	539	539	539	
	110mmx110mm	"	505	505	505	
	75mmx75mm	"	193	193	193	
	Multi-Floor -Trap		0	0	0	
	110mmx75mm	"	280	280	280	
	Nahani-Trap		0	0	0	
	110mmx75mm	"	255	255	255	
	W.C. Connector (bent type)	"	261	261	261	
	Square tile with jali	"	84	84	84	
	Round jali	"	38	38	38	
	End cap 50mm	"	25	25	25	
30.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
	i. ½ " (15 mm)	र.मी	102	102	117	
	ii. ¾" (20 mm)	"	138	138	159	
	iii. 1" (25 mm)	"	195	195	224	
	iv. 1 ¼" (32 mm)	"	250	250	288	
	v. 1 ½ " (40 mm)	"	310	310	357	
	vi. 2" (50 mm)	"	475	475	546	
	vii. 2 ½ " (65 mm)	"	540	540	621	
	viii. 3" (80 mm)	"	635	635	730	
	ix. 4" (100 mm)	"	913	913	1050	
	x. 5" (125 mm)	"	1385	1385	1593	
	xi. 6" (150 mm)	"	1703	1703	1959	
	xii. 8" (200 mm)	"	2453	2453	2821	
	b) Medium class					
	i. ½ " (15 mm)	र.मी	120	120	138	
	ii. ¾" (20 mm)	"	152	152	174	
	iii. 1" (25 mm)	"	230	230	265	
	iv. 1 ¼" (32 mm)	"	300	300	345	
	v. 1 ½ " (40 mm)	र.मि	345	345	397	
	vi. 2" (50 mm)	"	473	473	544	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
vii.	2 ½ " (65 mm)	"	605	605	696	
viii.	3" (80 mm)	"	752	752	864	
ix.	4" (100 mm)	"	1458	1458	1677	
x.	5" (125 mm)	"	1517	1517	1744	
xi.	6" (150 mm)	"	1835	1835	2110	
xii.	8" (200 mm)	"	2805	2805	3226	
c) Heavy duty						
i.	½ " (15 mm)	र.मि	143	143	165	
ii.	¾" (20 mm)	"	178	178	205	
iii.	1" (25 mm)	"	253	253	291	
iv.	1 ¼" (32 mm)	"	345	345	397	
v.	1 ½ " (40 mm)	"	398	398	458	
vi.	2" (50 mm)	"	585	585	673	
vii.	2 ½ " (65 mm)	"	730	730	840	
viii.	3" (80 mm)	"	862	862	991	
ix.	4" (100 mm)	"	1325	1325	1524	
x.	5" (125 mm)	"	1708	1708	1965	
xi.	6" (150 mm)	"	1600	1600	1840	
xii.	8" (200 mm)	"	2980	2980	3427	
31.0 G.I. Pipe fittings ISI or NS Standard						
a) G.M. Gate valve						
i.	½ "	गोटा	802	802	802	
ii.	¾"	"	998	998	998	
iii.	1"	"	1608	1608	1608	
iv.	1 ¼"	"	2294	2294	2294	
v.	1 ½ "	"	2889	2889	2889	
vi.	2"	"	4599	4599	4599	
vii.	2 ½ "	"	9509	9509	9509	
viii.	3"	"	11823	11823	11823	
ix.	4"	"	19365	19365	19365	
b) G.M Check valve						
i.	½ "	गोटा	744	744	744	
ii.	¾"	"	1000	1000	1000	
iii.	1"	"	1479	1479	1479	
iv.	1 ¼"	"	2186	2186	2186	
v.	1 ½ "	"	2529	2529	2529	
vi.	2"	"	4194	4194	4194	
vii.	2 ½ "	"	8521	8521	8521	
viii.	3"	"	11381	11381	11381	
ix.	4"	"	16084	16084	16084	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	c) G.I. Elbow					
i.	1/2 "	गोटा	43	43	43	
ii.	3/4"	"	78	78	78	
iii.	1 "	"	121	121	121	
iv.	1 1/4"	"	183	183	183	
v.	1 1/2 "	"	257	257	257	
vi.	2"	"	387	387	387	
vii.	2 1/2 "	"	671	671	671	
viii.	3"	"	1044	1044	1044	
ix.	4"	"	1799	1799	1799	
x.	5"	"	4452	4452	4452	
xi.	6"	"	5358	5358	5358	
	d) G.I. Tee					
i.	1/2 "	गोटा	67	67	67	
ii.	3/4"	"	106	106	106	
iii.	1 "	"	154	154	154	
iv.	1 1/4"	"	247	247	247	
v.	1 1/2 "	"	342	342	342	
vi.	2"	"	559	559	559	
vii.	2 1/2 "	"	878	878	878	
viii.	3"	"	1187	1187	1187	
ix.	4"	"	2156	2156	2156	
x.	5"	"	5967	5967	5967	
xi.	6"	"	6915	6915	6915	
	e) G.I Union					
i.	1/2 "	गोटा	141	141	141	
ii.	3/4"	"	198	198	198	
iii.	1 "	"	291	291	291	
iv.	1 1/4"	"	400	400	400	
v.	1 1/2 "	"	495	495	495	
vi.	2"	"	737	737	737	
vii.	2 1/2 "	"	1507	1507	1507	
viii.	3"	"	2030	2030	2030	
ix.	4"	"	2675	2675	2675	
x.	5"	"	5967	5967	5967	
xi.	6"	"	7219	7219	7219	
	f) G.I. Socket					
i.	1/2 "	गोटा	39	39	39	
ii.	3/4"	"	61	61	61	
iii.	1 "	"	83	83	83	
iv.	1 1/4"	"	128	128	128	
v.	1 1/2 "	"	173	173	173	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
vi.	2"	"	255	255	255	
vii.	2 ½ "	"	462	462	462	
viii.	3"	"	681	681	681	
ix.	4"	"	1179	1179	1179	
x.	5"	"	2945	2945	2945	
xi.	6"	"	3960	3960	3960	
g) C.I. Plug						
i.	½ "	गोटा	25	25	25	
ii.	¾"	"	33	33	33	
iii.	1"	"	41	41	41	
iv.	1 ¼"	"	82	82	82	
v.	1 ½ "	"	103	103	103	
vi.	2"	"	124	124	124	
vii.	2 ½ "	"	178	178	178	
viii.	3"	"	364	364	364	
ix.	4"	"	698	698	698	
h) Hex Nipple						
i.	½ "	गोटा	47	47	47	
ii.	¾"	"	72	72	72	
iii.	1"	"	116	116	116	
iv.	1 ¼"	"	181	181	181	
v.	1 ½ "	"	229	229	229	
vi.	2"	"	341	341	341	
vii.	2 ½ "	"	625	625	625	
viii.	3"	"	807	807	807	
ix.	4"	"	1237	1237	1237	
i) Reducing Tee						
i.	¾"	गोटा	116	116	116	
ii.	1"	"	170	170	170	
iii.	1 ¼"	"	271	271	271	
iv.	1 ½ "	"	376	376	376	
v.	2"	"	614	614	614	
vi.	2 ½ "	"	967	967	967	
vii.	3"	"	1307	1307	1307	
viii.	4"	"	2388	2388	2388	
x.	5"	"	6570	6570	6570	
xi.	6"	"	7605	7605	7605	
i) Reducing Elbow						
i.	¾"	गोटा	86	86	86	
ii.	1"	"	133	133	133	
iii.	1 ¼"	"	203	203	203	
iv.	1 ½ "	"	285	285	285	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
v.	2"	"	426	426	426	
vi.	2 ½ "	"	736	736	736	
vii.	3"	"	1134	1134	1134	
viii.	4"	"	2008	2008	2008	
x.	5"	"	4898	4898	4898	
xi.	6"	"	5894	5894	5894	
j) Reducing socket						
i.	¾"	गोटा	67	67	67	
ii.	1"	"	90	90	90	
iii.	1 ¼"	"	140	140	140	
iv.	1 ½ "	"	188	188	188	
v.	2"	"	281	281	281	
vi.	2 ½ "	"	502	502	502	
vii.	3"	"	717	717	717	
viii.	4"	"	1293	1293	1293	
x.	5"	"	3697	3697	3697	
xi.	6"	"	4347	4347	4347	
K) Short bend						
i.	½ "	गोटा	116	116	116	
ii.	¾"	"	178	178	178	
iii.	1"	"	273	273	273	
iv.	1 ¼"	"	525	525	525	
v.	1 ½ "	"	793	793	793	
vi.	2"	"	1161	1161	1161	
vii.	2 ½ "	"	2980	2980	2980	
viii.	3"	"	4620	4620	4620	
ix.	4"	"	6546	6546	6546	
D) Cross Tee						
i.	½ "	गोटा	109	109	109	
ii.	¾"	"	155	155	155	
iii.	1"	"	244	244	244	
iv.	1 ¼"	"	424	424	424	
v.	1 ½ "	"	509	509	509	
vi.	2"	"	825	825	825	
vii.	2 ½ "	"	1392	1392	1392	
viii.	3"	"	2017	2017	2017	
ix.	4"	"	2723	2723	2723	
M) Tanki nipple						
i.	½ "	गोटा	128	128	128	
ii.	¾"	"	178	178	178	
iii.	1"	"	266	266	266	
iv.	1 ¼"	"	400	400	400	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
v.	1 ½ "	"	509	509	509	
vi.	2"	"	825	825	825	
vii.	2 ½ "	"	1588	1588	1588	
viii.	3"	"	2115	2115	2115	
ix.	4"	"	2806	2806	2806	
G.I. Nipple Medium Class ISI or NS						
2" Long						
i.	½ "	गोटा	21	21	21	
ii.	¾"	"	31	31	31	
iii.	1"	"	42	42	42	
iv.	1 ¼"	"	57	57	57	
v.	1 ½ "	"	69	69	69	
vi.	2"	"	106	106	106	
3" Long						
i.	½ "	गोटा	31	31	31	
ii.	¾"	"	47	47	47	
iii.	1"	"	63	63	63	
iv.	1 ¼"	"	85	85	85	
v.	1 ½ "	"	105	105	105	
vi.	2"	"	157	157	157	
vii.	2 ½ "	"	216	216	216	
viii.	3"	"	315	315	315	
4" Long						
i.	½ "	गोटा	42	42	42	
ii.	¾"	"	62	62	62	
iii.	1"	"	84	84	84	
iv.	1 ¼"	"	113	113	113	
v.	1 ½ "	"	138	138	138	
vi.	2"	"	211	211	211	
vii.	2 ½ "	"	289	289	289	
viii.	3"	"	421	421	421	
ix.	4"	"	541	541	541	
6" Long						
i.	½ "	गोटा	63	63	63	
ii.	¾"	"	94	94	94	
iii.	1"	"	126	126	126	
iv.	1 ¼"	"	171	171	171	
v.	1 ½ "	"	211	211	211	
vi.	2"	"	316	316	316	
vii.	2 ½ "	"	432	432	432	
viii.	3"	"	618	618	618	
ix.	4"	"	764	764	764	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	9" Long					
	i. 1/2 "	गोटा	94	94	94	
	ii. 3/4"	"	139	139	139	
	iii. 1 "	"	168	168	168	
	iv. 1 1/4"	"	256	256	256	
	v. 1 1/2 "	"	344	344	344	
	vi. 2"	"	474	474	474	
	vii. 2 1/2 "	"	640	640	640	
	viii. 3"	"	947	947	947	
	ix. 4"	"	1130	1130	1130	
	12" Long					
	i. 1/2 "	गोटा	126	126	126	
	ii. 3/4"	"	184	184	184	
	iii. 1 "	"	209	209	209	
	iv. 1 1/4"	"	342	342	342	
	v. 1 1/2 "	"	421	421	421	
	vi. 2"	"	631	631	631	
	vii. 2 1/2 "	"	852	852	852	
	viii. 3"	"	1262	1262	1262	
	ix. 4"	"	1507	1507	1507	
	18" Long					
	i. 1/2 "	गोटा	189	189	189	
	ii. 3/4"	"	233	233	233	
	iii. 1 "	"	315	315	315	
	iv. 1 1/4"	"	512	512	512	
	v. 1 1/2 "	"	629	629	629	
	vi. 2"	"	947	947	947	
	vii. 2 1/2 "	"	1280	1280	1280	
	viii. 3"	"	1874	1874	1874	
	ix. 4"	"	2286	2286	2286	
	G.I./G.I. Flange					
	i. 1 1/4"	गोटा	803	803	803	
	ii. 1 1/2 "	"	988	988	988	
	iii. 2"	"	1211	1211	1211	
	iv. 2 1/2 "	"	1416	1416	1416	
	v. 3"	"	1577	1577	1577	
	vi. 4"	"	1957	1957	1957	
	vii. 5"		2798	2798	2798	
	viii. 6"		2907	2907	2907	
	ix. 8"		5790	5790	5790	
	G.I./HDP Flange					
	i. 1 1/4"	गोटा	865	865	865	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
ii.	1 ½ "	"	1102	1102	1102	
iii.	2"	"	1302	1302	1302	
iv.	2 ½ "	"	1520	1520	1520	
v.	3"	"	1625	1625	1625	
vi.	4"	"	2005	2005	2005	
vii.	5"	"	2798	2798	2798	
viii.	6"	"	2921	2921	2921	
ix.	8"	"	6356	6356	6356	
HDP/HDP Flange set with adaptor						
i.	1 ¼"	गोटा	865	865	865	
ii.	1 ½ "	"	1102	1102	1102	
iii.	2"	"	1302	1302	1302	
iv.	2 ½ "	"	1520	1520	1520	
v.	3"	"	1625	1625	1625	
vi.	4"	"	2005	2005	2005	
vii.	5"	"	3178	3178	3178	
viii.	6"	"	2921	2921	2921	
ix.	8"	"	6356	6356	6356	
Brass tap ½"						
i.	½ " (Wt. 400 gm)	गोटा	755	755	755	
ii.	½ " ordinary	गोटा	171	171	171	
Globe Valve (GM)						
i.	½ "	गोटा	770	770	770	
ii.	¾"	"	1254	1254	1254	
iii.	1"	"	1549	1549	1549	
iv.	1 ¼"	"	2461	2461	2461	
v.	1 ½ "	"	3097	3097	3097	
vi.	2"	"	3867	3867	3867	
vii.	2 ½ "	"	7595	7595	7595	
viii.	3"	"	12550	12550	12550	
ix.	4"	"	20292	20292	20292	
Float Valve						
i.	½ "	गोटा	945	945	945	
ii.	¾"	"	1069	1069	1069	
iii.	1"	"	1297	1297	1297	
iv.	1 ¼"	"	2242	2242	2242	
v.	1 ½ "	"	3368	3368	3368	
vi.	2"	"	4484	4484	4484	
C.I. Air valve (Heavy)						
i.	½ "	गोटा	3130	3130	3130	
ii.	¾"	"	4318	4318	4318	
iii.	1"	"	4788	4788	4788	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Brass Union with Adopter					
i.	1/2 "	गोटा	204	204	204	
ii.	3/4"	"	314	314	314	
iii.	1 "	"	475	475	475	
iv.	1 1/4"	"	618	618	618	
v.	1 1/2 "	"	1102	1102	1102	
vi.	2"	"	1634	1634	1634	
	Saddle Ferrule					
i.	1 1/2 "	गोटा	295	295	295	
ii.	2"	"	390	390	390	
iii.	2 1/2 "	"	1088	1088	1088	
iv.	3"	"	1439	1439	1439	
v.	4"	"	2052	2052	2052	
	Flow Regulating Valve (G.M.)					
i.	1/2"	गोटा	1102	1102	1102	
	C.I Sluice Valve					
i.	1 1/2 "	गोटा	5705	5705	5705	
ii.	2"	"	7610	7610	7610	
iii.	2 1/2 "	"	9505	9505	9505	
iv.	3"	"	11409	11409	11409	
v.	4"	"	15208	15208	15208	
v.	5"	"	23114	23114	23114	
v.	6"	"	27740	27740	27740	
v.	8"	"	38836	38836	38836	
	Brass Ferrule Cock					
i.	1/2 "	गोटा	1254	1254	1254	
ii.	3/4"	"	1634	1634	1634	
iii.	1 "	"	2399	2399	2399	
	Ball valve					
a)	15mm	गोटा	428	428	428	
b)	20 mm	"	542	542	542	
c)	25 mm	"	727	727	727	
d)	32 mm	"	876	876	876	
e)	40 mm	"	1696	1696	1696	
f)	50 mm	"	2784	2784	2784	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
32.0	Supplying of Rcc ring for construction of well					
32.1	Ring					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	563	563	563	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	697	697	697	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	811	811	811	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1074	1074	1074	
32.2	Supplying & fixing of metal frame and Rcc cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1700	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2250	2250	2250	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2470	2470	2470	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	2950	2950	2950	
33.0	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	3715	3715	3715	
	ii) 36" dia. R.C.C. Ring	"	4715	4715	4715	
	iii) 42" dia. R.C.C. Ring	"	5489	5489	5489	
	iv) 48" dia. R.C.C. Ring	"	6770	6770	6770	
32.2	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	5223	5223	5223	
	ii) 36" dia. R.C.C. Ring	"	8832	8832	8832	
	iii) 42" dia. R.C.C. Ring	"	10690	10690	10690	
	iv) 48" dia. R.C.C. Ring	"	12843	12843	12843	
33.0	Accessories for Deep boring works by machine .					
	i) MS Slotted pipe	Kg				
	ii) Submersible pump with motor 15 hp per set, head 80 m.discharge 10 lps. with control pannel	Set				
34.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	248	248	248	
	12"	Pc	468	468	468	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	15"	Pc	1348	1348	1348	
	18"	Pc	1595	1595	1595	
b	Blow Torch					
	1/2 pint	Pc	1392	1392	1392	
	1 pint	Pc	1716	1716	1716	
c	Building Trowel	Pc	77	77	77	
d	Chain Pipe wrench					
	50mm	Pc	1595	1595	1595	
	75mm	Pc	1898	1898	1898	
	100mm	Pc	2228	2228	2228	
	150mm	Pc	3135	3135	3135	
	200mm	Pc	5335	5335	5335	
e	Chain Pulley in Ton					
	3 ton	Pc	17050	17050	17050	
	5 ton	Pc	28160	28160	28160	
f	Stone Chisel 1"x12"	Pc	358	358	358	
g	Die teeth oil with cane (250 ml size)	Pc	275	275	275	
h	Smooth steel file half round					
	8"	Pc	523	523	523	
	10"	Pc	1001	1001	1001	
i	Flat file 10"	Pc	523	523	523	
10.0	Hacksaw Blade					
	Single	Pc	4	4	4	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	187	187	187	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
k	Handle die set					
	25 mm	Pc	3108	3108	3108	
	50 mm	Pc	3520	3520	3520	
	60 mm	Pc	9350	9350	9350	
l	Heating Plate					
	80 mm	Pc	935	935	935	
	100 mm	Pc	1073	1073	1073	
	125 mm	Pc	1375	1375	1375	
	150 mm	Pc	1639	1639	1639	
	200 mm	Pc	2651	2651	2651	
	250 mm	Pc	3212	3212	3212	
	300 mm	Pc	3751	3751	3751	
m	Iron Brush 12"	Pc	72	72	72	
n	Iron Pan (madium)	Pc	253	253	253	
o	Pick Axe 1.7 Kg.	Pc	418	418	418	
p	Pipe Cutter					
	15-50 mm	Pc	1980	1980	1980	
	65-80 mm	Pc	3080	3080	3080	
	100 mm	Pc	4950	4950	4950	
	125 mm	Pc	5500	5500	5500	
	150 mm	Pc	9790	9790	9790	
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	31350	
r	Pipe Vice					
	2"	Pc	2420	2420	2420	
	3"	Pc	3520	3520	3520	
	4"	Pc	5308	5308	5308	
	5"	Pc	9845	9845	9845	
s	Pipe Wrench					
	10"	Pc	308	308	308	
	12"	Pc	572	572	572	
	14"	Pc	682	682	682	
	18"	Pc	1084	1084	1084	
	24"	Pc	1496	1496	1496	
	36"	Pc	5280	5280	5280	
	48"	Pc	9350	9350	9350	
t	Plumb Bob Line	Pc	88	88	88	
u	Rachet Die Set					
	1/2"-1"	Pc	4180	4180	4180	
	1 1/4" -2"	Pc	7810	7810	7810	
	2 1/2"-3"	Pc	17050	17050	17050	
v	Round File 10"	Pc	358	358	358	
w	Screw Driver 12"	Pc	198	198	198	
x	Shovel 1.5 Kg	Pc	358	358	358	
y	Slide wrench					
	10"	Pc	352	352	352	
	12"	Pc	473	473	473	
	15"	Pc	1381	1381	1381	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
z	Spade	Pc	429	429	429	
A	Spare Die Teeth					
	15 mm	Pc	572	572	572	
	20 mm	Pc	572	572	572	
	25 mm	Pc	572	572	572	
	32 mm	Pc	908	908	908	
	40 mm	Pc	1551	1551	1551	
	50 mm	Pc	1568	1568	1568	
	65 mm	Pc	1815	1815	1815	
	80 mm	Pc	2035	2035	2035	
B	Teflon Cover					
	5'x5'	Pc	303	303	303	
	7'x7'	Pc	413	413	413	
C	Teflon Cloth	m	3328	3328	3328	
D	Teflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	743	743	743	
	Germany	Pc	1485	1485	1485	
F	Tool Box (14"x8"x22")	Pc	2041	2041	2041	
35	Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤ 37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination, Cracks etc..)					
	800 lts for 4 persons	nos	63,750	63,750	63,750	
	1200 lts for 6 people	nos	79,050	79,050	79,050	
	1600 lts for 10 persons	nos	95,200	95,200	95,200	
36	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					
1	Supply flexible, kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150.00	150.00	150.00	
2	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs, flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30.00	30.00	30.00	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660.00	660.00	660.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover 15SST	No.	1200.00	1200.00	1200.00	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover PA series	No.	1200.00	1200.00	1200.00	
	gear rotors 5004	No.	3100.00	3100.00	3100.00	
	Providing of 1/2" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA Series	No.	390.00	390.00	390.00	
	Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA	No.	480.00	480.00	480.00	
	Providing and fixing of HDPE service saddle of varying size		850.00	850.00	850.00	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800.00	1800.00	1800.00	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100.00	2100.00	2100.00	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500.00	7500.00	7500.00	
	6"Round box.	No.	1250.00	1250.00	1250.00	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500.00	13500.00	13500.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७२/७३	आ.व. ०७३/७४	आ.व. ०७४/७५	
	Key threads into top of QCV to provide water access 33DK	No.	9750.00	9750.00	9750.00	
37	Miscellaneous					
	Lead	kg			1482.00	
	Sun	kg			685.00	
	MS+HDPE Flange					
	150 mm	set			6637.00	
	200 mm	set			11947.00	
	250 mm	set			15486.00	
	Mechanical coupling with nut, bolt, washer	set				
	150 mm	set			6696.00	
	200 mm	set			9026.00	
	250 mm	set			16437.00	
	300 mm	set			33185.00	
	350 mm	set			59734.00	
	400 mm	set			75663.00	
	500 mm	set			78318.00	
	UPVC coupling 50 mm	set			3097	
	Flange Tailpiece					
	80 mm	Pc			3716.00	
	100 mm	Pc			4867.00	
	150 mm	Pc			7256.00	
	200 mm	Pc			9026.00	
	250 mm	Pc			16991.00	