

SANITARY WORK

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| 1 | Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरू) | | | | | |
| | White glazed porcelain pan | | | | | |
| | i)530mm size white glazed without siphon | सेट | 2405 | 2405 | 2405 | |
| | ii)500 mm size white glazed without siphon | „ | 2090 | 2090 | 2090 | |
| | iii)580 mm size orrisa Pan | „ | 2339 | 2339 | 2339 | |
| | iii)580 mm size white glazed Indian pan | „ | 1000 | 1000 | 1000 | |
| | iv) Siphon 'p' or 's' type | „ | 562 | 562 | 562 | |
| | v) Asian Pan 51x40 Rectangular | „ | 2405 | 2405 | 2405 | |
| | Porcelain Clay Cistern | | | | | |
| | i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings) | „ | 3391 | 3391 | 3391 | |
| | ii) White glazed porcelain clay 10 lit. Cistern cover only. | „ | 635 | 635 | 635 | |
| | iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate) | „ | 3523 | 3523 | 3523 | |
| | Commode | | | | | |
| | i) White glaze porcelain clay regular commode with 'p' trap | सेट | 1512 | 1512 | 1512 | |
| | ii) White glazed porcelain clay EWC regular commode with 's ' \ p trap | „ | 1739 | 1739 | 1739 | |
| | iii)(b) White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.) | | 17262 | 17262 | 17262 | |
| | iv) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.) | „ | 27510 | 27510 | 27510 | |
| | iv) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.) | „ | 19425 | 19425 | 19425 | |
| | viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.) | „ | 5003 | 5003 | 5003 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set. | ” | 8247 | 8247 | 8247 | |
| | x) 600 to 900 mm Grab bar | ” | 5775 | 5775 | 5775 | |
| | Bidet set | | | | | |
| | i) Porcelain clay white glaze Bidet. | सेट | 3517.5 | 3517.5 | 3517.5 | |
| | Urinal set | | | | | |
| | i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.) | सेट | 3976 | 3976 | 3976 | |
| | ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.) | | 1791 | 1791 | 1791 | |
| | iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.) | ” | 1542 | 1542 | 1542 | |
| | vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent) | ” | 95550 | 95550 | 95550 | |
| | Porcelain Clay Urinal Squatting Plate | | | | | |
| | i) white glaze squatting plate Small Size (45×35)cm | सेट | 1155 | 1155 | 1155 | |
| | ii) Porcelain clay white glaze squatting plate large size | ” | 1386 | 1386 | 1386 | |
| | iii) Porcelain clay super color squatting plate large size. | ” | 2688 | 2688 | 2688 | |
| | iv) Urinal Spreader | ” | 872 | 872 | 872 | |
| | Wash basin | | | | | |
| | i) Porcelain clay white glaze wash basin (500×400) cm size regular. | सेट | 1044 | 1044 | 1044 | |
| | iii) Porcelain clay white glaze wash basin (50×40) cm | ” | 1411 | 1411 | 1411 | |
| | iv) Do but wash basin (45×32)cm | ” | 1014 | 1014 | 1014 | |
| | vi) white glazed porcelain clay Corner basin 40x40 complete set | सेट | 1145 | 1145 | 1145 | |
| | vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv) | ” | 7954 | 7954 | 7954 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv) | „ | 13125 | 13125 | 13125 | |
| | x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent) | „ | 9975 | 9975 | 9975 | |
| | x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set. | „ | 5938 | 5938 | 5938 | |
| | d) White glaze porcelain clay Basin for disable with grab bar all complete | „ | 19577 | 19577 | 19577 | |
| | Pedestal: | | | | | |
| | i) Porcelain clay white glaze pedestal | „ | 1313 | 1313 | 1313 | |
| | iii)White glazed Porcelain clay half pedestal complete set. | „ | 1591 | 1591 | 1591 | |
| | iv) First color glazed Porcelain clay half pedestal complete set. | „ | 1880 | 1880 | 1880 | |
| | v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent) | „ | 12684 | 12684 | 12684 | |
| | Urinal Partition | | | | | |
| | White glaze porcelain clay (68×30)cm division plate | „ | 1659 | 1659 | 1659 | |
| | Lab sink | | | | | |
| | i) Porcelain clay white glaze large size | „ | 2117 | 2117 | 2117 | |
| | ii) Porcelain clay white glaze small size | „ | 1575 | 1575 | 1575 | |
| | iii) Porcelain clay janitor sink 58×71×43.5 size | „ | 26250 | 26250 | 26250 | |
| | Kitchen sink | | | | | |
| | i) Porcelain clay large | सेट | 3585 | 3585 | 3585 | |
| | ii) Porcelain clay small | „ | 3248 | 3248 | 3248 | |
| | iii) drain board white 53x45 | „ | 1242 | 1242 | 1242 | |
| | iii) Soap dish | „ | 630 | 630 | 630 | |
| | iv) White glaze foot rest | „ | 399 | 399 | 399 | |
| | v) White glaze Toilet paper holder | „ | 1103 | 1103 | 1103 | |
| 2 | PVC Cistern Set | | | | | |
| | i) single flush | सेट | 1880 | 1880 | 1880 | |
| | ii) Deluxe single flush | „ | 2100 | 2100 | 2100 | |
| | iii) Dual flush 6/3 lit. cistern complete set. | „ | 2826 | 2826 | 2826 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|----------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent) | ” | 16065 | 16065 | 16065 | |
| | v) 32 mm pvc bottel trap set. | पिस | 454 | 454 | 454 | |
| | vi) 1.5x45 cm pvc pipe connector set. | ” | 137 | 137 | 137 | |
| | vi) Bakelite toilet seat cover set. | ” | 263 | 263 | 263 | |
| 3 | Stainless Steel Accessories etc. | | | | | |
| | Stainless steel Deep sink 45×45×30 size | ” | 17325 | 17325 | 17325 | |
| | Stainless steel Orissa pan LP 210 size | ” | 8085 | 8085 | 8085 | |
| | Stainless steel wash basin model 251 12" round size with pedestal | ” | 12635 | 12635 | 12635 | |
| | Stainless steel wash basin 500 mm model 277 with complete set | ” | 9790 | 9790 | 9790 | |
| | Stainless steel commode S trap with self closing complete set | ” | 16724 | 16724 | 16724 | |
| | Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent) | ” | 13942 | 13942 | 13942 | |
| | Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent) | ” | 17560 | 17560 | 17560 | |
| | External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent) | ” | 24546 | 24546 | 24546 | |
| | Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent) | ” | 15198 | 15198 | 15198 | |
| | Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent) | ” | 3985 | 3985 | 3985 | |
| | conceal mixer faucet(Jaquare, Somany, Essel or equivalent) | ” | 6150 | 6150 | 6150 | |
| | Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent) | ” | 788 | 788 | 788 | |
| | Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent) | ” | 1103 | 1103 | 1103 | |
| | Stainless steel bowl 19"×16" diamond board 37" long | ” | 2546 | 2546 | 2546 | |
| | Stainless steel bowl with diamond board 37" long | ” | 3487 | 3487 | 3487 | |
| | Stainless steel bowl with ordinary board 37" long | ” | 2205 | 2205 | 2205 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Stainless steel double bowl with double drain board 36" * 18 "size | ” | 13259 | 13259 | 13259 | |
| | Stainless steel double bowl with single drain board ordinary | ” | 5513 | 5513 | 5513 | |
| | Stainless steel p trap bottle trap for basin | ” | 2214 | 2214 | 2214 | |
| | Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent) | ” | 8010 | 8010 | 8010 | |
| | Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent) | ” | 5301 | 5301 | 5301 | |
| | Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent) | ” | 8010 | 8010 | 8010 | |
| | Stainless steel 1500mm flexible hose pipe(connection pipe) | ” | 1393 | 1393 | 1393 | |
| | Stainless steel Hose ringer 1200 mm | ” | 1214 | 1214 | 1214 | |
| | Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent) | ” | 1713 | 1713 | 1713 | |
| | Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent) | ” | 6615 | 6615 | 6615 | |
| | Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent) | ” | 4216 | 4216 | 4216 | |
| | Stainless steel Sink 700*450*200 | ” | 23100 | 23100 | 23100 | |
| | Stainless steel Sink table top1200*600*300 | ” | 31920 | 31920 | 31920 | |
| | Steel Split clamp with washer all complete | ” | 31920 | 31920 | 31920 | |
| | 75 mm dia | पिस | 315 | 315 | 315 | |
| | 110 mm dia | | 420 | 420 | 420 | |
| | 160 mm dia | | 735 | 735 | 735 | |
| | Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent) | गोटा | 1181 | 1181 | 1181 | |
| | Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent) | ” | 2835 | 2835 | 2835 | |
| | Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent) | ” | | | | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent) | ” | 616 | 616 | 616 | |
| | Stainless steel towel bar 450 mm | ” | 1181 | 1181 | 1181 | |
| | Stainless steel water tank fitting with all complete set (304 grade steel) | | | | | |
| | Capacity 500 ltr | set | 12832 | 12832 | 12832 | |
| | Capacity 1000 ltr | ” | 16814 | 16814 | 16814 | |
| | Capacity 1500 ltr | ” | 23894 | 23894 | 23894 | |
| | Capacity 2000 ltr | ” | 31858 | 31858 | 31858 | |
| | Super lab sink | | | | | |
| | i) super lab sink large size | ” | 4109 | 4109 | 4109 | |
| | ii) super lab sink small size | ” | 3240 | 3240 | 3240 | |
| | Super kitchen sink | | | | | |
| | i) super kitchen sink large size | ” | 7112 | 7112 | 7112 | |
| | ii) super kitchen sink small size | ” | 6437 | 6437 | 6437 | |
| | 4 Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv. | | | | | |
| | iv) Hand dryer Germany | ” | 18480 | 18480 | 18480 | |
| | v) Hand Dryer Chinese | ” | 6825 | 6825 | 6825 | |
| | vi) Indian Mark Brand Flush valve | ” | 5460 | 5460 | 5460 | |
| | xii) Auto sensor for basin - Grohe, hansgrohe, American standard or equiv. | ” | 33600 | 33600 | 33600 | |
| | xv) European pattern liquid soap container stainless steel | ” | 5775 | 5775 | 5775 | |
| | xvii) Looking Mirror Modi guard 450x600mm (18"x 24") | ” | 1390 | 1390 | 1390 | |
| | European Pattern C.P. Grab Bar for disable | | | | | |
| | a) 30cm long bend type | ” | 4560 | 4560 | 4560 | |
| | b) 45 cm long bend type | ” | 4775 | 4775 | 4775 | |
| | c) 60 cm long bend type | ” | 6114 | 6114 | 6114 | |
| | 5 C.P. Accessories(jaquar, somany, essel or equivalent) | | | | | |
| | 1) Toilet paper holder | ” | 473 | 473 | 473 | |
| | 2) Soap dish | ” | 473 | 473 | 473 | |
| | 3) Towel rod ½"×18" size | ” | 473 | 473 | 473 | |
| | 4) Towel rod ¾" ×24" size | ” | 525 | 525 | 525 | |
| | 5) Glass shelf | ” | 630 | 630 | 630 | |
| | 6) C.P. bottle trap | ” | 1155 | 1155 | 1155 | |
| | 7) 32 mm×60cm long C.P flush pipe | ” | 473 | 473 | 473 | |
| | 8) 15 mm flush cock push type | ” | 1050 | 1050 | 1050 | |
| | 9) 15 mm dia. C.P. shower arm | ” | 904 | 904 | 904 | |
| | 10) 15 mm dia. C.P. spreader | ” | 872 | 872 | 872 | |
| | 11) 15 mm dia. C.P. wall mixture | ” | | | | |
| | i) 3" dia. Shower rose , revolving type | ” | 840 | 840 | 840 | |
| | ii) 4" dia. Shower rose , revolving type | ” | 945 | 945 | 945 | |

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | iii) Shower rose ordinary | ” | 525 | 525 | 525 | |
| | iv) Shower rod 12" long | ” | 263 | 263 | 263 | |
| | C.P. 15 mm dia. Angle Valve | ” | 1153 | 1153 | 1153 | |
| | C.P. 15 mm dia Concealed Stop Cock | ” | 1675 | 1675 | 1675 | |
| | C.P. 15mm Bib Cock | ” | | | | |
| | C.P. 15 mm dia swan neck Pillar Cock | ” | 1234 | 1234 | 1234 | |
| | C.P. 15 mm dia Stop Cock | ” | 1234 | 1234 | 1234 | |
| | C.P. 15 mm dia Sink Cock | ” | 1213 | 1213 | 1213 | |
| | C.P. 15 mm dia Sink Mixture | ” | 4144 | 4144 | 4144 | |
| | C.P. 32 mm dia Flush Valve | ” | 5009 | 5009 | 5009 | |
| | C.P. 32 mm dia Waste Coupling for basin | ” | 393 | 393 | 393 | |
| | C.P. 32 mm dia Waste Coupling for Urinal | ” | 638 | 638 | 638 | |
| | C.P. Basin Mixture | सेट | 4300 | 4300 | 4300 | |
| | 15 mm dia Bath Tub Spout with Wall Hinge | ” | | | | |
| | | | 1604 | 1604 | 1604 | |
| | C.P. Exclusive Shower Arm with Hinge | ” | 1867 | 1867 | 1867 | |
| | 15 mm bath tub spout with bottom attachment of telephonic shower | ” | | | | |
| | | | 3864 | 3864 | 3864 | |
| | 15 mm wall mixture lever type telephonic shower of flexible type heavy. | ” | | | | |
| | | | 6347 | 6347 | 6347 | |
| | C.P. flexible pipe | गोटा | 168 | 168 | 168 | |
| | C.P. Grating | | | | | |
| | i) 4" dia. | ” | 46 | 46 | 46 | |
| | ii) 5" dia. | ” | 58 | 58 | 58 | |
| | i) C.P. Toilet Paper Holder | ” | | | | |
| | ii) C.P. Soap Dish(Polyurethane) | ” | 781 | 781 | 781 | |
| | iii) C.P. Towel Rod 18" | ” | 1463 | 1463 | 1463 | |
| | iv) C.P. Towel Rod 24" | ” | 1523 | 1523 | 1523 | |
| | v) C.P. Glass Shelf 22" | ” | 2069 | 2069 | 2069 | |
| | vi) C.P. Coat Hook Double | ” | 702 | 702 | 702 | |
| 6 | C.P. बाट निर्मित सामाग्रीहरू(jaquar, somany, essel or equivalent) | ” | | | | |
| | i) C.P. Toilet Paper Holder | ” | | | | |
| | ii) C.P. Soap Dish(Polyurethane) | ” | | | | |
| | iv) C.P. Towel Rod 24" | ” | | | | |
| | v) C.P. Glass Shelf 22" | ” | | | | |
| | vi) C.P. Coat Hook Double | ” | | | | |
| | ix) C.P. Angle Cock | | | | | |
| | 15mm C.P. Angle Cock | ” | 859 | 859 | 859 | |
| | 15 mm C.P. Angle Cock Long Thread | ” | 914 | 914 | 914 | |
| | x) C.P. Conceal Stop Cock | ” | | | | |
| | i) 15 mm Reduced body | ” | 1053 | 1053 | 1053 | |
| | ii) 15 mm Extra Heavy Body | ” | 1288 | 1288 | 1288 | |
| | xi) C.P. Bib Cock | ” | | | | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | i) 15mm C.P. Auto Closing Bib Cock With Aerator | ” | 2420 | 2420 | 2420 | |
| | ii) 15mm C.P. Bib Cock | ” | 882 | 882 | 882 | |
| | iii) 15mm C.P. Bib Cock with nozzle | ” | 977 | 977 | 977 | |
| | xii) C.P. Pillar Cock | ” | | | | |
| | i) 15 mm C.P. Pillar Cock With Aerator | ” | 1171 | 1171 | 1171 | |
| | ii) 15mm Auto Closing Pillar Cock With Aerator | ” | 2342 | 2342 | 2342 | |
| | i) 15mm C.P. Sink Cock | ” | 1483 | 1483 | 1483 | |
| | ii) C.P. Sink Mixer | ” | 3675 | 3675 | 3675 | |
| | iii) 15 mm C.P. Sink Mixer With Revolving Spout | ” | 3203 | 3203 | 3203 | |
| | xv) C.P. Bottle Trap 32mm | ” | 1717 | 1717 | 1717 | |
| | 32 mm C.P. Conceal Flush Valve Dual Flow | ” | 3590 | 3590 | 3590 | |
| | xvii) C.P. Waste Coupling | ” | | | | |
| | 32 mm C.P. Waste Coupling H/T | ” | 414 | 414 | 414 | |
| | 32 mm C.P. Waste Coupling F/T | ” | 414 | 414 | 414 | |
| | xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock | ” | 2497 | 2497 | 2497 | |
| | xix) 15 mm C.P. Wall Mixer | ” | | | | |
| | 15 mm C.P. Wall Mixer With Lower Bend Pipe | ” | 4136 | 4136 | 4136 | |
| | 15 mm C.P. Wall Mixer With Upper Bend Pipe | ” | 4136 | 4136 | 4136 | |
| | xx) C.P. Basin Mixer | ” | | | | |
| | 15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses | ” | 3435 | 3435 | 3435 | |
| | 15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses | ” | 3606 | 3606 | 3606 | |
| | xxi) 15mm Bath Tub Spout with wall flange | ” | | | | |
| | 15mm Bath Tub Spout with wall Flange | ” | 1171 | 1171 | 1171 | |
| | 15mm Bath Tub Spout with button attachment | ” | 1873 | 1873 | 1873 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | xxii) C.P. Casted Shower Arm with Flange | ” | | | | |
| | 15 mm Casted Shower Arm Light | ” | 624 | 624 | 624 | |
| | 15 mm Casted Shower Arm Heavy | ” | 1014 | 1014 | 1014 | |
| | xxiii) 15 mm Telephonic Hand Shower | | | | | |
| | With 1.50 m. PVC Tube | ” | 1660 | 1660 | 1660 | |
| | With 1.5 Flexible Tube | ” | 2576 | 2576 | 2576 | |
| | xxiv) Other accessories | | | | | |
| | 15mm Wall Mixer Single Lever for Telephonic Shower Arrangement | गोटा | 4605 | 4605 | 4605 | |
| | 15 mm Braided Hose for E.W.C. | ” | 284 | 284 | 284 | |
| | 15 mm Health Faucet (Commode Spray) | ” | 1092 | 1092 | 1092 | |
| | 15 mm pillar cock with 200 mm extended lever handle | ” | 1444 | 1444 | 1444 | |
| | 15 mm Bib cock with 200 mm extended lever handle | ” | 1523 | 1523 | 1523 | |
| | Single lever surgical purpose elbow action basin mixer with extended operating lever | ” | 5674 | 5674 | 5674 | |
| | Single lever surgical purpose elbow action Sink mixer with extended operating lever | ” | 5503 | 5503 | 5503 | |
| | Sensor mixer for wash basin (Battery operated) | ” | 19513 | 19513 | 19513 | |
| | Wall mounted Sensor mixer for operation theater (Battery operated) | ” | 19513 | 19513 | 19513 | |
| | Sensor conceal type flushing valve for Western commode (battery operated) | ” | 15454 | 15454 | 15454 | |
| | Sensor valve for Urinal | ” | 10147 | 10147 | 10147 | |
| | Basin cock Sensor | ” | 13736 | 13736 | 13736 | |
| | 15mm U shaped sink cock | ” | 1631 | 1631 | 1631 | |
| | Sink Mixture with U shape swinging spout | ” | 3199 | 3199 | 3199 | |
| | 15mm metallic Health Faucet (Commode Spray) | ” | 2069 | 2069 | 2069 | |
| | 7 Electric & Solar Geyser | | | | | |
| | i) 10 lit. cap. electric water heater | गोटा | 10710 | 10710 | 10710 | |
| | ii) 25 lit cap. " " " | ” | 16511 | 16511 | 16511 | |
| | iii) 35 lit cap " " " | ” | 20528 | 20528 | 20528 | |
| | iv) 50 lit cap " " " | ” | 24544 | 24544 | 24544 | |
| | iv) Gas water heater with cylinder | ” | 8400 | 8400 | 8400 | |
| | vi) 200 lit cap. 3 panel solar heater with fittings | ” | | | | |
| | vii) 300 lit cap. 3 panel solar heater with fittings | ” | | | | |
| | viii) 400 lit cap. 4 panel solar heater with fittings | ” | | | | |
| | x) 500 lit cap. 4 panel solar heater with fittings | ” | | | | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|------------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American. | सेट | 11550 | 11550 | 11550 | |
| 8 | C.I. Manhole Cover including frame. | | | | | |
| 8.1 | Square size (in outer dia) | | | | | |
| | Medium Duty | | | | | |
| | i) 10" × 10" (4 Kg.) | सेट | 638 | 638 | 638 | |
| | ii) 12" × 12" (5 Kg.) | " | 797 | 797 | 797 | |
| | iii) 14" × 14" (7 Kg.) | " | 1116 | 1116 | 1116 | |
| | v) 16" × 16" (10 Kg.) | " | 1594 | 1594 | 1594 | |
| | vi) 18" × 18" (14 Kg.) | " | 2391 | 2391 | 2391 | |
| | viii) 20" × 20" (16 Kg.) | " | 2550 | 2550 | 2550 | |
| | ix) 22" × 22" (20 Kg.) | " | 3188 | 3188 | 3188 | |
| | x) 24" × 24" (24 Kg.) | " | 4091 | 4091 | 4091 | |
| | xi) 27" × 27" (31 Kg.) | " | 4941 | 4941 | 4941 | |
| | Heavy Duty | | | | | |
| | iii) 14" × 14" (14 Kg.) | " | 2231 | 2231 | 2231 | |
| | ix) 22" × 22" (22 Kg.) | " | 3507 | 3507 | 3507 | |
| | xi) 27" × 27" (45 Kg.) | " | 7173 | 7173 | 7173 | |

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| 8.2 | Rounded Manhole Cover (Outer dia.) | | | | | |
| | Medium class | | | | | |
| | i) 18" dia. Round Manhole cover with square frame (60 Kg.) | सेट | 8662.50 | 8662.50 | 8662.50 | |
| | ii) 20" dia. Round Manhole cover with square frame (70 Kg.) | " | 11550.00 | 11550.00 | 11550.00 | |
| | iii) 20" dia. Round Manhole cover with square frame (100 Kg.) | " | 14437.50 | 14437.50 | 14437.50 | |
| | iv) 22" dia. Medium class. (125 Kg.) | " | 18480.00 | 18480.00 | 18480.00 | |
| | v) 22" dia. Heavy class. (208Kg.) | " | 27604.50 | 27604.50 | 27604.50 | |
| | vi) 24" dia. Medium class. (40 Kg.) | " | 5913.60 | 5913.60 | 5913.60 | |
| | vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.) | " | 7392.00 | 7392.00 | 7392.00 | |
| | viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.) | " | 10626.00 | 10626.00 | 10626.00 | |
| | ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.) | " | 12936.00 | 12936.00 | 12936.00 | |
| | x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.) | " | 17094.00 | 17094.00 | 17094.00 | |
| | xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.) | " | 17094.00 | 17094.00 | 17094.00 | |
| 8.3 | C.I. Tank Cover Locking Types | | | | | |
| | Round | | | | | |
| | 18" (8 Kg.) | सेट | 1593.90 | 1593.90 | 1593.90 | |
| | 20" (12 Kg.) | " | 2337.72 | 2337.72 | 2337.72 | |
| | 22" (14 Kg.) | " | 2656.50 | 2656.50 | 2656.50 | |
| | 24" (16 Kg.) | " | 3187.80 | 3187.80 | 3187.80 | |
| | 28" (24 Kg.) | " | 4781.70 | 4781.70 | 4781.70 | |
| | Square | | | | | |
| | 18" x 18" (13 Kg.) | सेट | 2656.50 | 2656.50 | 2656.50 | |
| | 24" x 24" (50 Kg.) | " | 9563.40 | 9563.40 | 9563.40 | |
| | Rectangular | | | | | |
| | 18" x 24" (27 Kg.) | सेट | 5313.00 | 5313.00 | 5313.00 | |
| 8.4 | C.I. Gully Gratings & Jali | | | | | |
| | Round Jali Strip Medium Duty | | | | | |
| | 4" | सेट | 96 | 96 | 96 | |
| | 5" | " | 128 | 128 | 128 | |
| | 6" | " | 170 | 170 | 170 | |
| | 10" | " | 584 | 584 | 584 | |
| 8.5 | Square Jali Strip Medium Duty | | | | | |
| | 4" x 4" | सेट | 85 | 85 | 85 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-------------|---|--------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 5" x 5" | " | 106 | 106 | 106 | |
| | 6" x 6" | " | 128 | 128 | 128 | |
| | 9" x 9" | " | 372 | 372 | 372 | |
| | 10" x 10" | " | 478 | 478 | 478 | |
| | 12" x 12" | " | 691 | 691 | 691 | |
| 8.6 | C.I. Gully Gratings | | | | | |
| | i) 15"×18" Medium (18 Kg.) | सेट | 3507 | 3507 | 3507 | |
| | ii) 15"×18" Heavy (25 Kg.) | सेट | 4782 | 4782 | 4782 | |
| 8.7 | Grit Cover | | | | | |
| 8.8 | फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा) | के.जी. | 159 | 159 | 159 | |
| 8.9 | Aluminum Grating 4" dia. | गोटा | 40 | 40 | 40 | |
| 9 | G.I. Water Tank (17 Gauge) | | | | | |
| | i) 100 gls | गोटा | 8075/- | 8075/- | 8075/- | |
| | ii) 200 gls | " | 12685/- | 12685/- | 12685/- | |
| | iii) 300 gls | " | 15955/- | 15955/- | 15955/- | |
| | iv) 400 gls | " | 19155/- | 19155/- | 19155/- | |
| | v) 500 gls | " | 22365/- | 22365/- | 22365/- | |
| 9.1 | G.I. Water Tank (16 BWG TATA Sheet) | | | | | |
| | i) 100 gls | गोटा | 8517.70 | 8517.70 | 8517.70 | |
| | ii) 200 gls | " | 12880.53 | 12880.53 | 12880.53 | |
| | iii) 300 gls | " | 17101.77 | 17101.77 | 17101.77 | |
| | iv) 400 gls | " | 20491.15 | 20491.15 | 20491.15 | |
| | v) 500 gls | " | 23880.53 | 23880.53 | 23880.53 | |
| 9.2 | Roof Top PVC Water Tank | | | | | |
| | i) 200 lit – 5000 lit cap. | ली. | 11 | 11 | 11 | |
| | ii) 5000 lit – 10,000 lit cap | " | 12 | 12 | 12 | |
| | iii) Horizontal PVC water tank | " | 12 | 12 | 12 | |
| 10 | Water Pumps/Hand Pumps | | | | | |
| | Indian Mark-III , Deep Well Hand Pump | | | | | |
| | 6 No. hand pump | गोटा | 1536 | 1536 | 1536 | |
| 10.1 | Water Pump : | | | | | |
| | i) ½ H.P. Water Pump (Multi stage pump) | सेट | 10568 | 10568 | 10568 | |
| | ii) ½ H.P. Water Pump mono block type | " | 6075 | 6075 | 6075 | |
| | iii) 1.0 H.P. water pump Multistage | " | 13843 | 13843 | 13843 | |
| | iv) 1.0 H.P. water pump (mono block type) | " | 9189 | 9189 | 9189 | |
| | v) 2.0 H.P. water pump | " | 21929 | 21929 | 21929 | |
| | vi) 2.0 H.P. 3 phase water pump | " | 23153 | 23153 | 23153 | |
| | vii) 5.0 HP 3 phase water pump | " | 27822 | 27822 | 27822 | |
| 10.2 | Jet Water Pump | | | | | |
| | i) 1.10 H.P. | सेट | 21000 | 21000 | 21000 | |
| | ii) Double Stage jet 1.10 H.P. | | 25200 | 25200 | 25200 | |
| | ii) 1.5 H.P. | " | 28350 | 28350 | 28350 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|-------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| 10.3 | Super Sunction | | | | | |
| | i) ½ H.P | सेट | 8663 | 8663 | 8663 | |
| | ii) 0.75 H.P. | „ | 8085 | 8085 | 8085 | |
| | iii) 1.0 H.P. | „ | 13860 | 13860 | 13860 | |
| 10.4 | Water Pump (Grundfoss, pentair, Pedrello or equiv) | | | | | |
| | i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank. | सेट | 17672 | 17672 | 17672 | |
| | ii) 2 H.P. single pump set " " | „ | 28382 | 28382 | 28382 | |
| 10.5 | Fire pump | | | | | |
| | Submersible Pump (Italian) | | | | | |
| | i) 1.0 H.P. | „ | 25329 | 25329 | 25329 | |
| | ii) 2.0 H.P. | „ | 46988 | 46988 | 46988 | |
| 10.6 | Electric Water Pump (Chinese) | | | | | |
| | i) ½ H.P | „ | 1654 | 1654 | 1654 | |
| | ii) ¾ H.P. | „ | 2155 | 2155 | 2155 | |
| | iii) 1.0 H.P. | „ | 3175 | 3175 | 3175 | |
| 10.7 | Submersible Pump Sarvo/Bimal or equivalent | | | | | |
| | i) ½ H.P open well type | „ | 16170 | 16170 | 16170 | |
| | ii) 1.1 H.P open well type | „ | 23678 | 23678 | 23678 | |
| | iii) 1.5 H.P open well type | „ | 28875 | 28875 | 28875 | |
| 10.8 | Vertical Submersible Pump Sarvo/Bimal or equivalent | | | | | |
| | i) 1.1 H.P | „ | 26460 | 26460 | 26460 | |
| | iii) 1.5 H.P | „ | 31973 | 31973 | 31973 | |
| 11 | Fire fighting equipment and accessories (safeguard india or equiv) | | | | | |
| | swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set | सेट | | | | |
| 12 | Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent) | | | | | |
| | i) 1 kg size ABC stored pressure type Fire extinguisher | गोटा | | | | |
| 12.1 | Insulation for hot water pipe 'Acroflex' | | | | | |
| | 15mm Insulation 6 mm wall thickness | र.मी | | | | |
| 13 | ACRYLIC GLASS SHELF | | | | | |
| | i) Acrylic glass shelf best quality | सेट | | | | |
| 14 | Water Purification System | | | | | |
| | Euro Guard Water purification system (one litre per minute) | युनिट | | | | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-----------|---|--------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| 15 | Filter Media for existing filtration system | | | | | |
| | Pebbles | के.जी. | | | | |
| 16 | विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv) | | | | | |
| | a) Bath tub – 3'6" Medium | सेट | | | | |
| | Bath tub – 3'6" Heavy | " | | | | |
| | b) Bath tub – 4'0" Medium | " | 6510 | 6510 | 6510 | |
| | Bath tub _ 4'0" Heavy | " | 7560 | 7560 | 7560 | |
| | c) Bath Tub – 4'6" Medium | " | 7875 | 7875 | 7875 | |
| | Bath tub – 4'6" Heavy | " | 7900 | 7900 | 7900 | |
| | d) Bath tub – 5'0" Medium | " | 8610 | 8610 | 8610 | |
| | Bath tub _ 5'0" Heavy | " | 28500 | 28500 | 28500 | |
| | e) Bath Tub – 5'6" Medium | " | 7725 | 7725 | 7725 | |
| | Bath tub – 5'6" Heavy | " | 9100 | 9100 | 9100 | |
| | f) Bath Tub – 6'0" Medium | " | 12500 | 12500 | 12500 | |
| | Bath tub – 6'0" Heavy | " | 35750 | 35750 | 35750 | |
| 17 | Shower Tray 3'0"×3'0" | गोटा | 485 | 485 | 485 | |
| | Pipes and fittings | | | | | |
| 18 | PPR Pipe (Poly propylene random co-polymer pipe Panchakanya , Nepatop or Eqv.) | | | | | |
| | 1) PP-R Pipe (PN-10) | | | | | |
| | 20mm outer,1.9 mm thick, 0.107 kg/m | र.मि | 62 | 62 | 62 | |
| | 25mm " 2.3 mm thick 0.164kg/m | " | 94 | 94 | 94 | |
| | 32mm 2.9 mm thick 0.26kg/m | " | 151 | 151 | 151 | |
| | 40mm 3.7 mm thick 0.412kg/m | " | 238 | 238 | 238 | |
| | 50mm 4.6 mm thick 0.638kg/m | " | 369 | 369 | 369 | |
| | 63 mm 8.6 mm thick 0.638kg/m | " | 581 | 581 | 581 | |
| | 75 mm | " | 812 | 812 | 812 | |
| | 90 mm | " | 1169 | 1169 | 1169 | |
| | 110 mm | " | 1733 | 1733 | 1733 | |
| | 2) PP-R Pipe (PN-16) | | | | | |
| | 20mm 2.80 mm thick 0.148kg/m | " | 85 | 85 | 85 | |
| | 25mm 3.50 mm thick 0.26kg/m | " | 132 | 132 | 132 | |
| | 32mm 3.7 mm thick 0.230kg/m | " | 213 | 213 | 213 | |
| | 40mm 5.50 mm thick 0.575kg/m | " | 332 | 332 | 332 | |
| | 50mm 6.90 mm thick 0.896kg/m | " | 516 | 516 | 516 | |
| | 63 mm 4.6 mm thick 0.638kg/m | " | 812 | 812 | 812 | |
| | 75 mm | " | 1157 | 1157 | 1157 | |
| | 90 mm | " | 1653 | 1653 | 1653 | |
| | 110 mm | " | 2477 | 2477 | 2477 | |
| | 3) PP-R Pipe (PN-20) | | | | | |
| | 20mm 3.4 mm thick 0.172 kg/m | " | 98 | 98 | 98 | |
| | 25mm 4.20 mm thick 0.266kg/m | " | 153 | 153 | 153 | |
| | 32mm 5.40 mm thick 0.434kg/m | " | 250 | 250 | 250 | |
| | 40mm 6.70 mm thick 0.671kg/m | " | 388 | 388 | 388 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 50mm 8.30 mm thick 1.04kg/m | ” | 599 | 599 | 599 | |
| | 63mm 8.6mm thick 1.04kg/m | ” | 950 | 950 | 950 | |
| | 75 mm | ” | 1348 | 1348 | 1348 | |
| | 90 mm | ” | 1935 | 1935 | 1935 | |
| | 110 mm | ” | 2885 | 2885 | 2885 | |
| | PP-R Pipe Accessories : | | | | | |
| | Elbow (90⁰) | | | | | |
| | 20mm | गोटा | 12 | 12 | 12 | |
| | 25mm | ” | 24 | 24 | 24 | |
| | 32mm | गोटा | 39 | 39 | 39 | |
| | 40mm | ” | 81 | 81 | 81 | |
| | 50mm | ” | 138 | 138 | 138 | |
| | 63 mm | ” | 249 | 249 | 249 | |
| | 75 mm | ” | 500 | 500 | 500 | |
| | 90 mm | ” | 891 | 891 | 891 | |
| | 110 mm | ” | 1600 | 1600 | 1600 | |
| | Equal Tee | | | | | |
| | 20mm | ” | 16 | 16 | 16 | |
| | 25mm | ” | 29 | 29 | 29 | |
| | 32mm | ” | 50 | 50 | 50 | |
| | 40mm | ” | 96 | 96 | 96 | |
| | 50mm | ” | 159 | 159 | 159 | |
| | 63mm | ” | 294 | 294 | 294 | |
| | 75 mm | ” | 596 | 596 | 596 | |
| | 90 mm | ” | 1061 | 1061 | 1061 | |
| | 110 mm | ” | 1815 | 1815 | 1815 | |
| | Coupler | | | | | |
| | 20mm | गोटा | 11 | 11 | 11 | |
| | 25mm | ” | 14 | 14 | 14 | |
| | 32mm | ” | 24 | 24 | 24 | |
| | 40mm | ” | 45 | 45 | 45 | |
| | 50mm | ” | 72 | 72 | 72 | |
| | 63 mm | ” | 132 | 132 | 132 | |
| | 75 mm | ” | 261 | 261 | 261 | |
| | 90 mm | ” | 456 | 456 | 456 | |
| | 110 mm | ” | 808 | 808 | 808 | |
| | 45 Degree Elbow | | | | | |
| | 20 mm | ” | 16 | 16 | 16 | |
| | 25 mm | ” | 27 | 27 | 27 | |
| | 32 mm | ” | 41 | 41 | 41 | |
| | 40 mm | ” | 77 | 77 | 77 | |
| | 50 mm | ” | 132 | 132 | 132 | |
| | 63 mm | ” | 209 | 209 | 209 | |
| | 75 mm | ” | 490 | 490 | 490 | |
| | 90 mm | ” | 885 | 885 | 885 | |
| | 110 mm | ” | 1501 | 1501 | 1501 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Union (Plastic) | | | | | |
| | 20mm | गोटा | 59 | 59 | 59 | |
| | 25mm | ” | 101 | 101 | 101 | |
| | 32mm | ” | 162 | 162 | 162 | |
| | 40mm | ” | 275 | 275 | 275 | |
| | 50mm | ” | 653 | 653 | 653 | |
| | 63mm | ” | 752 | 752 | 752 | |
| | Reducing Coupler | | | | | |
| | 25mm*20mm | ” | 14 | 14 | 14 | |
| | 32mm*20mm | ” | 19 | 19 | 19 | |
| | 32mm*25mm | ” | 21 | 21 | 21 | |
| | 40mm*20mm | ” | 31 | 31 | 31 | |
| | 40mm*25mm | ” | 37 | 37 | 37 | |
| | 40mm*32mm | ” | 44 | 44 | 44 | |
| | 50mm*20mm | ” | 58 | 58 | 58 | |
| | 50mm*25mm | ” | 64 | 64 | 64 | |
| | 50mm*32mm | ” | 69 | 69 | 69 | |
| | 50mm*40mm | ” | 76 | 76 | 76 | |
| | 63mm*32mm | ” | 117 | 117 | 117 | |
| | 63mm*40mm | ” | 122 | 122 | 122 | |
| | 63mm*50mm | ” | 131 | 131 | 131 | |
| | 75mm*40mm | ” | 195 | 195 | 195 | |
| | 75mm*50mm | ” | 239 | 239 | 239 | |
| | 75mm*63mm | ” | 241 | 241 | 241 | |
| | 90mm*50mm | ” | 483 | 483 | 483 | |
| | 90mm*63mm | ” | 521 | 521 | 521 | |
| | 90mm*75mm | ” | 614 | 614 | 614 | |
| | 110mm*75mm | ” | 818 | 818 | 818 | |
| | 110mm*90mm | ” | 949 | 949 | 949 | |
| | Reducing Tee | | | | | |
| | 25*20*25 mm | ” | 26 | 26 | 26 | |
| | 32*20*32 mm | ” | 42 | 42 | 42 | |
| | 32*25*32 mm | ” | 45 | 45 | 45 | |
| | 40*20*40 mm | ” | 66 | 66 | 66 | |
| | 40*25*40 mm | ” | 69 | 69 | 69 | |
| | 40*32*40 mm | ” | 76 | 76 | 76 | |
| | 50*20*50 mm | ” | 88 | 88 | 88 | |
| | 50*25*50 mm | ” | 93 | 93 | 93 | |
| | 50*32*50 mm | ” | 151 | 151 | 151 | |
| | 50*40*50 mm | ” | 161 | 161 | 161 | |
| | 63*32*63 mm | ” | 199 | 199 | 199 | |
| | 63*40*63 mm | ” | 193 | 193 | 193 | |
| | 63*50*63 mm | ” | 214 | 214 | 214 | |
| | 75*50*75 mm | ” | 439 | 439 | 439 | |
| | 75*63*75 mm | ” | 458 | 458 | 458 | |
| | 90*63*90 mm | ” | 926 | 926 | 926 | |
| | 90*75*90 mm | ” | 993 | 993 | 993 | |
| | 110*75*110 mm | ” | 1622 | 1622 | 1622 | |
| | 110*90*110 mm | ” | 1700 | 1700 | 1700 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Reducing Elbow | | | | | |
| | 25mm*20mm | ” | 22 | 22 | 22 | |
| | 32mm*20mm | ” | 32 | 32 | 32 | |
| | 32mm*25mm | ” | 41 | 41 | 41 | |
| | High Footed Pipe Clip | | | | | |
| | 20mm | गोटा | 14 | 14 | 14 | |
| | 25mm | ” | 17 | 17 | 17 | |
| | 32mm | ” | 22 | 22 | 22 | |
| | 40mm | ” | 25 | 25 | 25 | |
| | 50mm | ” | 34 | 34 | 34 | |
| | 63 mm | ” | 39 | 39 | 39 | |
| | Low Footed Pipe Clip | | | | | |
| | 20mm | ” | 7 | 7 | 7 | |
| | 25mm | ” | 8 | 8 | 8 | |
| | 32mm | ” | 14 | 14 | 14 | |
| | 40mm | ” | 19 | 19 | 19 | |
| | 50mm | ” | 30 | 30 | 30 | |
| | 63 mm | ” | 38 | 38 | 38 | |
| | "Y" type Pipe Clip | | | | | |
| | 20mm | ” | 25 | 25 | 25 | |
| | 25mm | ” | 25 | 25 | 25 | |
| | 32mm | ” | 34 | 34 | 34 | |
| | 40 mm | | 48 | 48 | 48 | |
| | End Plug (short) | | | | | |
| | 20mm | ” | 14 | 14 | 14 | |
| | 25mm | ” | 22 | 22 | 22 | |
| | 32mm | ” | 34 | 34 | 34 | |
| | End Plug with Ring | | | | | |
| | 20mm | ” | 25 | 25 | 25 | |
| | End Plug (long) | | | | | |
| | 20mm | ” | 10 | 10 | 10 | |
| | End Cap | | | | | |
| | 20mm | ” | 14 | 14 | 14 | |
| | 25mm | ” | 22 | 22 | 22 | |
| | 32mm | ” | 34 | 34 | 34 | |
| | 40mm | ” | 53 | 53 | 53 | |
| | 50mm | ” | 88 | 88 | 88 | |
| | 63 mm | ” | 164 | 164 | 164 | |
| | 75 mm | ” | 246 | 246 | 246 | |
| | Cross Tee | | | | | |
| | 20mm | ” | 25 | 25 | 25 | |
| | 25mm | ” | 36 | 36 | 36 | |
| | 32mm | ” | 64 | 64 | 64 | |
| | Short Passover | | | | | |
| | 20mm | ” | 70 | 70 | 70 | |
| | 25mm | ” | 99 | 99 | 99 | |
| | 32mm | ” | 143 | 143 | 143 | |
| | Long Bypass | | | | | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 20mm | " | 93 | 93 | 93 | |
| | 25mm | " | 135 | 135 | 135 | |
| | 32mm | " | 191 | 191 | 191 | |
| | Male Tee | | | | | |
| | 20mmx1/2" | " | 145 | 145 | 145 | |
| | 25mmx1/2" | " | 142 | 142 | 142 | |
| | 25mmx3/4" | " | 176 | 176 | 176 | |
| | 32mmx1/2" | " | 219 | 219 | 219 | |
| | 32mmx3/4" | " | 224 | 224 | 224 | |
| | 32mmx1" | " | 401 | 401 | 401 | |
| | Female Tee | | | | | |
| | 20mmx1/2" | " | 108 | 108 | 108 | |
| | 25mmx1/2" | " | 122 | 122 | 122 | |
| | 25mmx3/4" | " | 160 | 160 | 160 | |
| | 32mmx1/2" | " | 181 | 181 | 181 | |
| | 32mmx3/4" | " | 200 | 200 | 200 | |
| | 32mmx1" | " | 323 | 323 | 323 | |
| | Male elbow | | | | | |
| | 20mmx1/2" | " | 139 | 139 | 139 | |
| | 25mmx1/2" | " | 143 | 143 | 143 | |
| | 25mmx3/4" | " | 174 | 174 | 174 | |
| | 32mmx1/2" | " | 188 | 188 | 188 | |
| | 32mmx3/4" | " | 205 | 205 | 205 | |
| | 32mmx1" | " | 396 | 396 | 396 | |
| | Female elbow | | | | | |
| | 20mmx1/2" | " | 105 | 105 | 105 | |
| | 25mmx1/2" | " | 148 | 148 | 148 | |
| | 25mmx3/4" | " | 136 | 136 | 136 | |
| | 32mmx1/2" | " | 200 | 200 | 200 | |
| | 32mmx3/4" | " | 229 | 229 | 229 | |
| | 32mmx1" | " | 281 | 281 | 281 | |
| | Male Coupling | | | | | |
| | 20mmx1/2" | " | 136 | 136 | 136 | |
| | 20mmx3/4" | " | 163 | 163 | 163 | |
| | 25mmx1/2" | " | 130 | 130 | 130 | |
| | 25mmx3/4" | " | 164 | 164 | 164 | |
| | 32mmx1/2" | " | 182 | 182 | 182 | |
| | 32mmx3/4" | " | 23 | 23 | 23 | |
| | 32mmx1" | " | 385 | 385 | 385 | |
| | 40mmx1-1/4" | " | 548 | 548 | 548 | |
| | 50mmx1-1/2" | " | 828 | 828 | 828 | |
| | 63mmx2" | " | 1201 | 1201 | 1201 | |
| | 75mmx2-1/2" | " | 329 | 329 | 329 | |
| | Female Coupling | | | | | |
| | 20mmx1/2" | " | 102 | 102 | 102 | |
| | 20mmx3/4" | " | 125 | 125 | 125 | |
| | 25mmx1/2" | " | 114 | 114 | 114 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|----------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 25mmx3/4" | | 128 | 128 | 128 | |
| | 32mmx1/2" | „ | 123 | 123 | 123 | |
| | 32mmx3/4" | „ | 131 | 131 | 131 | |
| | 32mmx1" | „ | 300 | 300 | 300 | |
| | 40mmx1-1/4" | „ | 482 | 482 | 482 | |
| | 50mmx1-1/2" | „ | 626 | 626 | 626 | |
| | 63mmx2" | | 922 | 922 | 922 | |
| | 75mmx2-1/2" | „ | 1822 | 1822 | 1822 | |
| | Male Union | | | | | |
| | 20mmx1/2" | „ | 245 | 245 | 245 | |
| | 25mmx3/4" | „ | 352 | 352 | 352 | |
| | 32mmx1" | „ | 506 | 506 | 506 | |
| | 40mmx1 ^{1/4} " | „ | 977 | 977 | 977 | |
| | 50mmx1/2" | „ | 1342 | 1342 | 1342 | |
| | 63mmx2" | „ | 3117 | 3117 | 3117 | |
| | Female Union | | | | | |
| | 20mmx1/2" | „ | 238 | 238 | 238 | |
| | 25mmx3/4" | „ | 346 | 346 | 346 | |
| | 32mmx1" | „ | 487 | 487 | 487 | |
| | 40mmx1 ^{1/4} " | „ | 746 | 746 | 746 | |
| | 50mmx1/2" | „ | 1253 | 1253 | 1253 | |
| | 63mmx2" | „ | 2372 | 2372 | 2372 | |
| | Stop Valve | | | | | |
| | a) 20 mm | „ | 288 | 288 | 288 | |
| | b) 25 mm | „ | 381 | 381 | 381 | |
| | c) 32 mm | „ | 462 | 462 | 462 | |
| | d) 40mm | „ | 610 | 610 | 610 | |
| | e)50 mm | „ | 1013 | 1013 | 1013 | |
| | f) 63 mm | „ | 1461 | 1461 | 1461 | |
| | Male base elbow | | | | | |
| | 20mm x 1/2" | „ | 139 | 139 | 139 | |
| | 25mm x 3/4" | „ | 180 | 180 | 180 | |
| | Female base elbow | | | | | |
| | 20mm x 1/2" | „ | 147 | 147 | 147 | |
| | 25mm x 1/2" | „ | 175 | 175 | 175 | |
| | 25mm x 3/4" | „ | 162 | 162 | 162 | |
| | Metal Ball valve (double) | | | | | |
| | 20mmx1/2" | „ | 657 | 657 | 657 | |
| | 25mmx3/4" | „ | 887 | 887 | 887 | |
| | 32mmx1" | „ | 1284 | 1284 | 1284 | |
| | 40mmx1-1/4" | „ | 3257 | 3257 | 3257 | |
| | 50mmx1-1/2" | „ | 4586 | 4586 | 4586 | |
| | Metal Ball valve (Single) | | | | | |
| | 20mmx1/2" | „ | 648 | 648 | 648 | |
| | 25mmx3/4" | „ | 872 | 872 | 872 | |
| | 32mmx1" | „ | 1274 | 1274 | 1274 | |
| | Conceal Valve (Lux) | | | | | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-----------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 20mm | „ | 755 | 755 | 755 | |
| | Conceal Valve (Nor) | | | | | |
| | 20mm | „ | 719 | 719 | 719 | |
| | Ball Valve (Plastic) | | | | | |
| | 20mm | „ | 112 | 112 | 112 | |
| | 25mm | „ | 151 | 151 | 151 | |
| | 32mm | „ | 244 | 244 | 244 | |
| | 40mm | „ | 478 | 478 | 478 | |
| | 50mm | „ | 614 | 614 | 614 | |
| | 63 mm | „ | 1091 | 1091 | 1091 | |
| | Ball Valve (Brass) | | | | | |
| | 20mm | „ | 311 | 311 | 311 | |
| | 25mm | „ | 441 | 441 | 441 | |
| | 32mm | „ | 738 | 738 | 738 | |
| | 40mm | „ | 1762 | 1762 | 1762 | |
| 19 | CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv. | | | | | |
| | CPVC Pipe SDR 13.5 (22.5 Kg/cm2) | | | | | |
| | 1/2" dia | Rm | 115 | 115 | 115 | |
| | 3/4" dia | „ | 160 | 160 | 160 | |
| | 1" dia | „ | 210 | 210 | 210 | |
| | 1-1/4" dia | „ | 261 | 261 | 261 | |
| | 1-1/2" dia | „ | 366 | 366 | 366 | |
| | 2" dia | „ | 559 | 559 | 559 | |
| | CPVC Pipe SDR 11 (28.1 Kg/cm2) | | 0 | 0 | 0 | |
| | 1/2" dia | „ | 133 | 133 | 133 | |
| | 3/4" dia | „ | 178 | 178 | 178 | |
| | 1" dia | „ | 248 | 248 | 248 | |
| | 1-1/4" dia | „ | 300 | 300 | 300 | |
| | 1-1/2" dia | „ | 418 | 418 | 418 | |
| | 2" dia | „ | 677 | 677 | 677 | |
| | CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.) | | | | | |
| | 1/2" dia | Rm | 126 | 126 | 126 | |
| | 3/4" dia | „ | 168 | 168 | 168 | |
| | 1" dia | „ | 234 | 234 | 234 | |
| | 1-1/4" dia | „ | 289 | 289 | 289 | |
| | 1-1/2" dia | „ | 402 | 402 | 402 | |
| | 2" dia | „ | 679 | 679 | 679 | |
| | CPVC Ball Valve (CTS Sockets) | | | | | |
| | 1/2" | „ | 365 | 365 | 365 | |
| | 3/4" | „ | 486 | 486 | 486 | |

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|------------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 1" | ॥ | 588 | 588 | 588 | |
| | 1-1/4" | ॥ | 1371 | 1371 | 1371 | |
| | 1-1/2" | ॥ | 1643 | 1643 | 1643 | |
| | 2" | ॥ | 2117 | 2117 | 2117 | |
| | CPVC Reducer Brass Coupling | गोटा | | | | |
| | 3/4" X 1/2" | ॥ | 138 | 138 | 138 | |
| | 1" X 1/2" | ॥ | 181 | 181 | 181 | |
| | CPVC Tee | गोटा | | | | |
| | 1/2" | ॥ | 36 | 36 | 36 | |
| | 3/4" | ॥ | 77 | 77 | 77 | |
| | 1" | ॥ | 117 | 117 | 117 | |
| | 1-1/4" | ॥ | 220 | 220 | 220 | |
| | 1-1/2" | ॥ | 320 | 320 | 320 | |
| | 2" | ॥ | 687 | 687 | 687 | |
| | CPVC Reducer Tee | गोटा | | | | |
| | 1/2" x 1/2" x 3/4" | ॥ | 70 | 70 | 70 | |
| | 3/4" x 3/4" x 1/2" | ॥ | 107 | 107 | 107 | |
| | 3/4" x 1/2" x 3/4" | ॥ | 134 | 134 | 134 | |
| | 3/4" x 1/2" x 1/2" | ॥ | 153 | 153 | 153 | |
| | 1" x 1" x 3/4" | ॥ | 161 | 161 | 161 | |
| | 1-1/2" x 1-1/2" x 1" | ॥ | 251 | 251 | 251 | |
| | 2" x 2" x 1" | ॥ | 436 | 436 | 436 | |
| | 1-1/4" x 1-1/4" x 1/2" | ॥ | 142 | 142 | 142 | |
| | 1-1/4" x 1-1/4" x 1" | ॥ | 153 | 153 | 153 | |
| | 2" x 2" x 1/2" | ॥ | 428 | 428 | 428 | |
| | 1" x 1" x 1/2" | ॥ | 100 | 100 | 100 | |
| | CPVC Brass FPT Tee | गोटा | | | | |
| | 1/2" x 1/2" x 1/2" | ॥ | 120 | 120 | 120 | |
| | 3/4" x 3/4" x 1/2" | ॥ | 125 | 125 | 125 | |
| | 1" x 1" x 1/2" | ॥ | 139 | 139 | 139 | |
| | 1-1/4" x 1-1/4" x 1-1/4" | ॥ | 501 | 501 | 501 | |
| | 1-1/4" x 1-1/4" x 1/2" | ॥ | 272 | 272 | 272 | |
| | CPVC Elbow 90° | गोटा | | | | |
| | 1/2" | ॥ | 25 | 25 | 25 | |
| | 3/4" | ॥ | 52 | 52 | 52 | |
| | 1" | ॥ | 95 | 95 | 95 | |
| | 1-1/4" | ॥ | 179 | 179 | 179 | |
| | 1-1/2" | ॥ | 267 | 267 | 267 | |
| | 2" | ॥ | 572 | 572 | 572 | |
| | CPVC Reducer Elbow 90° | | 0 | 0 | 0 | |
| | 3/4" X 1/2" | | 53 | 53 | 53 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | CPVC Brass FPT Elbow 90° | गोटा | | | | |
| | 1/2" x 1/2" | " | 84 | 84 | 84 | |
| | 3/4" x 1/2" | " | 97 | 97 | 97 | |
| | 3/4" x 3/4" | " | 111 | 111 | 111 | |
| | 1" X 1/2" | " | 215 | 215 | 215 | |
| | 1" X 1" | " | 596 | 596 | 596 | |
| | 1-1/4" x 1-1/4" | " | 774 | 774 | 774 | |
| | CPVC Elbow 45° | गोटा | | | | |
| | 1/2" | " | 30 | 30 | 30 | |
| | 3/4" | " | 54 | 54 | 54 | |
| | 1" | " | 77 | 77 | 77 | |
| | 1-1/4" | " | 136 | 136 | 136 | |
| | 1-1/2" | " | 197 | 197 | 197 | |
| | 2" | " | 427 | 427 | 427 | |
| | CPVC Male Adapter (CPVC Threads) | गोटा | | | | |
| | 1/2" | " | 22 | 22 | 22 | |
| | 3/4" | " | 39 | 39 | 39 | |
| | 1" | " | 59 | 59 | 59 | |
| | 1-1/4" | " | 106 | 106 | 106 | |
| | 1-1/2" | " | 149 | 149 | 149 | |
| | 2" | " | 290 | 290 | 290 | |
| | CPVC Reducing Male Adapter (CPVC Threads) | गोटा | | | | |
| | 3/4" x 1/2" | " | 41 | 41 | 41 | |
| | CPVC Male Adapters (Brass Threads) | | | | | |
| | 1/2" | " | 206 | 206 | 206 | |
| | 3/4" | " | 267 | 267 | 267 | |
| | 1" | " | 421 | 421 | 421 | |
| | 1-1/4" | " | 926 | 926 | 926 | |
| | 1-1/2" | " | 1080 | 1080 | 1080 | |
| | 2" | " | 2224 | 2224 | 2224 | |
| | CPVC Reducing Male Adapter (Brass Threads) | | | | | |
| | 3/4" x 1/2" | " | 229 | 229 | 229 | |
| | CPVC Female Adapter (CPVC Threads) | | | | | |
| | 1/2" | " | 31 | 31 | 31 | |
| | 3/4" | " | 51 | 51 | 51 | |
| | 1" | " | 77 | 77 | 77 | |
| | CPVC Female Adapters Brass Threads | गोटा | | | | |
| | 1/2" | " | 198 | 198 | 198 | |
| | 3/4" | " | 269 | 269 | 269 | |
| | 1" | " | 349 | 349 | 349 | |
| | 1-1/4" | " | 917 | 917 | 917 | |
| | 1-1/2" | " | 1020 | 1020 | 1020 | |
| | 2" | " | 1994 | 1994 | 1994 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | CPVC Caps | | | | | |
| | 1/2" | ” | 13 | 13 | 13 | |
| | 3/4" | ” | 25 | 25 | 25 | |
| | 1" | ” | 37 | 37 | 37 | |
| | 1-1/4" | ” | 72 | 72 | 72 | |
| | 1-1/2" | ” | 106 | 106 | 106 | |
| | 2" | ” | 225 | 225 | 225 | |
| | CPVC Union | | | | | |
| | 1/2" | ” | 270 | 270 | 270 | |
| | 3/4" | ” | 398 | 398 | 398 | |
| | 1" | ” | 471 | 471 | 471 | |
| | 1-1/4" | ” | 862 | 862 | 862 | |
| | 1-1/2" | ” | 942 | 942 | 942 | |
| | 2" | ” | 1352 | 1352 | 1352 | |
| | CPVC Cross Tee | | | | | |
| | 1/2" | ” | 49 | 49 | 49 | |
| | 3/4" | ” | 106 | 106 | 106 | |
| | CPVC Step Over Bend | | | | | |
| | 1/2" | ” | 63 | 63 | 63 | |
| | 3/4" | ” | 104 | 104 | 104 | |
| | CPVC Ball Valve (CTS Sockets) | | | | | |
| | 1/2" | ” | 661 | 661 | 661 | |
| | 3/4" | ” | 805 | 805 | 805 | |
| | 1" | ” | 921 | 921 | 921 | |
| | 1-1/4" | ” | 1879 | 1879 | 1879 | |
| | 1-1/2" | ” | 2391 | 2391 | 2391 | |
| | 2" | ” | 3075 | 3075 | 3075 | |
| | CPVC Flow Guard Adhesive Solution | | | | | |
| | 50ML | ” | 199 | 199 | 199 | |
| | 118ML | ” | 329 | 329 | 329 | |
| | 237ML | ” | 533 | 533 | 533 | |
| | 473ML | ” | 838 | 838 | 838 | |
| | 946ML | ” | 1471 | 1471 | 1471 | |
| | Plastic Strap | | | | | |
| | 1/2" | ” | 5 | 5 | 5 | |
| | 3/4" | ” | 5 | 5 | 5 | |
| | 1" | ” | 8 | 8 | 8 | |
| | 1-1/4" | ” | 11 | 11 | 11 | |
| | 1-1/2" | ” | 15 | 15 | 15 | |
| | 2" | ” | 18 | 18 | 18 | |
| | Metal Strap | | | | | |
| | 1/2" | ” | 13 | 13 | 13 | |
| | 3/4" | ” | 16 | 16 | 16 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-----------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 1" | ” | 21 | 21 | 21 | |
| | 1-1/4" | ” | 25 | 25 | 25 | |
| | 1-1/2" | ” | 27 | 27 | 27 | |
| | 2" | ” | 29 | 29 | 29 | |
| | Tee Holder | | | | | |
| | 1/2" X 1/2" X 1/2" | ” | 5 | 5 | 5 | |
| | 3/4" X 3/4" X 1/2" | ” | 8 | 8 | 8 | |
| | Elbow Holder | | | | | |
| | 1/2" X 1/2" | ” | 5 | 5 | 5 | |
| | 1/2" X 3/4" | ” | 7 | 7 | 7 | |
| | Snap Fix Repair Coupling | | | | | |
| | 1/2" | ” | 229 | 229 | 229 | |
| | 3/4" | ” | 248 | 248 | 248 | |
| | End plug threaded 1/2" | ” | 11 | 11 | 11 | |
| 20 | MS SEAMLESS PIPES | | | | | |
| | PIPES: ASTM-A-106 Gr.'B'/SA-106-1(Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239 (Part | | | | | |
| | MS PIPE SEAMLESS SIZE OD (MM) | ” | | | | |
| | 21.3 mm OD 1/2" SCH.40, 2.77 mm thickness | ” | 411 | 411 | 411 | |
| | 26.7mm OD 3/4" SCH.40, 2.87 mm thickness | ” | 493 | 493 | 493 | |
| | 33.4 mm OD 1" SCH.40, 3.38mm thickness | ” | 618 | 618 | 618 | |
| | 42.2mm OD 1.1/4" SCH.40, 3.56mm thickness | ” | 763 | 763 | 763 | |
| | 48.3 mm OD 1.5" SCH.40, 3.68 mm thickness | ” | 873 | 873 | 873 | |
| | 60.3mm OD 2" SCH.40, 3.91 mm thickness | ” | 1121 | 1121 | 1121 | |
| | 73mm OD 3" SCH.40,5.16 .mm thickness | ” | 1723 | 1723 | 1723 | |
| | 88.9mm OD 3.5" SCH.40, 5.49 mm thickness | ” | 2255 | 2255 | 2255 | |
| | 101.6mm OD 4" SCH.40, 5.74 mm thickness | ” | 2914 | 2914 | 2914 | |
| | 114.3mm OD 5" SCH.40, 6.02 mm thickness | ” | 3210 | 3210 | 3210 | |
| | 141.3mm OD 6" SCH.40, 6.557 mm thickness | ” | 4347 | 4347 | 4347 | |
| | 168.3mm OD 4" SCH.40, 7.11 mm thickness | ” | 5643 | 5643 | 5643 | |
| 21 | ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN) | | | | | |
| | Single Socket (R/R) | Mtr | 410 | 410 | 410 | |
| | Single Socket (R/R) | ” | 762 | 762 | 762 | |
| | Single Socket (R/R) | ” | 821 | 821 | 821 | |
| | Single Socket Self Fit | ” | 1058 | 1058 | 1058 | |
| | Single Socket Self Fit | ” | 1294 | 1294 | 1294 | |
| | Single Socket Self Fit | ” | 1778 | 1778 | 1778 | |
| | Single Socket Self Fit | ” | 2093 | 2093 | 2093 | |
| | Single Socket Self Fit | ” | 2795 | 2795 | 2795 | |
| | Single Socket Self Fit | ” | 3331 | 3331 | 3331 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-----------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Long Radius Bend - 45 Degree | Pc | 1083 | 1083 | 1083 | |
| | Long Radius Bend - 45 Degree | " | 1977 | 1977 | 1977 | |
| | Long Radius Bend - 45 Degree | " | 3569 | 3569 | 3569 | |
| | Long Radius Bend - 45 Degree | " | 6921 | 6921 | 6921 | |
| | Long Radius Bend - 60 Degree | " | 1193 | 1193 | 1193 | |
| | Long Radius Bend - 60 Degree | " | 2186 | 2186 | 2186 | |
| | Long Radius Bend - 60 Degree | " | 4010 | 4010 | 4010 | |
| | Long Radius Bend - 60 Degree | " | 7593 | 7593 | 7593 | |
| | Long Radius Bend - 90 Degree | " | 585 | 585 | 585 | |
| | Long Radius Bend - 90 Degree | " | 1413 | 1413 | 1413 | |
| | Long Radius Bend - 90 Degree | " | 2606 | 2606 | 2606 | |
| | Long Radius Bend - 90 Degree | " | 4874 | 4874 | 4874 | |
| | Long Radius Bend - 90 Degree | " | 8980 | 8980 | 8980 | |
| | Fab. Coupler | " | 168 | 168 | 168 | |
| | Fab. Coupler | " | 404 | 404 | 404 | |
| | Fab. Coupler | " | 869 | 869 | 869 | |
| | Fab. Coupler | " | 1700 | 1700 | 1700 | |
| | Fab. Coupler | " | 3127 | 3127 | 3127 | |
| | End Cap | " | 360 | 360 | 360 | |
| | End Cap | " | 592 | 592 | 592 | |
| | End Cap | " | 945 | 945 | 945 | |
| | End Cap | " | 1380 | 1380 | 1380 | |
| | Equal Tee | " | 10303 | 10303 | 10303 | |
| | Equal Tee | " | 5929 | 5929 | 5929 | |
| | Equal Tee | " | 3291 | 3291 | 3291 | |
| | Gully Trap with grating | " | 962 | 962 | 962 | |
| | Rodding Point | " | 570 | 570 | 570 | |
| | Adjustable Bend 7 Degree to 37.5 Degree | " | 608 | 608 | 608 | |
| | Adjustable Bend 7 Degree to 87.5 Degree | " | 834 | 834 | 834 | |
| | Inspection Chamber Body | " | 3000 | 3000 | 3000 | |
| | Inspection Chamber Riser | " | 1490 | 1490 | 1490 | |
| | Inspection Chamber Lid with Cover | " | 2829 | 2829 | 2829 | |
| | Inspection Chamber Body | " | 8284 | 8284 | 8284 | |
| | Inspection Chamber Riser | " | 2634 | 2634 | 2634 | |
| | Inspection Chamber Lid with Cover | " | 4395 | 4395 | 4395 | |
| 22 | GEBERIT | | | | | |
| | Geberit Products | | | | | |
| | Concealled Cisterns 9cm | " | 7431 | 7431 | 7431 | |
| | Concealled Cisterns Kombo fix 8cm | " | 9103 | 9103 | 9103 | |
| | Dual Flush Actuator Plate Shiny Chrome | " | 3646 | 3646 | 3646 | |
| | Concealled Cisterns 12cm | " | 9140 | 9140 | 9140 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-----------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Dual Flush Actuator Plate Shiny Chrome | ” | 3646 | 3646 | 3646 | |
| | Traps for Wash Basins | ” | 1004 | 1004 | 1004 | |
| | Sensor for Urinal 9V DC | ” | 25764 | 25764 | 25764 | |
| | Sensor for Urinal 230V AC | ” | 25764 | 25764 | 25764 | |
| | control box for urinal sensor | ” | 7078 | 7078 | 7078 | |
| | Sensor Faucet Cold / Mixed water 6V DC | ” | 32159 | 32159 | 32159 | |
| | Sensor Faucet Cold / Mixed water 230V AC | ” | 32159 | 32159 | 32159 | |
| 23 | PVC Lead Free White Pipes SCHEDULE 40 | | | | | |
| | "LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564 | | | | | |
| | PVC Lead Free White Pipes SCH 40 (..... Kg/cm2) | m. | | | | |
| | 1/2" dia. (42.19 Kg/cm2) | ” | 114 | 114 | 114 | |
| | 3/4" dia. (33.75 Kg/cm2) | ” | 147 | 147 | 147 | |
| | 1" dia. (31.64 Kg/cm2) | ” | 226 | 226 | 226 | |
| | 1-1/4" dia. (26.01 Kg/cm2) | ” | 279 | 279 | 279 | |
| | 1-1/2" dia. (23.20 Kg/cm2) | ” | 342 | 342 | 342 | |
| | 2" dia. (19.69 Kg/cm2) | ” | 485 | 485 | 485 | |
| | 2-1/2" dia. (21.09 Kg/cm2) | ” | 678 | 678 | 678 | |
| | 3" dia. (18.28 Kg/cm2) | ” | 856 | 856 | 856 | |
| | 4" dia. (15.47 Kg/cm2) | ” | 1256 | 1256 | 1256 | |
| | 6" dia. (12.66 Kg/cm2) | ” | 2616 | 2616 | 2616 | |
| | PVC Tee - Soc | गोटा | | | | |
| | 1/2" | ” | 32 | 32 | 32 | |
| | 3/4" | ” | 44 | 44 | 44 | |
| | 1" | ” | 69 | 69 | 69 | |
| | 1-1/4" | ” | 109 | 109 | 109 | |
| | 1-1/2" | ” | 143 | 143 | 143 | |
| | 2" | ” | 221 | 221 | 221 | |
| | 2-1/2" | ” | 633 | 633 | 633 | |
| | 3" | ” | 831 | 831 | 831 | |
| | 4" | ” | 1503 | 1503 | 1503 | |
| | 6" | ” | 8336 | 8336 | 8336 | |
| | PVC Reducer Tee - Soc | गोटा | | | | |
| | 3/4 x 1/2 | ” | 63 | 63 | 63 | |
| | 1 x 1/2 | ” | 97 | 97 | 97 | |
| | 1 x 3/4 | ” | 97 | 97 | 97 | |
| | 1-1/2 X 1/2 | ” | 329 | 329 | 329 | |
| | 1-1/2 X 3/4 | ” | 329 | 329 | 329 | |
| | 1-1/2 X 1 | ” | 329 | 329 | 329 | |

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 1-1/2 X 1-1/4 | ” | 329 | 329 | 329 | |
| | 2 X 1/2 | ” | 406 | 406 | 406 | |
| | 2 X 3/4 | ” | 406 | 406 | 406 | |
| | 2 X 1 | ” | 406 | 406 | 406 | |
| | 2 X 1-1/4 | ” | 406 | 406 | 406 | |
| | 2 X 1-1/2 | ” | 406 | 406 | 406 | |
| | 2-1/2 X 1/2 | ” | 1043 | 1043 | 1043 | |
| | 2-1/2 X 3/4 | ” | 1043 | 1043 | 1043 | |
| | 2-1/2 X 1 | ” | 1043 | 1043 | 1043 | |
| | 2-1/2 X 1-1/4 | ” | 1043 | 1043 | 1043 | |
| | 2-1/2 X 1-1/2 | ” | 1043 | 1043 | 1043 | |
| | 2-1/2 X 2 | ” | 1043 | 1043 | 1043 | |
| | 3 X 1/2 | ” | 1523 | 1523 | 1523 | |
| | 3 X 3/4 | ” | 1523 | 1523 | 1523 | |
| | 3 X 1 | ” | 1523 | 1523 | 1523 | |
| | 3 X 1-1/4 | ” | 1523 | 1523 | 1523 | |
| | 3 X 1-1/2 | ” | 1523 | 1523 | 1523 | |
| | 3 X 2 | ” | 1523 | 1523 | 1523 | |
| | 3 X 2-1/2 | ” | 1523 | 1523 | 1523 | |
| | 6 X 1-1/4 | ” | 8007 | 8007 | 8007 | |
| | 6 X 1-1/2 | ” | 8007 | 8007 | 8007 | |
| | 6 X 2 | ” | 8007 | 8007 | 8007 | |
| | 6 X 2-1/2 | ” | 8007 | 8007 | 8007 | |
| | 6 X 3 | ” | 8007 | 8007 | 8007 | |
| | 6 X 4 | ” | 8007 | 8007 | 8007 | |
| | PVC Brass Tee - Soc x Fipt SCH 80 | गोटा | | | | |
| | 1/2" | | 161 | 161 | 161 | |
| | 3/4" | | 292 | 292 | 292 | |
| | 3/4" X 1/2" | | 237 | 237 | 237 | |
| | 1" X 1/2" | | 420 | 420 | 420 | |
| | PVC 90° Elbow - Soc | गोटा | | | | |
| | 1/2" | | 26 | 26 | 26 | |
| | 3/4" | | 30 | 30 | 30 | |
| | 1" | | 53 | 53 | 53 | |
| | 1-1/4" | | 93 | 93 | 93 | |
| | 1-1/2" | | 109 | 109 | 109 | |
| | 2" | | 167 | 167 | 167 | |
| | 2-1/2" | | 496 | 496 | 496 | |
| | 3" | | 594 | 594 | 594 | |
| | 4" | | 1216 | 1216 | 1216 | |
| | 6" | | 5121 | 5121 | 5121 | |
| | PVC Brass 90° Elbow Soc x Fipt SCH 80 | गोटा | | | | |
| | 1/2" | ” | 173 | 173 | 173 | |
| | 3/4" | ” | 242 | 242 | 242 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 3/4" X 1/2" | " | 250 | 250 | 250 | |
| | PVC 45° Elbow - Soc | गोटा | | | | |
| | 1/2" | " | 55 | 55 | 55 | |
| | 3/4" | " | 86 | 86 | 86 | |
| | 1" | " | 102 | 102 | 102 | |
| | 1-1/4" | " | 143 | 143 | 143 | |
| | 1-1/2" | " | 180 | 180 | 180 | |
| | 2" | " | 234 | 234 | 234 | |
| | 2-1/2" | " | 669 | 669 | 669 | |
| | 3" | " | 1040 | 1040 | 1040 | |
| | 4" | " | 1866 | 1866 | 1866 | |
| | 6" | " | 5135 | 5135 | 5135 | |
| | PVC Coupling - Soc | गोटा | | | | |
| | 1/2" | " | 17 | 17 | 17 | |
| | 3/4" | " | 26 | 26 | 26 | |
| | 1" | " | 41 | 41 | 41 | |
| | 1-1/4" | " | 56 | 56 | 56 | |
| | 1-1/2" | " | 76 | 76 | 76 | |
| | 2" | " | 117 | 117 | 117 | |
| | 2-1/2" | " | 247 | 247 | 247 | |
| | 3" | " | 386 | 386 | 386 | |
| | 4" | " | 604 | 604 | 604 | |
| | 6" | " | 2420 | 2420 | 2420 | |
| | PVC Reducer Coupling - Soc | गोटा | | | | |
| | 3/4 X 1/2 | " | 42 | 42 | 42 | |
| | 1 X 3/4 | " | 73 | 73 | 73 | |
| | 1-1/2 X 1-1/4 | " | 131 | 131 | 131 | |
| | 2 X 1-1/2 | " | 208 | 208 | 208 | |
| | 4 x 2 | " | 1392 | 1392 | 1392 | |
| | 4 X 3 | " | 1392 | 1392 | 1392 | |
| | 6 X 4 | " | 2895 | 2895 | 2895 | |
| | PVC Reducer Bushing - (Flush Style) | गोटा | | | | |
| | 3/4 X 1/2 | " | 35 | 35 | 35 | |
| | 1 X 1/2 | " | 50 | 50 | 50 | |
| | 1 X 3/4 | " | 50 | 50 | 50 | |
| | 1-1/4 X 1/2 | " | 86 | 86 | 86 | |
| | 1-1/4 X 3/4 | " | 86 | 86 | 86 | |
| | 1-1/4 X 1 | " | 86 | 86 | 86 | |
| | 1-1/2 X 1/2 | " | 90 | 90 | 90 | |
| | 1-1/2 X 3/4 | " | 90 | 90 | 90 | |
| | 1-1/2 X 1 | " | 90 | 90 | 90 | |
| | 1-1/2 X 1-1/4 | " | 90 | 90 | 90 | |

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 2 X 1/2 | ” | 165 | 165 | 165 | |
| | 2 X 3/4 | ” | 165 | 165 | 165 | |
| | 2 X 1 | ” | 165 | 165 | 165 | |
| | 2 X 1-1/4 | ” | 165 | 165 | 165 | |
| | 2 X 1-1/2 | ” | 165 | 165 | 165 | |
| | 2-1/2 X 1-1/4 | ” | 232 | 232 | 232 | |
| | 2-1/2 X 1-1/2 | ” | 232 | 232 | 232 | |
| | 2-1/2 X 2 | ” | 232 | 232 | 232 | |
| | 3 X 1-1/2 | ” | 344 | 344 | 344 | |
| | 3 X 2 | ” | 344 | 344 | 344 | |
| | 3 X 2-1/2 | ” | 344 | 344 | 344 | |
| | 4 X 2 | ” | 676 | 676 | 676 | |
| | 4 X 3 | ” | 676 | 676 | 676 | |
| | 6 X 2 | ” | 2271 | 2271 | 2271 | |
| | 6 X 3 | ” | 2271 | 2271 | 2271 | |
| | 6 X 4 | ” | 2271 | 2271 | 2271 | |
| | PVC Cap - Soc | गोटा | | | | |
| | 1/2" | ” | 24 | 24 | 24 | |
| | 3/4" | ” | 30 | 30 | 30 | |
| | 1" | ” | 42 | 42 | 42 | |
| | 1-1/4" | ” | 60 | 60 | 60 | |
| | 1-1/2" | ” | 66 | 66 | 66 | |
| | 2" | ” | 79 | 79 | 79 | |
| | 2-1/2" | ” | 254 | 254 | 254 | |
| | 3" | ” | 278 | 278 | 278 | |
| | 4" | ” | 633 | 633 | 633 | |
| | 6" | ” | 2498 | 2498 | 2498 | |
| | PVC Union - Soc With EPDM O-Ring Seal | गोटा | | | | |
| | 1/2" | ” | 254 | 254 | 254 | |
| | 3/4" | ” | 291 | 291 | 291 | |
| | 1" | ” | 298 | 298 | 298 | |
| | 1-1/4" | ” | 960 | 960 | 960 | |
| | 1-1/2" | ” | 1001 | 1001 | 1001 | |
| | 2" | ” | 1350 | 1350 | 1350 | |
| | 2-1/2" | ” | 1889 | 1889 | 1889 | |
| | 3" | ” | 3018 | 3018 | 3018 | |
| | 4" | ” | 4178 | 4178 | 4178 | |
| | PVC Male Adaptor - Soc x MBSP | गोटा | | | | |
| | 1/2" | ” | 46 | 46 | 46 | |
| | 3/4" | ” | 54 | 54 | 54 | |
| | 1" | ” | 71 | 71 | 71 | |
| | 1-1/4" | ” | 87 | 87 | 87 | |

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|-----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 1-1/2" | ” | 121 | 121 | 121 | |
| | 2" | ” | 156 | 156 | 156 | |
| | 2-1/2" | ” | 545 | 545 | 545 | |
| | 3" | ” | 648 | 648 | 648 | |
| | 4" | ” | 1025 | 1025 | 1025 | |
| | 6" | ” | 2359 | 2359 | 2359 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-----------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | PVC Brass Male Adapter - Soc x Mipt SCH 80 | गोटा | | | | |
| | 1/2" | ” | 262 | 262 | 262 | |
| | 3/4" | ” | 350 | 350 | 350 | |
| | 1" | ” | 527 | 527 | 527 | |
| | PVC Female Adaptor - Soc x FBSP | गोटा | | | | |
| | 1/2" | ” | 59 | 59 | 59 | |
| | 3/4" | ” | 61 | 61 | 61 | |
| | 1" | ” | 64 | 64 | 64 | |
| | 1-1/4" | ” | 167 | 167 | 167 | |
| | 1-1/2" | ” | 245 | 245 | 245 | |
| | 2" | ” | 238 | 238 | 238 | |
| | PVC Brass Female Adapter - Soc x Fipt SCH 80 | गोटा | | | | |
| | 1/2" | ” | 220 | 220 | 220 | |
| | 3/4" | ” | 311 | 311 | 311 | |
| | 1" | ” | 399 | 399 | 399 | |
| | PVC Ball Valve - Soc | गोटा | | | | |
| | 1/2" | ” | 881 | 881 | 881 | |
| | 3/4" | ” | 1048 | 1048 | 1048 | |
| | 1" | ” | 1466 | 1466 | 1466 | |
| | 1-1/4" | ” | 1985 | 1985 | 1985 | |
| | 1-1/2" | ” | 3027 | 3027 | 3027 | |
| | 2" | ” | 3828 | 3828 | 3828 | |
| | 2-1/2" | ” | 6323 | 6323 | 6323 | |
| | 3" | ” | 10018 | 10018 | 10018 | |
| | 4" | ” | 16556 | 16556 | 16556 | |
| | 6" | ” | 35961 | 35961 | 35961 | |
| | PVC Adhesive Solution (Med. Bonded 705) | गोटा | | | | |
| | 118ML | ” | 306 | 306 | 306 | |
| | 237ML | ” | 439 | 439 | 439 | |
| | 473ML | ” | 795 | 795 | 795 | |
| | 946ML | ” | 1308 | 1308 | 1308 | |
| | PVC Adhesive Solution (Heavy Bonded 717) | गोटा | | | | |
| | 118ML | ” | 492 | 492 | 492 | |
| | 237ML | ” | 649 | 649 | 649 | |
| | 473ML | ” | 1138 | 1138 | 1138 | |
| | 946ML | ” | 1969 | 1969 | 1969 | |
| 24 | Rainwater Collection System sintex or Prince Brand Roof) | | | | | |
| | 140 mm Dia. | | | | | |
| | ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | Rm. | 159 | 159 | 159 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | JOINT BRACKET To connect two lengths of roof water | Pc. | 257 | 257 | 257 | |
| | RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | Pc. | 352 | 352 | 352 | |
| | 90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners. | Pc. | 432 | 432 | 432 | |
| | 90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | Pc. | 432 | 432 | 432 | |
| | SHORT STOP END To close the end of roof water pipe line. | Pc. | 95 | 95 | 95 | |
| | STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | Pc. | 305 | 305 | 305 | |
| | SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | Pc. | 77 | 77 | 77 | |
| | TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them. | Pc. | 50 | 50 | 50 | |
| | CLAMP To ensure perfect fixing between pipe and fittings. | Pc. | 32 | 32 | 32 | |
| | RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports. | Pc. | 77 | 77 | 77 | |
| | RUBBER GASKET To provide leak proof joints. | Pc. | 30 | 30 | 30 | |
| | 75 mm dia. | | | | | |
| | PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall. | Pc. | 63 | 63 | 63 | |
| | RUBBER SEALS To ensure, leak proof joint of single socket elbow. | Pc. | 38 | 38 | 38 | |
| | SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe. | Pc. | 126 | 126 | 126 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 180 mm dia. | | | | | |
| | ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | Pc. | 302 | 302 | 302 | |
| | JOINT BRACKET To connect two lengths of roof water | Pc. | 358 | 358 | 358 | |
| | RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | Pc. | 518 | 518 | 518 | |
| | 90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners. | Pc. | 592 | 592 | 592 | |
| | 90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | Pc. | 592 | 592 | 592 | |
| | SHORT STOP END To close the end of roof water pipe line. | Pc. | 140 | 140 | 140 | |
| | STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | Pc. | 424 | 424 | 424 | |
| | SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | Pc. | 108 | 108 | 108 | |
| | TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them. | Pc. | 91 | 91 | 91 | |
| | CLAMP To ensure perfect fixing between pipe and fittings. | Pc. | 51 | 51 | 51 | |
| | RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports. | Pc. | 110 | 110 | 110 | |
| | RUBBER GASKET To provide leak proof joints. | Pc. | 41 | 41 | 41 | |
| | 110 mm dia. | | | | | |
| | PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall. | Pc. | 68 | 68 | 68 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | RUBBER SEALS To ensure, leak proof joint of single socket elbow. | Pc. | 44 | 44 | 44 | |
| | SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe. | Pc. | 243 | 243 | 243 | |
| | 250 mm dia. | | | | | |
| | ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | Pc. | 585 | 585 | 585 | |
| | JOINT BRACKET To connect two lengths of roof water | Pc. | 614 | 614 | 614 | |
| | RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | Pc. | 965 | 965 | 965 | |
| | 90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners. | Pc. | 1387 | 1387 | 1387 | |
| | 90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | Pc. | 1387 | 1387 | 1387 | |
| | SHORT STOP END To close the end of roof water pipe line. | Pc. | 302 | 302 | 302 | |
| | STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | Pc. | 802 | 802 | 802 | |
| | SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | Pc. | 300 | 300 | 300 | |
| | TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them. | Pc. | 164 | 164 | 164 | |
| | CLAMP To ensure perfect fixing between pipe and fittings. | Pc. | 122 | 122 | 122 | |
| | RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports. | Pc. | 318 | 318 | 318 | |
| | RUBBER GASKET To provide leak proof joints. | Pc. | 166 | 166 | 166 | |
| | 160 mm dia. | | | | | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|----------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall. | Pc. | 82 | 82 | 82 | |
| | RUBBER SEALS To ensure, leak proof joint of single socket elbow. | Pc. | 191 | 191 | 191 | |
| | SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe. | Pc. | 437 | 437 | 437 | |
| | ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems | | | | | |
| | ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY | | | | | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm | per mtr. | 247 | 247 | 247 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8 | " | 438 | 438 | 438 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | " | 262 | 262 | 262 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8 | " | 470 | 470 | 470 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm | " | 447 | 447 | 447 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8 | " | 673 | 673 | 673 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | " | 473 | 473 | 473 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8 | " | 696 | 696 | 696 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia | " | 959 | 959 | 959 | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 | " | 1196 | 1196 | 1196 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2 | " | 1022 | 1022 | 1022 | |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | " | 1350 | 1350 | 1350 | |
| | ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY | | | | | |
| | DWV Bend 45 Degree 75 mm size | pcs | 140 | 140 | 140 | |
| | DWV Bend 87.5 Degree | " | 177 | 177 | 177 | |
| | DWV Bend 87.5 Degree with Door | " | 81 | 81 | 81 | |
| | DWV Socket Plug | " | 189 | 189 | 189 | |
| | DWV Cleansing Pipe | " | 114 | 114 | 114 | |
| | DWV Coupler | " | 202 | 202 | 202 | |
| | DWV Single Tee | " | 222 | 222 | 222 | |
| | DWV Single Tee with Door | " | 349 | 349 | 349 | |
| | DWV Cross Tee | " | 491 | 491 | 491 | |
| | DWV Cross Tee with Door | " | 361 | 361 | 361 | |
| | DWV Double 'Y' | " | 481 | 481 | 481 | |
| | DWV Double 'Y' with Door | " | 226 | 226 | 226 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|----------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | DWV Single 'Y' | " | 288 | 288 | 288 | |
| | DWV Single 'Y' with Door | " | 12 | 12 | 12 | |
| | DWV Pipe Clip | " | 25 | 25 | 25 | |
| | DWV Vent Cowel | " | 230 | 230 | 230 | |
| | DWV Bend 45 Degree 110mm size | " | 282 | 282 | 282 | |
| | DWV Bend 87.5 Degree | " | 323 | 323 | 323 | |
| | DWV Bend 87.5 Degree with Door | " | 103 | 103 | 103 | |
| | DWV Socket Plug | " | 370 | 370 | 370 | |
| | DWV Cleansing Pipe | " | 206 | 206 | 206 | |
| | DWV Coupler | " | 684 | 684 | 684 | |
| | DWV Double 'Y' | " | 808 | 808 | 808 | |
| | DWV Double 'Y' with Door | " | 566 | 566 | 566 | |
| | DWV Cross Tee | " | 642 | 642 | 642 | |
| | DWV Cross Tee with Door | " | 370 | 370 | 370 | |
| | DWV Single Tee | " | 437 | 437 | 437 | |
| | DWV Single Tee with Door | " | 453 | 453 | 453 | |
| | DWV Single 'Y' | " | 475 | 475 | 475 | |
| | DWV Single 'Y' with Door | " | 47 | 47 | 47 | |
| | DWV Vent Cowel | " | 161 | 161 | 161 | |
| | DWV Reducer 110*75 mm | " | 36 | 36 | 36 | |
| | DWV Pipe Clip 110mm size | " | 436 | 436 | 436 | |
| | DWV W.C. Connectore (Straight type) | " | 348 | 348 | 348 | |
| | DWV W.C. Connectore (Bend type) | " | 174 | 174 | 174 | |
| | DWV Nahani Trap - 3" Height without Jali 75 mm | " | 24 | 24 | 24 | |
| | DWV Nahani Trap Jali | " | 539 | 539 | 539 | |
| | DWV P-Trap with Leap Ring 10*110 mm | " | 773 | 773 | 773 | |
| | DWV P-Trap with Leap Ring 25*110 mm | " | 232 | 232 | 232 | |
| | DWV Multi Floor Trap 4" w/o Jali 75 mm | " | 470 | 470 | 470 | |
| | DWV Reducer 60*110 mm | " | 449 | 449 | 449 | |
| | DWV Coupler 160mm size | " | 1077 | 1077 | 1077 | |
| | DWV Single Tee | " | 1157 | 1157 | 1157 | |
| | DWV Single Tee with Door | " | 2016 | 2016 | 2016 | |
| | DWV Single 'Y' | " | 2118 | 2118 | 2118 | |
| | DWV Single 'Y' with Door | " | 742 | 742 | 742 | |
| | DWV Bend 87.5 Degree | " | 988 | 988 | 988 | |
| | DWV Bend 87.5 Degree with Door | " | 864 | 864 | 864 | |
| | DWV Bend 45 Degree | " | | | | |
| | FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR | | | | | |
| | FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm | per mtr. | 584 | 584 | 584 | |
| | FOAMCORE Single Socket (R/R) (3mtrs length) SN-8 | " | 606 | 606 | 606 | |
| | FOAMCORE Double Socket (R/R) (3mtrs length) SN-8 | " | 630 | 630 | 630 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-8 | " | 593 | 593 | 593 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-8 | " | 604 | 604 | 604 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm | " | 1078 | 1078 | 1078 | |
| | FOAMCORE Single Socket (R/R) (3mtrs length) SN-4 | " | 1120 | 1120 | 1120 | |
| | FOAMCORE Double Socket (R/R) (3mtrs length) SN-4 | " | 1163 | 1163 | 1163 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | " | 1096 | 1096 | 1096 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | " | 1116 | 1116 | 1116 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm | " | 1688 | 1688 | 1688 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | " | 1718 | 1718 | 1718 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | " | 1746 | 1746 | 1746 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 | " | 2801 | 2801 | 2801 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | " | 2849 | 2849 | 2849 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | " | 2899 | 2899 | 2899 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm | " | 3709 | 3709 | 3709 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-2 | " | 3773 | 3773 | 3773 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-2 | " | 3838 | 3838 | 3838 | |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 | " | 4583 | 4583 | 4583 | |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | " | 4663 | 4663 | 4663 | |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | " | 4743 | 4743 | 4743 | |
| | | " | 0 | 0 | 0 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-8 | " | 583 | 583 | 583 | |
| | FOAMCORE Single Socket (R/R) (6mtrs length) SN-8 | " | 598 | 598 | 598 | |
| | FOAMCORE Double Socket (R/R) (6mtrs length) SN-8 | " | 613 | 613 | 613 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-8 | " | 594 | 594 | 594 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-8 | " | 605 | 605 | 605 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | " | 1077 | 1077 | 1077 | |
| | FOAMCORE Single Socket (R/R) (6mtrs length) SN-4 | " | 1109 | 1109 | 1109 | |
| | FOAMCORE Double Socket (R/R) (6mtrs length) SN-4 | " | 1139 | 1139 | 1139 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | " | 1097 | 1097 | 1097 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | " | 1116 | 1116 | 1116 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-----------|---|--------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | " | 1688 | 1688 | 1688 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | " | 1718 | 1718 | 1718 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | " | 1747 | 1747 | 1747 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | " | 2801 | 2801 | 2801 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | " | 2849 | 2849 | 2849 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | " | 2898 | 2898 | 2898 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-2 | " | 3709 | 3709 | 3709 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-2 | " | 3773 | 3773 | 3773 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-2 | " | 3838 | 3838 | 3838 | |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | " | 4583 | 4583 | 4583 | |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | " | 4663 | 4663 | 4663 | |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | " | 4743 | 4743 | 4743 | |
| | ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR | | | | | |
| | DWV Coupler SN-8 110mm | per pc | 294 | 294 | 294 | |
| | DWV Coupler SN-4 160 mm | " | 708 | 708 | 708 | |
| | DWV Coupler SN-4 200 mm | " | 1447 | 1447 | 1447 | |
| | DWV Coupler SN-4 250 mm | " | 2697 | 2697 | 2697 | |
| | DWV Coupler SN-2 315mm | " | 4338 | 4338 | 4338 | |
| | DWV Coupler SN-4 315 mm | " | 4736 | 4736 | 4736 | |
| | DWV Long Radius Bend - 90 Degree SN-8 110mm | " | 1001 | 1001 | 1001 | |
| | DWV Long Radius Bend - 90 Degree SN-4 160 mm | " | 2787 | 2787 | 2787 | |
| | DWV Long Radius Bend - 90 Degree SN-4 200mm | " | 5205 | 5205 | 5205 | |
| | DWV Long Radius Bend - 90 Degree SN-4 250 mm | " | 11668 | 11668 | 11668 | |
| | DWV Long Radius Bend - 90 Degree SN-4 315 mm | " | 27705 | 27705 | 27705 | |
| 25 | Multilayer Composite Pipe (Sanghai, or eqv.) | | | | | |
| | Cold Water Pipe (White) | | | | | |
| | 12-16 mm ½" | Rm | 101 | 101 | 101 | |
| | 14-18 mm ½" | " | 111 | 111 | 111 | |
| | 16-20 mm ½" | " | 119 | 119 | 119 | |
| | 20-25 mm ¾" | " | 180 | 180 | 180 | |
| | 26-32 mm 1" | " | 281 | 281 | 281 | |
| | 32-40 mm 1¼" | " | 446 | 446 | 446 | |
| | 41-50 mm 1½" | " | 653 | 653 | 653 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--------------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Hot Water Pipe (Orange) | | | | | |
| | 12-16 mm ½" | Rm | 111 | 111 | 111 | |
| | 14-18 mm ½" | " | 123 | 123 | 123 | |
| | 16-20 mm ½" | " | 141 | 141 | 141 | |
| | 20-25 mm ¾" | " | 208 | 208 | 208 | |
| | 26-32 mm 1" | " | 302 | 302 | 302 | |
| | 32-40 mm 1¼" | " | 465 | 465 | 465 | |
| | Gas Lines Pipe (Yellow) | | | | | |
| | 12-16 mm ½" | Rm | 87 | 87 | 87 | |
| | 14-18 mm ½" | " | 87 | 87 | 87 | |
| | MULTILAYER COMPOSITE Fittings | | | | | |
| | a. Equal Straight Union | | | | | |
| | ½"ø (16mm ø) | गोटा | 133 | 133 | 133 | |
| | ½"ø (18mm ø) | " | 140 | 140 | 140 | |
| | ½"ø (20mm ø) | " | 154 | 154 | 154 | |
| | ¾"ø (25 mm ø) | " | 225 | 225 | 225 | |
| | 1"ø (32 mm ø) | " | 351 | 351 | 351 | |
| | 1¼"ø (40 mm ø) | " | 1296 | 1296 | 1296 | |
| | 1½"ø (50 mm ø) | " | 1958 | 1958 | 1958 | |
| | b. Unequal Straight Union | | | | | |
| | 25 - 16 mm ø | " | 252 | 252 | 252 | |
| | 25 - 18 mm ø | " | 261 | 261 | 261 | |
| | 25 - 20 mm ø | " | 275 | 275 | 275 | |
| | 32 - 16 mm ø | " | 338 | 338 | 338 | |
| | 32 - 18 mm ø | " | 356 | 356 | 356 | |
| | 32 - 20 mm ø | " | 383 | 383 | 383 | |
| | 32 - 25 mm ø | " | 410 | 410 | 410 | |
| | 40 - 32 mm ø | " | 1121 | 1121 | 1121 | |
| | 50 - 20 mm ø | " | 1634 | 1634 | 1634 | |
| | 50 - 32 mm ø | " | 1958 | 1958 | 1958 | |
| | 50 - 40 mm ø | " | 1845 | 1845 | 1845 | |
| | c. Male Union | | | | | |
| | 16mm x ½"M | गोटा | 95 | 95 | 95 | |
| | 18mm x ½"M | " | 110 | 110 | 110 | |
| | 20mm x ½"M | " | 126 | 126 | 126 | |
| | 25mm x ½"M | " | 153 | 153 | 153 | |
| | 25mm x ¾"M | " | 194 | 194 | 194 | |
| | 25mm x 1"M | " | 248 | 248 | 248 | |
| | 32mm x ¾"M | " | 284 | 284 | 284 | |
| | 32mm x 1"M | " | 311 | 311 | 311 | |
| | 32mm x 1½"M | " | 315 | 315 | 315 | |
| | 40mm x 1"M | " | 995 | 995 | 995 | |
| | 40mm x 1½"M | " | 1030 | 1030 | 1030 | |
| | 50mm x 1"M | " | 1563 | 1563 | 1563 | |
| | 50mm x 1¼"M | " | 1590 | 1590 | 1590 | |
| | 50mm x 1½"M | " | 2160 | 2160 | 2160 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 50mm x 2"M | " | 1623 | 1623 | 1623 | |
| | d. Female Straight Union | | | | | |
| | 16mm x 1/2"F | गोटा | 104 | 104 | 104 | |
| | 18mm x 1/2"F | " | 113 | 113 | 113 | |
| | 20mm x 1/2"F | " | 122 | 122 | 122 | |
| | 25mm x 1/2"F | " | 162 | 162 | 162 | |
| | 25mm x 3/4"F | " | 194 | 194 | 194 | |
| | 25mm x 1"F | " | 198 | 198 | 198 | |
| | 32mm x 1/2"F | " | 203 | 203 | 203 | |
| | 32mm x 3/4"F | " | 207 | 207 | 207 | |
| | 32mm x 1"F | " | 293 | 293 | 293 | |
| | 40mm x 1 1/2"F | " | 1168 | 1168 | 1168 | |
| | 50mm x 1 1/4"F | " | 1575 | 1575 | 1575 | |
| | 50mm x 1 1/2"F | " | 2160 | 2160 | 2160 | |
| | 50mm x 2"F | " | 1638 | 1638 | 1638 | |
| | e. Equal Elbow | | | | | |
| | 1/2"ø (16mm ø) | गोटा | 126 | 126 | 126 | |
| | 1/2"ø (18mm ø) | " | 153 | 153 | 153 | |
| | 1/2"ø (20mm ø) | " | 207 | 207 | 207 | |
| | 3/4"ø (25 mm ø) | " | 315 | 315 | 315 | |
| | 1"ø (32 mm ø) | " | 509 | 509 | 509 | |
| | 1 1/4"ø (40 mm ø) | " | 1656 | 1656 | 1656 | |
| | 1 1/2"ø (50 mm ø) | " | 2565 | 2565 | 2565 | |
| | f. Unequal Elbow | | | | | |
| | 40 - 32 mm ø | " | 1836 | 1836 | 1836 | |
| | 50 - 20 mm ø | " | 2115 | 2115 | 2115 | |
| | 50 - 40 mm ø | " | 2156 | 2156 | 2156 | |
| | g. Female Elbow | | | | | |
| | 16mm x 1/2"F | गोटा | 167 | 167 | 167 | |
| | 18mm x 1/2"F | " | 185 | 185 | 185 | |
| | 20mm x 1/2"F | " | 203 | 203 | 203 | |
| | 25mm x 1/2"F | " | 225 | 225 | 225 | |
| | 25mm x 3/4"F | " | 279 | 279 | 279 | |
| | 25mm x 1"F | " | 306 | 306 | 306 | |
| | 32mm x 3/4"F | " | 329 | 329 | 329 | |
| | 32mm x 1"F | " | 410 | 410 | 410 | |
| | 50mm x 1 1/4"F | " | 2115 | 2115 | 2115 | |
| | h. Male Elbow | | | | | |
| | 25mm x 3/4"M | " | 225 | 225 | 225 | |
| | 25mm x 1"M | " | 293 | 293 | 293 | |
| | 32mm x 3/4"M | " | 221 | 221 | 221 | |
| | 32mm x 1"M | " | 374 | 374 | 374 | |
| | 40mm x 1"M | " | 1215 | 1215 | 1215 | |
| | 50mm x 1"M | " | 1732 | 1732 | 1732 | |
| | i. Equal Tee | | | | | |
| | 1/2"ø (16mm ø) | गोटा | 225 | 225 | 225 | |
| | 1/2"ø (18mm ø) | " | 252 | 252 | 252 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|-----------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | ½" ø (20mm ø) | " | 315 | 315 | 315 | |
| | ¾" ø (25 mm ø) | " | 455 | 455 | 455 | |
| | 1" ø (32 mm ø) | " | 711 | 711 | 711 | |
| | 1¼" ø (40 mm ø) | " | 2658 | 2658 | 2658 | |
| | 1½" ø (50 mm ø) | " | 3884 | 3884 | 3884 | |
| | j. Unequal Tee | | | | | |
| | 20 mm x 16 mm x 20 mm | " | 203 | 203 | 203 | |
| | 20 mm x 18 mm x 20 mm | " | 225 | 225 | 225 | |
| | 25 mm x 16 mm x 25 mm | " | 338 | 338 | 338 | |
| | 25 mm x 18 mm x 25 mm | " | 383 | 383 | 383 | |
| | 25 mm x 20 mm x 25 mm | " | 396 | 396 | 396 | |
| | 32 mm x 16 mm x 32 mm | " | 653 | 653 | 653 | |
| | 32 mm x 18 mm x 32 mm | " | 675 | 675 | 675 | |
| | 32 mm x 20 mm x 32 mm | " | 702 | 702 | 702 | |
| | 32 mm x 25 mm x 32 mm | " | 720 | 720 | 720 | |
| | 40 mm x 32 mm x 32 mm | " | 1967 | 1967 | 1967 | |
| | 40 mm x 32 mm x 40 mm | " | 2278 | 2278 | 2278 | |
| | 50 mm x 20 mm x 50 mm | " | 3105 | 3105 | 3105 | |
| | 50 mm x 32 mm x 32 mm | " | 2047 | 2047 | 2047 | |
| | 50 mm x 32 mm x 50 mm | " | 3137 | 3137 | 3137 | |
| | 50 mm x 40 mm x 40 mm | " | 3147 | 3147 | 3147 | |
| | 50 mm x 40 mm x 50 mm | " | 3595 | 3595 | 3595 | |
| | k. Female Tee | | | | | |
| | 16mm x ½"F x 16mm | गोटा | 225 | 225 | 225 | |
| | 18mm x ½"F x 18mm | " | 234 | 234 | 234 | |
| | 20mm x ½"F x 20mm | " | 252 | 252 | 252 | |
| | 25mm x ½"F x 25mm | " | 237 | 237 | 237 | |
| | 25mm x ¾"F x 25mm | " | 261 | 261 | 261 | |
| | 25mm x 1"F x 25mm | " | 338 | 338 | 338 | |
| | 32mm x ½"F x 32mm | " | 365 | 365 | 365 | |
| | 32mm x ¾"F x 32mm | " | 374 | 374 | 374 | |
| | 32mm x 1"F x 32mm | " | 507 | 507 | 507 | |
| | 40mm x ¾"F x 32mm | " | 1496 | 1496 | 1496 | |
| | 50mm x ¾"F x 40mm | " | 2219 | 2219 | 2219 | |
| | l. Equal Ball Valve Union | | | | | |
| | ½" ø (16mm ø) | गोटा | 262 | 262 | 262 | |
| | ½" ø (18mm ø) | " | 291 | 291 | 291 | |
| | ½" ø (20mm ø) | " | 383 | 383 | 383 | |
| | ¾" ø (25 mm ø) | " | 635 | 635 | 635 | |
| | 1" ø (32 mm ø) | " | 882 | 882 | 882 | |
| | 1¼" ø (40 mm ø) | " | 2882 | 2882 | 2882 | |
| | 1½" ø (50 mm ø) | " | 4159 | 4159 | 4159 | |
| | m. Female Ball Valve Union | | | | | |
| | 16mm x ½"F | गोटा | 244 | 244 | 244 | |
| | 18mm x ½"F | " | 280 | 280 | 280 | |
| | 20mm x ½"F | " | 313 | 313 | 313 | |
| | 20mm x ¾"F | " | 351 | 351 | 351 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|--------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 25mm x ¾"F | " | 653 | 653 | 653 | |
| | 25mm x 1"F | " | 666 | 666 | 666 | |
| | 32mm x 1"F | " | 702 | 702 | 702 | |
| | n. Plug | | | | | |
| | 1¼" ø (40 mm ø) | " | 1440 | 1440 | 1440 | |
| | 1½" ø (50 mm ø) | " | 1980 | 1980 | 1980 | |
| | p. Wall Plated Female Elbow | | | | | |
| | 16mm x ½"F | गोटा | 189 | 189 | 189 | |
| | 18mm x ½"F | " | 207 | 207 | 207 | |
| | 20mm x ½"F | " | 225 | 225 | 225 | |
| | q. Nipple | | | | | |
| | N 1/2F*1/2F | गोटा | 49 | 49 | 49 | |
| | N 1/2M*1/2M | " | 49 | 49 | 49 | |
| | N 3/4F*1/2F | " | 68 | 68 | 68 | |
| | N 1F*1/2F | " | 77 | 77 | 77 | |
| | N 1F*3/4F | " | 87 | 87 | 87 | |
| | N 3/4M*1/2M | " | 68 | 68 | 68 | |
| | N 1M*1/2M | " | 77 | 77 | 77 | |
| | N 1M*3/4M | " | 87 | 87 | 87 | |
| | N 1/2F*1/2M | " | 59 | 59 | 59 | |
| | N 1/2F*3/4M | " | 68 | 68 | 68 | |
| | N 1/2F*1M | " | 107 | 107 | 107 | |
| | N 1/2M*3/4F | " | 68 | 68 | 68 | |
| | N 1/2M*1F | " | 112 | 112 | 112 | |
| | N 3/4F*3/4M | " | 87 | 87 | 87 | |
| | N 3/4F*1M | " | 96 | 96 | 96 | |
| | N 3/4M*1F | " | 127 | 127 | 127 | |
| 26 | Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually | | | | | |
| | a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150' | र.मि | 486 | 486 | 486 | |
| | a.2) Failure chagre per well | संख्या | 1350 | 1350 | 1350 | |
| | b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150' | र.मि | 693 | 693 | 693 | |
| | b.2) Failure chagre per well | संख्या | 3600 | 3600 | 3600 | |
| | c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150' | र.मि | 1323 | 1323 | 1323 | |
| | c.2) Failure chagre per well | संख्या | 4680 | 4680 | 4680 | |
| | d.1) 4" Pvc pipe ordinary Boring with necessary materials etc. | र.मि | 1872 | 1872 | 1872 | |
| | d.2) Failure chagre per well | संख्या | 5400 | 5400 | 5400 | |
| | Submercible pump installation fixing position with GI touching wire all complete work | संख्या | 1575 | 1575 | 1575 | |
| 27 | R.C.C. Hume Pipe & Hume Pipe Collar | | | | | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | PIPES | | | | | |
| | a) NP-2 | | | | | |
| | 150 mm dia. | R.m | 480 | 518 | 518 | |
| | 200 mm dia. | „ | 624 | 673 | 673 | |
| | 250 mm dia. | „ | 781 | 843 | 843 | |
| | 300 mm dia. | „ | 1059 | 1142 | 1142 | |
| | 350 mm dia. | „ | 1170 | 1262 | 1262 | |
| | 375 mm dia. | „ | 1281 | 1382 | 1382 | |
| | 400 mm dia. | „ | 1472 | 1589 | 1589 | |
| | 450 mm dia. | „ | 1559 | 1682 | 1682 | |
| | 500 mm dia. | „ | 1749 | 1887 | 1887 | |
| | 600 mm dia. | „ | 2308 | 2490 | 2490 | |
| | 700 mm dia. | „ | 3011 | 3249 | 3249 | |
| | 750 mm dia. | „ | 3255 | 3513 | 3513 | |
| | 800 mm dia. | „ | 3634 | 3921 | 3921 | |
| | 900 mm dia. | „ | 4910 | 5298 | 5298 | |
| | 1000 mm dia. | „ | 5729 | 6182 | 6182 | |
| | 1200 mm dia. | „ | 6988 | 7540 | 7540 | |
| | 1500 mm dia. | „ | 14690 | 15851 | 15851 | |
| | b) NP-3 | | | | | |
| | 150 mm dia. | र.मि | 1071 | 1156 | 1156 | |
| | 200 mm dia. | „ | 1427 | 1540 | 1540 | |
| | 250 mm dia. | „ | 1784 | 1925 | 1925 | |
| | 300 mm dia. | „ | 2564 | 2767 | 2767 | |
| | 350 mm dia. | „ | 2877 | 3104 | 3104 | |
| | 375 mm dia. | „ | 3075 | 3318 | 3318 | |
| | 400 mm dia. | „ | 3277 | 3536 | 3536 | |
| | 450 mm dia. | „ | 3678 | 3969 | 3969 | |
| | 500 mm dia. | „ | 4101 | 4425 | 4425 | |
| | 600 mm dia. | „ | 5068 | 5468 | 5468 | |
| | 700 mm dia. | „ | 6118 | 6602 | 6602 | |
| | 750 mm dia. | „ | 7027 | 7583 | 7583 | |
| | 800 mm dia. | „ | 7669 | 8276 | 8276 | |
| | 900 mm dia. | „ | 9948 | 10734 | 10734 | |
| | 1000 mm dia. | „ | 11053 | 11927 | 11927 | |
| | 1200 mm dia. | „ | 13156 | 14196 | 14196 | |
| | 1500 mm dia. | „ | 20673 | 22307 | 22307 | |
| | R.C.C. Hume Pipe Collar | | | | | |
| | a) NP-2 | | | | | |
| | 150 mm dia. | गोटा | 120 | 129 | 129 | |
| | 200 mm dia. | „ | 158 | 170 | 170 | |
| | 250 mm dia. | „ | 195 | 211 | 211 | |
| | 300 mm dia. | „ | 265 | 286 | 286 | |
| | 350 mm dia. | „ | 292 | 315 | 315 | |
| | 375 mm dia. | „ | 320 | 346 | 346 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 400 mm dia. | „ | 369 | 398 | 398 | |
| | 450 mm dia. | „ | 389 | 420 | 420 | |
| | 500 mm dia. | „ | 438 | 472 | 472 | |
| | 600 mm dia. | „ | 578 | 623 | 623 | |
| | 700 mm dia. | „ | 753 | 812 | 812 | |
| | 750 mm dia. | „ | 814 | 878 | 878 | |
| | 800 mm dia. | „ | 908 | 980 | 980 | |
| | 900 mm dia. | „ | 1227 | 1324 | 1324 | |
| | 1000 mm dia. | „ | 1432 | 1545 | 1545 | |
| | 1200 mm dia. | „ | 1747 | 1885 | 1885 | |
| | 1500 mm dia. | „ | 3672 | 3962 | 3962 | |
| | b) NP-3 | | | | | |
| | 150 mm dia. | „ | 268 | 289 | 289 | |
| | 200 mm dia. | „ | 357 | 385 | 385 | |
| | 250 mm dia. | „ | 446 | 481 | 481 | |
| | 300 mm dia. | „ | 640 | 691 | 691 | |
| | 350 mm dia. | | 719 | 776 | 776 | |
| | 375 mm dia. | | 768 | 829 | 829 | |
| | 400 mm dia. | „ | 819 | 883 | 883 | |
| | 450 mm dia. | „ | 920 | 993 | 993 | |
| | 500 mm dia. | „ | 1026 | 1107 | 1107 | |
| | 600 mm dia. | „ | 1267 | 1368 | 1368 | |
| | 700 mm dia. | „ | 1529 | 1650 | 1650 | |
| | 750 mm dia. | „ | 1756 | 1895 | 1895 | |
| | 800 mm dia. | „ | 1917 | 2068 | 2068 | |
| | 900 mm dia. | „ | 2487 | 2683 | 2683 | |
| | 1000 mm dia. | „ | 2764 | 2982 | 2982 | |
| | 1200 mm dia. | „ | 3289 | 3549 | 3549 | |
| | 1500 mm dia. | „ | 5168 | 5577 | 5577 | |
| | R.C.C.Spigot Pipes (Socket System) | | | | | |
| | b) NP-3 | | | | | |
| | 150 mm dia. | R.m | 1210 | 1306 | 1306 | |
| | 200 mm dia. | „ | 1614 | 1772 | 1772 | |
| | 250 mm dia. | „ | 2017 | 2213 | 2213 | |
| | 300 mm dia. | „ | 2900 | 3181 | 3181 | |
| | 350 mm dia. | „ | 3254 | 0 | 0 | |
| | 400 mm dia. | „ | 3707 | 4067 | 4067 | |
| | 450 mm dia. | „ | 4160 | 4566 | 4566 | |
| | 500 mm dia. | „ | 4634 | 5089 | 5089 | |
| | 600 mm dia. | „ | 5730 | 6288 | 6288 | |
| | 700 mm dia. | „ | 6919 | 7593 | 7593 | |
| | 800 mm dia. | „ | 8673 | 9517 | 9517 | |
| | 900 mm dia. | „ | 11249 | 12346 | 12346 | |
| | 1000 mm dia. | „ | 12499 | 13717 | 13717 | |
| | 1200 mm dia. | „ | 14719 | 16327 | 16327 | |
| | 1500 mm dia. | „ | 23267 | 26247 | 26247 | |
| | 1600 mm dia. | „ | 26837 | 30275 | 30275 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-----------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 1800 mm dia. | „ | 39149 | 40323 | 40323 | |
| 28 | High Density Polythene Pipe NS-40 | | | | | |
| | Pipes of different sizes, series & pressure | | | | | |
| | HDP Pipe | kg | | | | |
| 28.1 | 2.5Kg/cm² Series II | | | | | |
| | 63 mm (0.403 Avg.wt. Kg/m) | Rm | 101 | 101 | 101 | |
| | 75 mm (0.557 Avg.wt Kg/m) | „ | 139 | 139 | 139 | |
| | 90 mm (0.799 Avg.wt Kg/m) | „ | 200 | 200 | 200 | |
| | 110 mm (1.185 Avg.wt Kg/m) | „ | 296 | 296 | 296 | |
| | 125 mm (1.530 Avg.wt Kg/m) | „ | 382 | 382 | 382 | |
| | 140 mm (1.897 Avg.wt Kg/m) | „ | 474 | 474 | 474 | |
| | 160 mm (2.453 Avg.wt Kg/m) | „ | 613 | 613 | 613 | |
| | 180 mm (3.148 Avg.wt Kg/m) | „ | 787 | 787 | 787 | |
| | 200 mm (3.875 Avg.wt Kg/m) | „ | 969 | 969 | 969 | |
| | 225 mm (4.822 Avg.wt Kg/m) | „ | 1205 | 1205 | 1205 | |
| | 250 mm (6.012 Avg.wt Kg/m) | „ | 1503 | 1503 | 1503 | |
| | 280 mm (7.471 Avg.wt Kg/m) | „ | 1868 | 1868 | 1868 | |
| | 315 mm (9.417 Avg.wt Kg/m) | „ | 2354 | 2354 | 2354 | |
| | 355 mm (11.957 Avg.wt Kg/m) | „ | 2989 | 2989 | 2989 | |
| | 400 mm (15.221 Avg.wt Kg/m) | | 3805 | 3805 | 3805 | |
| | 450 mm (19.163 Avg.wt Kg/m) | | 4791 | 4791 | 4791 | |
| 28.2 | 4 Kg/cm² Series III | | 0 | 0 | 0 | |
| | 40 mm (0.251 Avg.wt Kg/m) | Rm | 63 | 63 | 63 | |
| | 50 mm (0.378 Avg.wt Kg/m) | „ | 94 | 94 | 94 | |
| | 63 mm (0.585 Avg.wt Kg/m) | „ | 146 | 146 | 146 | |
| | 75 mm (0.846 Avg.wt Kg/m) | „ | 211 | 211 | 211 | |
| | 90 mm (1.220 Avg.wt Kg/m) | „ | 305 | 305 | 305 | |
| | 110 mm (1.703 Avg.wt Kg/m) | „ | 426 | 426 | 426 | |
| | 125 mm (2.289 Avg.wt Kg/m) | „ | 572 | 572 | 572 | |
| | 140 mm (2.901 Avg.wt Kg/m) | „ | 725 | 725 | 725 | |
| | 160 mm (3.773 Avg.wt Kg/m) | „ | 943 | 943 | 943 | |
| | 180 mm (4.762 Avg.wt Kg/m) | „ | 1190 | 1190 | 1190 | |
| | 200 mm (5.890 Avg.wt Kg/m) | „ | 1472 | 1472 | 1472 | |
| | 225 mm (7.445 Avg.wt Kg/m) | „ | 1861 | 1861 | 1861 | |
| | 250 mm (9.187 Avg.wt Kg/m) | „ | 2297 | 2297 | 2297 | |
| | 280 mm (11.455 Avg.wt Kg/m) | „ | 2864 | 2864 | 2864 | |
| | 315 mm (14.508 Avg.wt Kg/m) | „ | 3627 | 3627 | 3627 | |
| | 355 mm (18.382 Avg.wt Kg/m) | „ | 4595 | 4595 | 4595 | |
| | 400 mm (23.343 Avg.wt Kg/m) | „ | 5836 | 5836 | 5836 | |
| | 450mm (29.351Avg.wt Kg/m) | „ | 7338 | 7338 | 7338 | |
| 28.3 | 6 Kg/cm² Series IV | | 0 | 0 | 0 | |
| | 32 mm (0.226 Avg.wt Kg/m) | Rm | 56 | 56 | 56 | |
| | 40 mm (0.350 Avg.wt Kg/m) | „ | 87 | 87 | 87 | |
| | 50 mm (0.542 Avg.wt Kg/m) | „ | 135 | 135 | 135 | |
| | 63 mm (0.850 Avg.wt Kg/m) | „ | 212 | 212 | 212 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 75 mm (1.191 Avg.wt Kg/m) | .. | 298 | 298 | 298 | |
| | 90 mm (1.717 Avg.wt Kg/m) | .. | 429 | 429 | 429 | |
| | 110 mm (2.545 Avg.wt Kg/m) | .. | 636 | 636 | 636 | |
| | 125 mm (3.293 Avg.wt Kg/m) | .. | 823 | 823 | 823 | |
| | 140 mm (4.150 Avg.wt Kg/m) | .. | 1037 | 1037 | 1037 | |
| | 160 mm (5.355 Avg.wt Kg/m) | .. | 1339 | 1339 | 1339 | |
| | 180 mm (6.800 Avg.wt Kg/m) | .. | 1700 | 1700 | 1700 | |
| | 200 mm (8.391 Avg.wt Kg/m) | .. | 2098 | 2098 | 2098 | |
| | 225 mm (10.544 Avg.wt Kg/m) | .. | 2636 | 2636 | 2636 | |
| | 250 mm (13.041 Avg.wt Kg/m) | .. | 3260 | 3260 | 3260 | |
| | 280 mm (16.327 Avg.wt Kg/m) | .. | 4082 | 4082 | 4082 | |
| | 315 mm (20.694 Avg.wt Kg/m) | .. | 5173 | 5173 | 5173 | |
| | 355 mm (26.243 Avg.wt Kg/m) | .. | 6561 | 6561 | 6561 | |
| | 400 mm (33.309 Avg.wt Kg/m) | | 8327 | 8327 | 8327 | |
| | 450 mm (42.065 Avg.wt Kg/m) | | 10516 | 10516 | 10516 | |
| 28.4 | 10 Kg/cm² Series VI | | 0 | 0 | 0 | |
| | 16 mm (0.092 Avg.wt Kg/m) | Rm | 23 | 23 | 23 | |
| | 20 mm (0.134 Avg.wt Kg/m) | .. | 33 | 33 | 33 | |
| | 25 mm (0.202 Avg.wt Kg/m) | .. | 50 | 50 | 50 | |
| | 32 mm (0.334 Avg.wt Kg/m) | .. | 83 | 83 | 83 | |
| | 40 mm (0.514 Avg.wt Kg/m) | .. | 128 | 128 | 128 | |
| | 50 mm (0.796 Avg.wt Kg/m) | .. | 199 | 199 | 199 | |
| | 63 mm (1.269 Avg.wt Kg/m) | .. | 317 | 317 | 317 | |
| | 75 mm (1.782 Avg.wt Kg/m) | .. | 445 | 445 | 445 | |
| | 90 mm (2.568 Avg.wt Kg/m) | .. | 642 | 642 | 642 | |
| | 110 mm (3.801 Avg.wt Kg/m) | .. | 950 | 950 | 950 | |
| | 125 mm (4.962 Avg.wt Kg/m) | .. | 1240 | 1240 | 1240 | |
| | 140 mm (6.209 Avg.wt Kg/m) | .. | 1552 | 1552 | 1552 | |
| | 160 mm (8.079 Avg.wt Kg/m) | .. | 2020 | 2020 | 2020 | |
| | 180 mm (10.256 Avg.wt Kg/m) | .. | 2564 | 2564 | 2564 | |
| | 200 mm (12.620 Avg.wt Kg/m) | .. | 3155 | 3155 | 3155 | |
| | 225 mm (16.014 Avg.wt Kg/m) | .. | 4003 | 4003 | 4003 | |
| | 250 mm (19.757 Avg.wt Kg/m) | .. | 4939 | 4939 | 4939 | |
| | 280 mm (24.708 Avg.wt Kg/m) | .. | 6177 | 6177 | 6177 | |
| | 315 mm (31.16 Avg.wt Kg/m) | .. | 7790 | 7790 | 7790 | |
| | 355 mm (39.635 Avg.wt Kg/m) | .. | 9909 | 9909 | 9909 | |
| | 400 mm (50.344 Avg.wt Kg/m) | .. | 12586 | 12586 | 12586 | |
| | 450 mm (63.598 Avg.wt Kg/m) | .. | 15899 | 15899 | 15899 | |
| 29 | UPVC (Pipe NS 206/046 | | 0 | 0 | 0 | |
| 29.1 | A) pipe 2.5 kg /cm² pressure | | 0 | 0 | 0 | |
| | a) 90 mm | र.मी | 141 | 141 | 141 | |
| | b) 110 mm | " | 209 | 209 | 209 | |
| | c) 125 mm | " | 266 | 266 | 266 | |
| | d) 140 mm | " | 328 | 328 | 328 | |
| | e) 160 mm | " | 429 | 429 | 429 | |
| | f) 180 mm | " | 549 | 549 | 549 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | g) 200 mm | " | 671 | 671 | 671 | |
| 29.2 | B) PVC Pipe 4 kg / cm² | | 0 | 0 | 0 | |
| | a) 63mm | र.मी | 112 | 112 | 112 | |
| | b) 75 mm | " | 154 | 154 | 154 | |
| | c) 90 mm | " | 219 | 219 | 219 | |
| | d) 110 mm | " | 301 | 301 | 301 | |
| | e) 125 mm | " | 415 | 415 | 415 | |
| | f) 140 mm | " | 527 | 527 | 527 | |
| | g) 160 mm | " | 683 | 683 | 683 | |
| | h) 180 mm | " | 877 | 877 | 877 | |
| | i) 200 mm | " | 1064 | 1064 | 1064 | |
| 29.3 | C) PVC Pipe 6 Kg/ cm² pressure | | 0 | 0 | 0 | |
| | a) 40 mm | र.मी | 66 | 66 | 66 | |
| | b) 50 mm | " | 99 | 99 | 99 | |
| | c) 63 mm | " | 159 | 159 | 159 | |
| | d) 75 mm | " | 222 | 222 | 222 | |
| | e) 90 mm | " | 320 | 320 | 320 | |
| | f) 110 mm | " | 462 | 462 | 462 | |
| | g) 125 mm | " | 616 | 616 | 616 | |
| | h) 140 mm | " | 766 | 766 | 766 | |
| | i) 160 mm | " | 982 | 982 | 982 | |
| | j) 180 mm | र.मी | 1252 | 1252 | 1252 | |
| | k) 200 mm | " | 1534 | 1534 | 1534 | |
| 29.4 | C) PVC Pipe 10 Kg/ cm² pressure | | 0 | 0 | 0 | |
| | a) 20 mm | र.मी | 25 | 25 | 25 | |
| | b) 25 mm | " | 40 | 40 | 40 | |
| | c) 32mm | " | 65 | 65 | 65 | |
| | a) 40 mm | " | 98 | 98 | 98 | |
| | b) 50 mm | " | 155 | 155 | 155 | |
| | c) 63 mm | " | 246 | 246 | 246 | |
| | d) 75 mm | " | 351 | 351 | 351 | |
| | e) 90 mm | " | 501 | 501 | 501 | |
| | f) 110 mm | " | 742 | 742 | 742 | |
| | g) 125 mm | " | 950 | 950 | 950 | |
| | h) 140 mm | " | 1199 | 1199 | 1199 | |
| | i) 160 mm | " | 1542 | 1542 | 1542 | |
| | j) 180 mm | " | 1966 | 1966 | 1966 | |
| | k) 200 mm | " | 2431 | 2431 | 2431 | |
| 29.5 | UPVC fittings : | | 0 | 0 | 0 | |
| | Coupler | | 0 | 0 | 0 | |
| | 50 mm | गोटा | 31 | 31 | 31 | |
| | 75 mm | " | 75 | 75 | 75 | |
| | 110 mm | " | 128 | 128 | 128 | |
| | Bend 87.5 degree | | 0 | 0 | 0 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|-----------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 50 mm | गोटा | 46 | 46 | 46 | |
| | 75 mm | " | 108 | 108 | 108 | |
| | 110 mm | " | 200 | 200 | 200 | |
| | Bend 45 degree | | 0 | 0 | 0 | |
| | 50 mm | गोटा | 45 | 45 | 45 | |
| | 75 mm | " | 88 | 88 | 88 | |
| | 110 mm | " | 158 | 158 | 158 | |
| | Single Tee | | | | | |
| | 50 mm | गोटा | 68 | 68 | 68 | |
| | 75 mm | " | 147 | 147 | 147 | |
| | 110 mm | " | 279 | 279 | 279 | |
| | Pipe clip | | | | | |
| | 50 mm | गोटा | 14 | 14 | 14 | |
| | 75 mm | " | 28 | 28 | 28 | |
| | 110 mm | " | 37 | 37 | 37 | |
| | Bend 87.5 degree with door | | 0 | 0 | 0 | |
| | 75 mm | गोटा | 139 | 139 | 139 | |
| | 110 mm | " | 242 | 242 | 242 | |
| | Single Tee with door | | 0 | 0 | 0 | |
| | 75 mm | गोटा | 198 | 198 | 198 | |
| | 110 mm | " | 364 | 364 | 364 | |
| | Double Tee | | | | | |
| | 75 mm | गोटा | 322 | 322 | 322 | |
| | 110 mm | " | 510 | 510 | 510 | |
| | Double Tee with door | | | | | |
| | 75 mm | गोटा | 427 | 427 | 427 | |
| | 110 mm | " | 662 | 662 | 662 | |
| | Vent cowl | | | | | |
| | 75 mm | गोटा | 53 | 53 | 53 | |
| | 110 mm | " | 87 | 87 | 87 | |
| | Socket plug | | | | | |
| | 75 mm | गोटा | 66 | 66 | 66 | |
| | 110 mm | " | 108 | 108 | 108 | |
| | Single "Y" | | | | | |
| | 75 mm | गोटा | 168 | 168 | 168 | |
| | 110 mm | " | 363 | 363 | 363 | |
| | Single "Y" with door | | 0 | 0 | 0 | |
| | 75 mm | गोटा | 230 | 230 | 230 | |
| | 110 mm | " | 438 | 438 | 438 | |
| | Double "Y" | | 0 | 0 | 0 | |
| | 75 mm | गोटा | 253 | 253 | 253 | |
| | 110 mm | " | 499 | 499 | 499 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-------------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Double "Y" with door | | 0 | 0 | 0 | |
| | 75 mm | गोटा | 325 | 325 | 325 | |
| | 110 mm | " | 523 | 523 | 523 | |
| | Cleaning pipe | | 0 | 0 | 0 | |
| | 75 mm | " | 147 | 147 | 147 | |
| | 110 mm | " | 284 | 284 | 284 | |
| | Reducer | | 0 | 0 | 0 | |
| | 110x 75 mm | " | 131 | 131 | 131 | |
| | 75X50 mm | " | 69 | 69 | 69 | |
| | P -Trap | | 0 | 0 | 0 | |
| | 125mmx110mm | " | 539 | 539 | 539 | |
| | 110mmx110mm | " | 505 | 505 | 505 | |
| | 75mmx75mm | " | 193 | 193 | 193 | |
| | Multi-Floor -Trap | | 0 | 0 | 0 | |
| | 110mmx75mm | " | 280 | 280 | 280 | |
| | Nahani-Trap | | 0 | 0 | 0 | |
| | 110mmx75mm | " | 255 | 255 | 255 | |
| | W.C. Connector (bent type) | " | 261 | 261 | 261 | |
| | Square tile with jali | " | 84 | 84 | 84 | |
| | Round jali | " | 38 | 38 | 38 | |
| | End cap 50mm | " | 25 | 25 | 25 | |
| 30.0 | G.I Pipe threaded , 6 m. length With Cap | | | | | |
| | a) Light class | | | | | |
| | i. ½ " (15 mm) | र.मी | 102 | 102 | 117 | |
| | ii. ¾" (20 mm) | " | 138 | 138 | 159 | |
| | iii. 1" (25 mm) | " | 195 | 195 | 224 | |
| | iv. 1 ¼" (32 mm) | " | 250 | 250 | 288 | |
| | v. 1 ½ " (40 mm) | " | 310 | 310 | 357 | |
| | vi. 2" (50 mm) | " | 475 | 475 | 546 | |
| | vii. 2 ½ " (65 mm) | " | 540 | 540 | 621 | |
| | viii. 3" (80 mm) | " | 635 | 635 | 730 | |
| | ix. 4" (100 mm) | " | 913 | 913 | 1050 | |
| | x. 5" (125 mm) | " | 1385 | 1385 | 1593 | |
| | xi. 6" (150 mm) | " | 1703 | 1703 | 1959 | |
| | xii. 8" (200 mm) | " | 2453 | 2453 | 2821 | |
| | b) Medium class | | | | | |
| | i. ½ " (15 mm) | र.मी | 120 | 120 | 138 | |
| | ii. ¾" (20 mm) | " | 152 | 152 | 174 | |
| | iii. 1" (25 mm) | " | 230 | 230 | 265 | |
| | iv. 1 ¼" (32 mm) | " | 300 | 300 | 345 | |
| | v. 1 ½ " (40 mm) | र.मि | 345 | 345 | 397 | |
| | vi. 2" (50 mm) | " | 473 | 473 | 544 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|---|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| vii. | 2 ½ " (65 mm) | " | 605 | 605 | 696 | |
| viii. | 3" (80 mm) | " | 752 | 752 | 864 | |
| ix. | 4" (100 mm) | " | 1458 | 1458 | 1677 | |
| x. | 5" (125 mm) | " | 1517 | 1517 | 1744 | |
| xi. | 6" (150 mm) | " | 1835 | 1835 | 2110 | |
| xii. | 8" (200 mm) | " | 2805 | 2805 | 3226 | |
| c) Heavy duty | | | | | | |
| i. | ½ " (15 mm) | र.मि | 143 | 143 | 165 | |
| ii. | ¾" (20 mm) | " | 178 | 178 | 205 | |
| iii. | 1" (25 mm) | " | 253 | 253 | 291 | |
| iv. | 1 ¼" (32 mm) | " | 345 | 345 | 397 | |
| v. | 1 ½ " (40 mm) | " | 398 | 398 | 458 | |
| vi. | 2" (50 mm) | " | 585 | 585 | 673 | |
| vii. | 2 ½ " (65 mm) | " | 730 | 730 | 840 | |
| viii. | 3" (80 mm) | " | 862 | 862 | 991 | |
| ix. | 4" (100 mm) | " | 1325 | 1325 | 1524 | |
| x. | 5" (125 mm) | " | 1708 | 1708 | 1965 | |
| xi. | 6" (150 mm) | " | 1600 | 1600 | 1840 | |
| xii. | 8" (200 mm) | " | 2980 | 2980 | 3427 | |
| 31.0 G.I. Pipe fittings ISI or NS Standard | | | | | | |
| a) G.M. Gate valve | | | | | | |
| i. | ½ " | गोटा | 802 | 802 | 802 | |
| ii. | ¾" | " | 998 | 998 | 998 | |
| iii. | 1" | " | 1608 | 1608 | 1608 | |
| iv. | 1 ¼" | " | 2294 | 2294 | 2294 | |
| v. | 1 ½ " | " | 2889 | 2889 | 2889 | |
| vi. | 2" | " | 4599 | 4599 | 4599 | |
| vii. | 2 ½ " | " | 9509 | 9509 | 9509 | |
| viii. | 3" | " | 11823 | 11823 | 11823 | |
| ix. | 4" | " | 19365 | 19365 | 19365 | |
| b) G.M Check valve | | | | | | |
| i. | ½ " | गोटा | 744 | 744 | 744 | |
| ii. | ¾" | " | 1000 | 1000 | 1000 | |
| iii. | 1" | " | 1479 | 1479 | 1479 | |
| iv. | 1 ¼" | " | 2186 | 2186 | 2186 | |
| v. | 1 ½ " | " | 2529 | 2529 | 2529 | |
| vi. | 2" | " | 4194 | 4194 | 4194 | |
| vii. | 2 ½ " | " | 8521 | 8521 | 8521 | |
| viii. | 3" | " | 11381 | 11381 | 11381 | |
| ix. | 4" | " | 16084 | 16084 | 16084 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | c) G.I. Elbow | | | | | |
| i. | ½ " | गोटा | 43 | 43 | 43 | |
| ii. | ¾ " | " | 78 | 78 | 78 | |
| iii. | 1 " | " | 121 | 121 | 121 | |
| iv. | 1 ¼ " | " | 183 | 183 | 183 | |
| v. | 1 ½ " | " | 257 | 257 | 257 | |
| vi. | 2 " | " | 387 | 387 | 387 | |
| vii. | 2 ½ " | " | 671 | 671 | 671 | |
| viii. | 3 " | " | 1044 | 1044 | 1044 | |
| ix. | 4 " | " | 1799 | 1799 | 1799 | |
| x. | 5 " | " | 4452 | 4452 | 4452 | |
| xi. | 6 " | " | 5358 | 5358 | 5358 | |
| | d) G.I. Tee | | | | | |
| i. | ½ " | गोटा | 67 | 67 | 67 | |
| ii. | ¾ " | " | 106 | 106 | 106 | |
| iii. | 1 " | " | 154 | 154 | 154 | |
| iv. | 1 ¼ " | " | 247 | 247 | 247 | |
| v. | 1 ½ " | " | 342 | 342 | 342 | |
| vi. | 2 " | " | 559 | 559 | 559 | |
| vii. | 2 ½ " | " | 878 | 878 | 878 | |
| viii. | 3 " | " | 1187 | 1187 | 1187 | |
| ix. | 4 " | " | 2156 | 2156 | 2156 | |
| x. | 5 " | " | 5967 | 5967 | 5967 | |
| xi. | 6 " | " | 6915 | 6915 | 6915 | |
| | e) G.I Union | | | | | |
| i. | ½ " | गोटा | 141 | 141 | 141 | |
| ii. | ¾ " | " | 198 | 198 | 198 | |
| iii. | 1 " | " | 291 | 291 | 291 | |
| iv. | 1 ¼ " | " | 400 | 400 | 400 | |
| v. | 1 ½ " | " | 495 | 495 | 495 | |
| vi. | 2 " | " | 737 | 737 | 737 | |
| vii. | 2 ½ " | " | 1507 | 1507 | 1507 | |
| viii. | 3 " | " | 2030 | 2030 | 2030 | |
| ix. | 4 " | " | 2675 | 2675 | 2675 | |
| x. | 5 " | " | 5967 | 5967 | 5967 | |
| xi. | 6 " | " | 7219 | 7219 | 7219 | |
| | f) G.I. Socket | | | | | |
| i. | ½ " | गोटा | 39 | 39 | 39 | |
| ii. | ¾ " | " | 61 | 61 | 61 | |
| iii. | 1 " | " | 83 | 83 | 83 | |
| iv. | 1 ¼ " | " | 128 | 128 | 128 | |
| v. | 1 ½ " | " | 173 | 173 | 173 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------------------------|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| vi. | 2" | " | 255 | 255 | 255 | |
| vii. | 2 ½ " | " | 462 | 462 | 462 | |
| viii. | 3" | " | 681 | 681 | 681 | |
| ix. | 4" | " | 1179 | 1179 | 1179 | |
| x. | 5" | " | 2945 | 2945 | 2945 | |
| xi. | 6" | " | 3960 | 3960 | 3960 | |
| g) C.I. Plug | | | | | | |
| i. | ½ " | गोटा | 25 | 25 | 25 | |
| ii. | ¾" | " | 33 | 33 | 33 | |
| iii. | 1" | " | 41 | 41 | 41 | |
| iv. | 1 ¼" | " | 82 | 82 | 82 | |
| v. | 1 ½ " | " | 103 | 103 | 103 | |
| vi. | 2" | " | 124 | 124 | 124 | |
| vii. | 2 ½ " | " | 178 | 178 | 178 | |
| viii. | 3" | " | 364 | 364 | 364 | |
| ix. | 4" | " | 698 | 698 | 698 | |
| h) Hex Nipple | | | | | | |
| i. | ½ " | गोटा | 47 | 47 | 47 | |
| ii. | ¾" | " | 72 | 72 | 72 | |
| iii. | 1" | " | 116 | 116 | 116 | |
| iv. | 1 ¼" | " | 181 | 181 | 181 | |
| v. | 1 ½ " | " | 229 | 229 | 229 | |
| vi. | 2" | " | 341 | 341 | 341 | |
| vii. | 2 ½ " | " | 625 | 625 | 625 | |
| viii. | 3" | " | 807 | 807 | 807 | |
| ix. | 4" | " | 1237 | 1237 | 1237 | |
| i) Reducing Tee | | | | | | |
| i. | ¾" | गोटा | 116 | 116 | 116 | |
| ii. | 1" | " | 170 | 170 | 170 | |
| iii. | 1 ¼" | " | 271 | 271 | 271 | |
| iv. | 1 ½ " | " | 376 | 376 | 376 | |
| v. | 2" | " | 614 | 614 | 614 | |
| vi. | 2 ½ " | " | 967 | 967 | 967 | |
| vii. | 3" | " | 1307 | 1307 | 1307 | |
| viii. | 4" | " | 2388 | 2388 | 2388 | |
| x. | 5" | " | 6570 | 6570 | 6570 | |
| xi. | 6" | " | 7605 | 7605 | 7605 | |
| i) Reducing Elbow | | | | | | |
| i. | ¾" | गोटा | 86 | 86 | 86 | |
| ii. | 1" | " | 133 | 133 | 133 | |
| iii. | 1 ¼" | " | 203 | 203 | 203 | |
| iv. | 1 ½ " | " | 285 | 285 | 285 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|---------------------------|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| v. | 2" | " | 426 | 426 | 426 | |
| vi. | 2 ½ " | " | 736 | 736 | 736 | |
| vii. | 3" | " | 1134 | 1134 | 1134 | |
| viii. | 4" | " | 2008 | 2008 | 2008 | |
| x. | 5" | " | 4898 | 4898 | 4898 | |
| xi. | 6" | " | 5894 | 5894 | 5894 | |
| j) Reducing socket | | | | | | |
| i. | ¾" | गोटा | 67 | 67 | 67 | |
| ii. | 1" | " | 90 | 90 | 90 | |
| iii. | 1 ¼" | " | 140 | 140 | 140 | |
| iv. | 1 ½ " | " | 188 | 188 | 188 | |
| v. | 2" | " | 281 | 281 | 281 | |
| vi. | 2 ½ " | " | 502 | 502 | 502 | |
| vii. | 3" | " | 717 | 717 | 717 | |
| viii. | 4" | " | 1293 | 1293 | 1293 | |
| x. | 5" | " | 3697 | 3697 | 3697 | |
| xi. | 6" | " | 4347 | 4347 | 4347 | |
| K) Short bend | | | | | | |
| i. | ½ " | गोटा | 116 | 116 | 116 | |
| ii. | ¾" | " | 178 | 178 | 178 | |
| iii. | 1" | " | 273 | 273 | 273 | |
| iv. | 1 ¼" | " | 525 | 525 | 525 | |
| v. | 1 ½ " | " | 793 | 793 | 793 | |
| vi. | 2" | " | 1161 | 1161 | 1161 | |
| vii. | 2 ½ " | " | 2980 | 2980 | 2980 | |
| viii. | 3" | " | 4620 | 4620 | 4620 | |
| ix. | 4" | " | 6546 | 6546 | 6546 | |
| D) Cross Tee | | | | | | |
| i. | ½ " | गोटा | 109 | 109 | 109 | |
| ii. | ¾" | " | 155 | 155 | 155 | |
| iii. | 1" | " | 244 | 244 | 244 | |
| iv. | 1 ¼" | " | 424 | 424 | 424 | |
| v. | 1 ½ " | " | 509 | 509 | 509 | |
| vi. | 2" | " | 825 | 825 | 825 | |
| vii. | 2 ½ " | " | 1392 | 1392 | 1392 | |
| viii. | 3" | " | 2017 | 2017 | 2017 | |
| ix. | 4" | " | 2723 | 2723 | 2723 | |
| M) Tanki nipple | | | | | | |
| i. | ½ " | गोटा | 128 | 128 | 128 | |
| ii. | ¾" | " | 178 | 178 | 178 | |
| iii. | 1" | " | 266 | 266 | 266 | |
| iv. | 1 ¼" | " | 400 | 400 | 400 | |

| सि.नं. | निर्माण सामाग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|---|-----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| v. | 1 ½ " | " | 509 | 509 | 509 | |
| vi. | 2" | " | 825 | 825 | 825 | |
| vii. | 2 ½ " | " | 1588 | 1588 | 1588 | |
| viii. | 3" | " | 2115 | 2115 | 2115 | |
| ix. | 4" | " | 2806 | 2806 | 2806 | |
| G.I. Nipple Medium Class ISI or NS | | | | | | |
| 2" Long | | | | | | |
| i. | ½ " | गोटा | 21 | 21 | 21 | |
| ii. | ¾" | " | 31 | 31 | 31 | |
| iii. | 1" | " | 42 | 42 | 42 | |
| iv. | 1 ¼" | " | 57 | 57 | 57 | |
| v. | 1 ½ " | " | 69 | 69 | 69 | |
| vi. | 2" | " | 106 | 106 | 106 | |
| 3" Long | | | | | | |
| i. | ½ " | गोटा | 31 | 31 | 31 | |
| ii. | ¾" | " | 47 | 47 | 47 | |
| iii. | 1" | " | 63 | 63 | 63 | |
| iv. | 1 ¼" | " | 85 | 85 | 85 | |
| v. | 1 ½ " | " | 105 | 105 | 105 | |
| vi. | 2" | " | 157 | 157 | 157 | |
| vii. | 2 ½ " | " | 216 | 216 | 216 | |
| viii. | 3" | " | 315 | 315 | 315 | |
| 4" Long | | | | | | |
| i. | ½ " | गोटा | 42 | 42 | 42 | |
| ii. | ¾" | " | 62 | 62 | 62 | |
| iii. | 1" | " | 84 | 84 | 84 | |
| iv. | 1 ¼" | " | 113 | 113 | 113 | |
| v. | 1 ½ " | " | 138 | 138 | 138 | |
| vi. | 2" | " | 211 | 211 | 211 | |
| vii. | 2 ½ " | " | 289 | 289 | 289 | |
| viii. | 3" | " | 421 | 421 | 421 | |
| ix. | 4" | " | 541 | 541 | 541 | |
| 6" Long | | | | | | |
| i. | ½ " | गोटा | 63 | 63 | 63 | |
| ii. | ¾" | " | 94 | 94 | 94 | |
| iii. | 1" | " | 126 | 126 | 126 | |
| iv. | 1 ¼" | " | 171 | 171 | 171 | |
| v. | 1 ½ " | " | 211 | 211 | 211 | |
| vi. | 2" | " | 316 | 316 | 316 | |
| vii. | 2 ½ " | " | 432 | 432 | 432 | |
| viii. | 3" | " | 618 | 618 | 618 | |
| ix. | 4" | " | 764 | 764 | 764 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 9" Long | | | | | |
| | i. 1/2 " | गोटा | 94 | 94 | 94 | |
| | ii. 3/4" | " | 139 | 139 | 139 | |
| | iii. 1 " | " | 168 | 168 | 168 | |
| | iv. 1 1/4" | " | 256 | 256 | 256 | |
| | v. 1 1/2 " | " | 344 | 344 | 344 | |
| | vi. 2" | " | 474 | 474 | 474 | |
| | vii. 2 1/2 " | " | 640 | 640 | 640 | |
| | viii. 3" | " | 947 | 947 | 947 | |
| | ix. 4" | " | 1130 | 1130 | 1130 | |
| | 12" Long | | | | | |
| | i. 1/2 " | गोटा | 126 | 126 | 126 | |
| | ii. 3/4" | " | 184 | 184 | 184 | |
| | iii. 1 " | " | 209 | 209 | 209 | |
| | iv. 1 1/4" | " | 342 | 342 | 342 | |
| | v. 1 1/2 " | " | 421 | 421 | 421 | |
| | vi. 2" | " | 631 | 631 | 631 | |
| | vii. 2 1/2 " | " | 852 | 852 | 852 | |
| | viii. 3" | " | 1262 | 1262 | 1262 | |
| | ix. 4" | " | 1507 | 1507 | 1507 | |
| | 18" Long | | | | | |
| | i. 1/2 " | गोटा | 189 | 189 | 189 | |
| | ii. 3/4" | " | 233 | 233 | 233 | |
| | iii. 1 " | " | 315 | 315 | 315 | |
| | iv. 1 1/4" | " | 512 | 512 | 512 | |
| | v. 1 1/2 " | " | 629 | 629 | 629 | |
| | vi. 2" | " | 947 | 947 | 947 | |
| | vii. 2 1/2 " | " | 1280 | 1280 | 1280 | |
| | viii. 3" | " | 1874 | 1874 | 1874 | |
| | ix. 4" | " | 2286 | 2286 | 2286 | |
| | G.I./G.I. Flange | | | | | |
| | i. 1 1/4" | गोटा | 803 | 803 | 803 | |
| | ii. 1 1/2 " | " | 988 | 988 | 988 | |
| | iii. 2" | " | 1211 | 1211 | 1211 | |
| | iv. 2 1/2 " | " | 1416 | 1416 | 1416 | |
| | v. 3" | " | 1577 | 1577 | 1577 | |
| | vi. 4" | " | 1957 | 1957 | 1957 | |
| | vii. 5" | | 2798 | 2798 | 2798 | |
| | viii. 6" | | 2907 | 2907 | 2907 | |
| | ix. 8" | | 5790 | 5790 | 5790 | |
| | G.I./HDP Flange | | | | | |
| | i. 1 1/4" | गोटा | 865 | 865 | 865 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| ii. | 1 ½ " | ॥ | 1102 | 1102 | 1102 | |
| iii. | 2" | ॥ | 1302 | 1302 | 1302 | |
| iv. | 2 ½ " | ॥ | 1520 | 1520 | 1520 | |
| v. | 3" | ॥ | 1625 | 1625 | 1625 | |
| vi. | 4" | ॥ | 2005 | 2005 | 2005 | |
| vii. | 5" | ॥ | 2798 | 2798 | 2798 | |
| viii. | 6" | ॥ | 2921 | 2921 | 2921 | |
| ix. | 8" | ॥ | 6356 | 6356 | 6356 | |
| HDP/HDP Flange set with adaptor | | | | | | |
| i. | 1 ¼" | गोटा | 865 | 865 | 865 | |
| ii. | 1 ½ " | ॥ | 1102 | 1102 | 1102 | |
| iii. | 2" | ॥ | 1302 | 1302 | 1302 | |
| iv. | 2 ½ " | ॥ | 1520 | 1520 | 1520 | |
| v. | 3" | ॥ | 1625 | 1625 | 1625 | |
| vi. | 4" | ॥ | 2005 | 2005 | 2005 | |
| vii. | 5" | ॥ | 3178 | 3178 | 3178 | |
| viii. | 6" | ॥ | 2921 | 2921 | 2921 | |
| ix. | 8" | ॥ | 6356 | 6356 | 6356 | |
| Brass tap ½" | | | | | | |
| i. | ½ " (Wt. 400 gm) | गोटा | 755 | 755 | 755 | |
| ii. | ½ " ordinary | गोटा | 171 | 171 | 171 | |
| Globe Valve (GM) | | | | | | |
| i. | ½ " | गोटा | 770 | 770 | 770 | |
| ii. | ¾" | ॥ | 1254 | 1254 | 1254 | |
| iii. | 1" | ॥ | 1549 | 1549 | 1549 | |
| iv. | 1 ¼" | ॥ | 2461 | 2461 | 2461 | |
| v. | 1 ½ " | ॥ | 3097 | 3097 | 3097 | |
| vi. | 2" | ॥ | 3867 | 3867 | 3867 | |
| vii. | 2 ½ " | ॥ | 7595 | 7595 | 7595 | |
| viii. | 3" | ॥ | 12550 | 12550 | 12550 | |
| ix. | 4" | ॥ | 20292 | 20292 | 20292 | |
| Float Valve | | | | | | |
| i. | ½ " | गोटा | 945 | 945 | 945 | |
| ii. | ¾" | ॥ | 1069 | 1069 | 1069 | |
| iii. | 1" | ॥ | 1297 | 1297 | 1297 | |
| iv. | 1 ¼" | ॥ | 2242 | 2242 | 2242 | |
| v. | 1 ½ " | ॥ | 3368 | 3368 | 3368 | |
| vi. | 2" | ॥ | 4484 | 4484 | 4484 | |
| C.I. Air valve (Heavy) | | | | | | |
| i. | ½ " | गोटा | 3130 | 3130 | 3130 | |
| ii. | ¾" | ॥ | 4318 | 4318 | 4318 | |
| iii. | 1" | ॥ | 4788 | 4788 | 4788 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|-------------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Brass Union with Adopter | | | | | |
| i. | 1/2 " | गोटा | 204 | 204 | 204 | |
| ii. | 3/4" | " | 314 | 314 | 314 | |
| iii. | 1 " | " | 475 | 475 | 475 | |
| iv. | 1 1/4" | " | 618 | 618 | 618 | |
| v. | 1 1/2 " | " | 1102 | 1102 | 1102 | |
| vi. | 2" | " | 1634 | 1634 | 1634 | |
| | Saddle Ferrule | | | | | |
| i. | 1 1/2 " | गोटा | 295 | 295 | 295 | |
| ii. | 2" | " | 390 | 390 | 390 | |
| iii. | 2 1/2 " | " | 1088 | 1088 | 1088 | |
| iv. | 3" | " | 1439 | 1439 | 1439 | |
| v. | 4" | " | 2052 | 2052 | 2052 | |
| | Flow Regulating Valve (G.M.) | | | | | |
| i. | 1/2" | गोटा | 1102 | 1102 | 1102 | |
| | C.I Sluice Valve | | | | | |
| i. | 1 1/2 " | गोटा | 5705 | 5705 | 5705 | |
| ii. | 2" | " | 7610 | 7610 | 7610 | |
| iii. | 2 1/2 " | " | 9505 | 9505 | 9505 | |
| iv. | 3" | " | 11409 | 11409 | 11409 | |
| v. | 4" | " | 15208 | 15208 | 15208 | |
| v. | 5" | " | 23114 | 23114 | 23114 | |
| v. | 6" | " | 27740 | 27740 | 27740 | |
| v. | 8" | " | 38836 | 38836 | 38836 | |
| | Brass Ferrule Cock | | | | | |
| i. | 1/2 " | गोटा | 1254 | 1254 | 1254 | |
| ii. | 3/4" | " | 1634 | 1634 | 1634 | |
| iii. | 1 " | " | 2399 | 2399 | 2399 | |
| | Ball valve | | | | | |
| a) | 15mm | गोटा | 428 | 428 | 428 | |
| b) | 20 mm | " | 542 | 542 | 542 | |
| c) | 25 mm | " | 727 | 727 | 727 | |
| d) | 32 mm | " | 876 | 876 | 876 | |
| e) | 40 mm | " | 1696 | 1696 | 1696 | |
| f) | 50 mm | " | 2784 | 2784 | 2784 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|-------------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| 32.0 | Supplying of Rcc ring for construction of well | | | | | |
| 32.1 | Ring | | | | | |
| | i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick | गोटा | 563 | 563 | 563 | |
| | ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick | " | 697 | 697 | 697 | |
| | iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick | " | 811 | 811 | 811 | |
| | iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick | " | 1074 | 1074 | 1074 | |
| 32.2 | Supplying & fixing of metal frame and Rcc cover | | | | | |
| | i) 28" dia. 60m thick R.C.C. ring cover with metal frame | गोटा | 1700 | 1700 | 1700 | |
| | i) 36" dia. 60m thick R.C.C. ring cover with metal frame | " | 2250 | 2250 | 2250 | |
| | i) 42" dia. 60m thick R.C.C. ring cover with metal frame | " | 2470 | 2470 | 2470 | |
| | i) 48" dia. 60m thick R.C.C. ring cover with metal frame | " | 2950 | 2950 | 2950 | |
| 33.0 | ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक) | | | | | |
| | i) 28" dia. R.C.C. Ring | र.मी | 3715 | 3715 | 3715 | |
| | ii) 36" dia. R.C.C. Ring | " | 4715 | 4715 | 4715 | |
| | iii) 42" dia. R.C.C. Ring | " | 5489 | 5489 | 5489 | |
| | iv) 48" dia. R.C.C. Ring | " | 6770 | 6770 | 6770 | |
| 32.2 | २५ फीट देखि माथीको गहीराइ भएमा | | | | | |
| | ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक) | | | | | |
| | i) 28" dia. R.C.C. Ring | र.मी | 5223 | 5223 | 5223 | |
| | ii) 36" dia. R.C.C. Ring | " | 8832 | 8832 | 8832 | |
| | iii) 42" dia. R.C.C. Ring | " | 10690 | 10690 | 10690 | |
| | iv) 48" dia. R.C.C. Ring | " | 12843 | 12843 | 12843 | |
| 33.0 | Accessories for Deep boring works by machine . | | | | | |
| | i) MS Slotted pipe | Kg | | | | |
| | ii) Submersible pump with motor 15 hp per set, head 80 m.discharge 10 lps. with control pannel | Set | | | | |
| 34.0 | Sanitary Tools | | | | | |
| a | Adjustable spanner | | | | | |
| | 10" | Pc | 248 | 248 | 248 | |
| | 12" | Pc | 468 | 468 | 468 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---------------------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | 15" | Pc | 1348 | 1348 | 1348 | |
| | 18" | Pc | 1595 | 1595 | 1595 | |
| b | Blow Torch | | | | | |
| | 1/2 pint | Pc | 1392 | 1392 | 1392 | |
| | 1 pint | Pc | 1716 | 1716 | 1716 | |
| c | Building Trowel | Pc | 77 | 77 | 77 | |
| d | Chain Pipe wrench | | | | | |
| | 50mm | Pc | 1595 | 1595 | 1595 | |
| | 75mm | Pc | 1898 | 1898 | 1898 | |
| | 100mm | Pc | 2228 | 2228 | 2228 | |
| | 150mm | Pc | 3135 | 3135 | 3135 | |
| | 200mm | Pc | 5335 | 5335 | 5335 | |
| e | Chain Pulley in Ton | | | | | |
| | 3 ton | Pc | 17050 | 17050 | 17050 | |
| | 5 ton | Pc | 28160 | 28160 | 28160 | |
| f | Stone Chisel 1"x12" | Pc | 358 | 358 | 358 | |
| g | Die teeth oil with cane (250 ml size) | Pc | 275 | 275 | 275 | |
| h | Smooth steel file half round | | | | | |
| | 8" | Pc | 523 | 523 | 523 | |
| | 10" | Pc | 1001 | 1001 | 1001 | |
| i | Flat file 10" | Pc | 523 | 523 | 523 | |
| 10.0 | Hacksaw Blade | | | | | |
| | Single | Pc | 4 | 4 | 4 | |
| | double | Pc | 9 | 9 | 9 | |
| j | Hacksaw Frame 6mm | Pc | 187 | 187 | 187 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|----------------------------|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| k | Handle die set | | | | | |
| | 25 mm | Pc | 3108 | 3108 | 3108 | |
| | 50 mm | Pc | 3520 | 3520 | 3520 | |
| | 60 mm | Pc | 9350 | 9350 | 9350 | |
| l | Heating Plate | | | | | |
| | 80 mm | Pc | 935 | 935 | 935 | |
| | 100 mm | Pc | 1073 | 1073 | 1073 | |
| | 125 mm | Pc | 1375 | 1375 | 1375 | |
| | 150 mm | Pc | 1639 | 1639 | 1639 | |
| | 200 mm | Pc | 2651 | 2651 | 2651 | |
| | 250 mm | Pc | 3212 | 3212 | 3212 | |
| | 300 mm | Pc | 3751 | 3751 | 3751 | |
| m | Iron Brush 12" | Pc | 72 | 72 | 72 | |
| n | Iron Pan (madium) | Pc | 253 | 253 | 253 | |
| o | Pick Axe 1.7 Kg. | Pc | 418 | 418 | 418 | |
| p | Pipe Cutter | | | | | |
| | 15-50 mm | Pc | 1980 | 1980 | 1980 | |
| | 65-80 mm | Pc | 3080 | 3080 | 3080 | |
| | 100 mm | Pc | 4950 | 4950 | 4950 | |
| | 125 mm | Pc | 5500 | 5500 | 5500 | |
| | 150 mm | Pc | 9790 | 9790 | 9790 | |
| q | Pipe Jack Machine (Heavy) | Pc | 31350 | 31350 | 31350 | |
| r | Pipe Vice | | | | | |
| | 2" | Pc | 2420 | 2420 | 2420 | |
| | 3" | Pc | 3520 | 3520 | 3520 | |
| | 4" | Pc | 5308 | 5308 | 5308 | |
| | 5" | Pc | 9845 | 9845 | 9845 | |
| s | Pipe Wrench | | | | | |
| | 10" | Pc | 308 | 308 | 308 | |
| | 12" | Pc | 572 | 572 | 572 | |
| | 14" | Pc | 682 | 682 | 682 | |
| | 18" | Pc | 1084 | 1084 | 1084 | |
| | 24" | Pc | 1496 | 1496 | 1496 | |
| | 36" | Pc | 5280 | 5280 | 5280 | |
| | 48" | Pc | 9350 | 9350 | 9350 | |
| t | Plumb Bob Line | Pc | 88 | 88 | 88 | |
| u | Rachet Die Set | | | | | |
| | 1/2"-1" | Pc | 4180 | 4180 | 4180 | |
| | 1 1/4" -2" | Pc | 7810 | 7810 | 7810 | |
| | 2 1/2"-3" | Pc | 17050 | 17050 | 17050 | |
| v | Round File 10" | Pc | 358 | 358 | 358 | |
| w | Screw Driver 12" | Pc | 198 | 198 | 198 | |
| x | Shovel 1.5 Kg | Pc | 358 | 358 | 358 | |
| y | Slide wrench | | | | | |
| | 10" | Pc | 352 | 352 | 352 | |
| | 12" | Pc | 473 | 473 | 473 | |
| | 15" | Pc | 1381 | 1381 | 1381 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| z | Spade | Pc | 429 | 429 | 429 | |
| A | Spare Die Teeth | | | | | |
| | 15 mm | Pc | 572 | 572 | 572 | |
| | 20 mm | Pc | 572 | 572 | 572 | |
| | 25 mm | Pc | 572 | 572 | 572 | |
| | 32 mm | Pc | 908 | 908 | 908 | |
| | 40 mm | Pc | 1551 | 1551 | 1551 | |
| | 50 mm | Pc | 1568 | 1568 | 1568 | |
| | 65 mm | Pc | 1815 | 1815 | 1815 | |
| | 80 mm | Pc | 2035 | 2035 | 2035 | |
| B | Teflon Cover | | | | | |
| | 5'x5' | Pc | 303 | 303 | 303 | |
| | 7'x7' | Pc | 413 | 413 | 413 | |
| C | Teflon Cloth | m | 3328 | 3328 | 3328 | |
| D | Teflon Tape 10 mm roll | Roll | 17 | 17 | 17 | |
| E | Thermochrome Crayon | | | | | |
| | Indian | Pc | 743 | 743 | 743 | |
| | Germany | Pc | 1485 | 1485 | 1485 | |
| F | Tool Box (14"x8"x22") | Pc | 2041 | 2041 | 2041 | |
| 35 | Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤ 37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc..) | | | | | |
| | 800 lts for 4 persons | nos | 63,750 | 63,750 | 63,750 | |
| | 1200 lts for 6 people | nos | 79,050 | 79,050 | 79,050 | |
| | 1600 lts for 10 persons | nos | 95,200 | 95,200 | 95,200 | |
| 36 | Irrigation Works excluding pipes including installation (Rainbird or equivalent) | | | | | |
| 1 | Supply flexible, kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm | Rm | 150.00 | 150.00 | 150.00 | |
| 2 | Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar | Nos | 30.00 | 30.00 | 30.00 | |
| 3 | SPRINKLERS & ACCESSORIES | | | | | |
| | Unispray | No. | 660.00 | 660.00 | 660.00 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|----------|--|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover 15SST | No. | 1200.00 | 1200.00 | 1200.00 | |
| | Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover PA series | No. | 1200.00 | 1200.00 | 1200.00 | |
| | gear rotors 5004 | No. | 3100.00 | 3100.00 | 3100.00 | |
| | Providing of 1/2" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA Series | No. | 390.00 | 390.00 | 390.00 | |
| | Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA | No. | 480.00 | 480.00 | 480.00 | |
| | Providing and fixing of HDPE service saddle of varying size | | 850.00 | 850.00 | 850.00 | |
| 4 | VALVES & ACCESSORIES | | | | | |
| | Providing and fixing PVC Ball Valve ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm. | No. | 1800.00 | 1800.00 | 1800.00 | |
| | Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar. | No. | 2100.00 | 2100.00 | 2100.00 | |
| | 12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout | No. | 7500.00 | 7500.00 | 7500.00 | |
| | 6"Round box. | No. | 1250.00 | 1250.00 | 1250.00 | |
| | Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC | No. | 13500.00 | 13500.00 | 13500.00 | |

| सि.नं. | निर्माण सामग्रीहरूको विवरण | एकाई | मु.अ.क. (VAT) बाहेक | | | कैफियत |
|--------|---|------|---------------------|----------------|-------------|--------|
| | | | आ.व. ०७२/७३ | आ.व. ०७३/७४ | आ.व. ०७४/७५ | |
| | Key threads into top of QCV to provide water access 33DK | No. | 9750.00 | 9750.00 | 9750.00 | |
| 37 | Miscellaneous | | | | | |
| | Lead | kg | | | 1482.00 | |
| | Sun | kg | | | 685.00 | |
| | MS+HDPE Flange | | | | | |
| | 150 mm | set | | | 6637.00 | |
| | 200 mm | set | | | 11947.00 | |
| | 250 mm | set | | | 15486.00 | |
| | Mechanical coupling with nut, bolt, washer | set | | | | |
| | 150 mm | set | | | 6696.00 | |
| | 200 mm | set | | | 9026.00 | |
| | 250 mm | set | | | 16437.00 | |
| | 300 mm | set | | | 33185.00 | |
| | 350 mm | set | | | 59734.00 | |
| | 400 mm | set | | | 75663.00 | |
| | 500 mm | set | | | 78318.00 | |
| | UPVC coupling 50 mm | set | | | 3097 | |
| | Flange Tailpiece | | | | | |
| | 80 mm | Pc | | | 3716.00 | |
| | 100 mm | Pc | | | 4867.00 | |
| | 150 mm | Pc | | | 7256.00 | |
| | 200 mm | Pc | | | 9026.00 | |
| | 250 mm | Pc | | | 16991.00 | |